



Audio Visual Equipment


e u r o s c r e e n[®]

PRICE BOOK - SEK & EUR & GBP

RECOMMENDED RETAIL PRICE

NEW! FlexPerf

Euroscreen® is proud to present a completely new projection screen surface in its product range - the FlexPerf surface with microscopic perforations which create a sound transparent projection surface. Page 7.

**NEW! Control Box**

The Control Box is a multifunctional unit for easy and trouble-free operation of electrical projection screens. 1 single box provides no less than 5 possible control options. Page 36.

**NEW! ReAct 2.1**

Euroscreen's superior screen surface ReAct has been upgraded. The surface presents an excellent viewing experience even with bright light in the audience area. Page 7.



Table of contents

Screen Selection 4-9

Electric Projection Screens 10

- » Sesame 2.1 10-13
- » Linea Tab Tension 14-15
- » Diplomat electric 16-22
- » BlackLine electric 23-27
- » Connect electric 28-29
- » Diplomat XL Flex 30
- » AccessFlex.....31
- » Diplomat XL 32
- » Royal.....33
- » LODO.....34
- » ACCESS installation case 35

Screen Accessories 36-38

Manual Projection Screens 39

- » Diplomat manual 39-41
- » BlackLine manual 42-43
- » Connect manual 44
- » Excello 2000 45

Fixed Frame Screens 46

- » FrameVisionLight.....46-50
- » FrameVision.....51-55

Diffusion Screens 56

Custom Print 57

Portable Projection Screens 58

- » Connect Floor 58
- » Tripod Connect 59
- » Carrying Cases 59

AV Furniture 60

- » AV Cabinet 60
- » Lectern Top for AV Cabinet 61

FAQ 62

Terms of Sale 63

euroscreen®

Euroscreen® stands for high quality and customised AV products manufactured in Sweden. Within the brand you find a large choice of products with the heart set on complete solutions of projection screens in public environments, business areas and home installations. We fine-tune our products to fit your needs, while maintaining short lead times, high quality and competitive prices.

In January 2013 our production and office moved in to new facilities located nearby the Halmstad harbour. The building had been optimized to fit our specific needs as it holds 5000 sqm of production and warehouse, and a 2-level office area with an inspiring showroom area.

Euroscreen® products are developed and manufactured by Draper Europe AB. Our aim is serve you in the best way possible. If you have any questions or just want to share your views with us, please feel free to contact us.

Euroscreen® offices with sales representatives are located in:

- » Halmstad, Sweden
- » Stockholm, Sweden
- » Haarlem, the Netherlands
- » Corby, United Kingdom
- » Spiceland, IN, USA






Euroscreen® offers a broad range of projection screens in standard sizes with high quality features and smart designs. In addition, we offer custom projection screens for your specific needs. Choose a custom height, width, screen surface, or even custom printed graphics for unparalleled options in selecting your projection screen. We encourage you to read the guidelines below to make sure you choose the best projection screen for your unique application.

Audience Area

The audience area can help you identify what type of projection screen is right for your unique installation. Euroscreen® has a wide product range and offers the following projection screen types:

- » Roller projection screens, manual or electric where the latter is most popular, and Tab Tension, for installation either in the ceiling or the wall.
- » Fixed frame screen for a permanent installation on wall
- » Portable projection screens for installations that will be transported or built up and torn down frequently.

In determining the correct screen size in relation to the audience area, the goal is to make the screen large enough so those in the rear of the audience area can read the subject matter easily, but not so large that those in the front of the audience area have difficulty seeing the full width of the projected image.



Screen Size

One of the most important decisions in projection screen selection is to determine the size of screen based upon the dimensions of the audience area.

Width

The general rule to be applied is that the screen should be of a width that is $\frac{2}{3}$ the distance between the screen itself and the front row of the audience. Put in another way, the closest people should be 1.5 times the width of the screen distance. If the audience is large in number the rule is that the screen width should be the total distance divided by five.


Viewing Height

The bottom of the screen should be approximately 100-120 cm above the floor in a room with a level floor and several rows of seats. In rooms with theatre seating or only one or two rows, such as a home theatre, the bottom of the screen should usually be 60-90 cm above the floor.

Try to make sure that the lower part of the screen will be visible from all seats. Extra drop may be required to position the screen at a comfortable viewing level in a room with a high ceiling.


Height

Screen height is generally determined by the width of the screen and the projection formats to be used.



Projection Format

Once you have determined the correct size of screen for the audience area, that size may be modified based upon the type(s) of projection equipment to be used. If the screen will only be used with one type of projector, it is easy to determine exact screen dimensions based upon the projection format of that projector. Projection formats are expressed in terms of aspect ratio, which is the relationship of the width of the projected image to its height. Euroscreen® also offer several projection screen models in Nordic projection format, where the height is taller than the width.



Projector Performance

The projector's performance is also a highly significant factor to determine what type of screen and screen surface will be used. For a Full HD or a Short Throw projector it is extremely important a perfectly flat viewing area is obtained to perform as intended. Therefore these high technology projectors are used with a fixed frame screens with a permanently tensioned viewing surface, or Tab Tension screens where the adjustable tensioning system provides a flat surface.



Screen Surface

The projector makes the image, but it is the screen surface that shows it. We cannot stress enough how important it is to have the correct screen surface in every unique application for you to get the best and most out of your money. Your selection of screen surfaces is essentially based upon what type of projection screen you have concluded would be the best option for your application. In some cases the type of screen might be altered due to a specific screen surface wanted and this surface might not be a compatible alternative with the type of screen first chosen.

Basically there are two types of screen surfaces; the *unsupported vinyl* which is characterised by its flexible qualities and the *textile backed* with its reflective front surface laminated to a woven textile base.

The tensioned unsupported vinyl screen surfaces, whether for front or rear projection, need to be correctly tensioned to achieve sufficient flatness to perform properly. These surfaces are used on fixed frame and Tab Tension screens, which provide the necessary support.

The non-tensioned textile backed screen surfaces are used on spring-roller operated and motorized projection screens. The screen hangs suitably flat by virtue of the dimensional stability of the material and the weight of the dowel in the bottom of the screen.

As a general rule a white screen surface is used when most of the surrounding lights can be blocked out. The white areas of the projected image are shown as truly white, and the colours are authentically reflected on the screen surface.

However, in many cases it can be difficult to block out all surrounding light, and therefore a grey screen surface might be a better choice. A grey screen surface enhances the darker image areas even when ambient light sources tend to make it brighter, and a better contrast between colours and black/white is perceived. Euroscreen® ReAct II is the superior high contrast surface and is an outstanding choice for projection in ambient or even bright light environments. ReAct II is a tensioned screen surface and available in fixed frame and Tab Tension screens. It is suitable for any installations such as home theatre and business application.

Non-tensioned Screen Surfaces

The reflective surface of the front projection screen is laminated to a woven textile base which provides the necessary dimensional stability so the screen fabric will operate satisfactory on a roller. Materials of this type are used on spring-roller operated and motorized projection screens. The screen hangs suitably flat by virtue of the dimensional stability of the material and the weight of the dowel in the bottom of the screen.



Xpert

Euroscreen® Xpert surface is 100% PVC free, and is manufactured without using hazardous substances. While it is a more environmentally friendly viewing surface, Xpert does not sacrifice quality and effectiveness. Provides excellent viewing flatness and colour rendition (colour temp. 6430 K). Supplied with a white black-out backing for superior blocking of incoming light from behind. Gain 1.0. B1 flame retardant rating.



Arctiq

Euroscreen's standard matt white surface with fibreglass support and black-backed. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0. Requires control of ambient light in the audience area. Suitable for "wear & tear" installations, such as public restaurants and pubs. Washable. Flame and mildew resistant.




GreyLight

Matt light grey front projection surface, fibreglass supported and black-backed. It diffuses projected light in all directions, so the image can be seen from any angle. Performs well in ambient light condition. Gain 0.75. Same base construction as Arctiq, with the same toughness against "wear & tear". Washable. Flame and mildew resistant.



Astranova

A white, black-backed front projection surface. For use with some of Euroscreen's larger projection screens. Thickness 0.57 mm. Provides a flat viewing surface. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0.



Do-It-Yourself

Euroscreen® offers screen surfaces as screen fabric only - Do-It-Yourself – where the fabric is cut to desire size and delivered on a roll. See chart on page 8 for surfaces available as Do-It-Yourself.

Tensioned Screen Surfaces

This type of screen surface consists of the vinyl reflective surface only, with no textile backing. Transmissive rear projection surfaces are also available. These screen surfaces, whether for front or rear projection, need to be tensioned to achieve sufficient flatness to perform properly.

NEW!



REACH
The new EU chemicals legislation

FlexPerf

Euroscreen® is proud to present a completely new projection screen surface in its product range. The new FlexPerf surface is a vinyl reflective fabric with microscopic perforations which create a sound transparent projection surface. Home theatre enthusiasts find a new best friend in the FlexPerf surface since speakers can be placed behind the screen without any compromising with the audio quality. No compromising with the picture quality either since FlexPerf's white front projection surface provides a complete viewing experience with full contrast and accurate colour rendition. Gain 0.8



REACH
The new EU chemicals legislation
ECHA

ReAct 2.1

Euroscreen® is glad to be able to introduce the 2.1 version of ReAct. ReAct is a superior screen surface that presents an excellent viewing experience even with bright light in the audience area. The structure and finish of the silver grey material boost colour contrast and black levels in the projected image (colour temp. 6508 K). Ensures an excellent flat viewing surface. Full HD compliant. Gain 1.0.



REACH
The new EU chemicals legislation
ECHA

FlexWhite

Pliable matt white surface which provides excellent flat viewing area and superb colour rendition (colour temp. 6565 K). Full HD compliant. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0.

The black-backed FlexWhite M1 presents same high quality features, and in addition to its M1 fire resistant rating also allows less light to pass through from behind the screen.



REACH
The new EU chemicals legislation

FlexRear

Neutral grey rear projection diffusing surface allows placement of projector behind the screen. Provides high resolution and excellent contrast even in ambient light. Gain 2.5.



GREENGUARD Children and Schools SM certified, meeting the strictest standards and contribute to healthier indoor air quality for school age children.











REACH controls the registration, evaluation, authorisation and limitation of chemicals. All Euroscreen® screen surfaces are approved by the REACH regulation.



European Chemicals Agency (ECHA) gathers information on chemical substances. All Euroscreen® projection screens are printed with colours approved by ECHA.

In the chart below each screen surface available for each Euroscreen® screens are listed - your easiest guide to all screens and screen surfaces combinations!

Non-tensioned surfaces					Tensioned surfaces				
									
	Xpert	Arctiq	GreyLight	Astranova		FlexPerf	ReAct 2.1	FlexWhite	FlexRear
Sesame 2.1	•	•	•		Sesame 2.1 Tab Tension	•	•	•	•
Diplomat	•	•	•		Linea Tab Tension	•	•	•	•
BlackLine	•	•	•		Diplomat Tab Tension	•	•	•	•
Connect		•			BlackLine Tab Tension	•	•	•	•
Diplomat XL		•			Diplomat XL Flex			•	
Royal				•	Access Flex			•	
Connect Floor		•	•		Frame Vision Light	•	•	•	•
Tripod Connect		•	•		Frame Vision	•	•	•	•
Do-It-Yourself		•	•		Do-It-Yourself			•	•

Projection Glossary

Ambient light rejection properties

The screen surface ability to perform well under normal to adverse audience lighting conditions.

Aspect ratio

The ratio of image width to image height., formatted for the desired projection source (e.g. 4:3, 16:10, 16:9 and 2.35:1).

Brightness

Overall light output from an image. While a brightness control can make an image brighter, it is best used to better define the black level of the image.

Contrast

The screen surfaces ability to accurately reproduce and differentiate light and dark characters and backgrounds, or light and dark areas of an image.

Gain

As it applies to projectors, gain is the measurement of a projection screen's light reflectance with unity gain being one. A high gain screen will reflect more light along a narrower path than lower gain screen. Screen gains under one use a gray screen to absorb ambient light to help maintain contrast ratios.

Resolution

The clarity of the projected image.

Short Throw Wall Mount Projector

A projector that mounts on a wall adjacent to the projection screen. The throw distance is generally just a few inches and allows people to move freely through the room without concern of intercepting the light path.

Tab-Tensioned

A projection screen type that has connections on all sides of the screen material, which pull it taut in order to have a flat screen surface.

Uniformity

The screen's performance when viewed from various points off the projection axis (both horizontally and vertically), and when the brightness of the center of the image is compared to the corners.



Made in Sweden

Products with this symbol are designed and manufactured in Sweden.





Soft&Quiet - manual

A feature that retracts the surface slowly and smoothly into the case, slowing even more as it approached its upper limit. Prevents potential damages to the screen/screen surface through repeated impact with the case.



Quiet Motor - electric

Optional professional feature for electric screens which are equipped with high quality tubular Quiet Motor which reduces the motor noise by approx. 20%. It's make a huge difference compared to standard motors.



Wall/Ceiling Installation

The symbol indicates the installation required for the screen model.



Portable

The screen is portable and no permanent installation is needed.



Installation

The screen is supplied with a hard wire cable only and the screen needs to be installed by an authorized installer.



Plug n' Play

The product is available with Plug n' Play function; quick and easy installation where no authorized electrician is needed.




1:1 Square

Height > width. Extra height gives additional flexibility, often suitable for educational applications. No black borders.




1:1 Square

The projection width and height is in the aspect ratio of 1:1. No black borders.




4:3 Video

The projection width and height is in the aspect ratio of 4:3. A part number followed by "-V" indicates the screen has black borders.



16:10 Data

The projection width and height is in the aspect ratio of 16:10. Often suitable for business projectors. A part number followed by "-D" indicates the screen has black borders.



16:9 Wide

The projection width and height is in the aspect ratio of 16:9, a commonly used format in movies. A part number followed by "-W" indicates the screen has black borders.



2.35:1 Cinemascope

The projection width and height is in the aspect ratio of 2.35:1. Often suitable for home cinema applications. A part number followed by "-C" indicates the screen has black borders.

SESAME 2.1 electric

The Sesame 2.1 is the Euroscreen's award winning model with an innovative recessed ceiling case design for installation within a ceiling void, suitable for installation in suspended or plastered ceilings. Once more it has been upgraded to complete the innovative screen design with adjustable inner brackets which allow for fine-tune of bottom dowel for perfectly flush closure when retracted up into case. The white aluminium case itself has a stylish appearance and unique removable integrated external flange profiles for easy and quick service access. The case also features a concealed drop function of the complete screen section which enable for easy access to install case first and screen later. Brackets especially designed for Sesame 2.1 provides a trouble-free installation of the case in a prepared ceiling cut-out up to a 100 cm ceiling void (see page 11).


- » Case size (W x H): 161 x 100 mm
- » Case length: screen width + 345 mm
- » Cut-out case size (W x H): 140 x 102 mm
- » Cut-out length: screen width + 325 mm

Sesame 2.1 Tab Tension

The tensioning function provides Sesame 2.1 with a flat viewing surface, and the surface flatness can be adjusted after time if needed. This feature, together with the concealing design of the model, makes it very popular in conference rooms where high technology Short Throw projectors are common and among home theatre enthusiasts where full HD projectors are used.

- » Case size (W x H): 161 x 100 mm
- » Case length: screen width + 525 mm
- » Cut-out case size (W x H): 140 x 102 mm
- » Cut-out length: screen width + 505 mm
- » 4:3, 16:10 and 16:9 with black borders all have 30 cm black drop as standard

Unique removable external flange profiles and perfectly flush closure of dowel.



SESAME 2.1 electric

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No. Inst. cable	XPERT		
					SEK	EUR	GBP
1:1 Format							
160 x 160	160 x 160		17	SXI160	kr 7 245	€ 831	£ 656
180 x 180	180 x 180		18	SXI180	7 377	846	668
200 x 200	200 x 200		20	SXI200	7 817	896	707
220 x 220	220 x 220		21	SXI220	8 713	999	789
240 x 240	240 x 240		23	SXI240	9 233	1 059	836
No Black Borders							
270 x 225	270 x 225		24	SXI2725	kr 9 755	€ 1 119	£ 884
300 x 225	300 x 225		27	SXI3024	10 090	1 157	914
4:3 Format							
160 x 180	150 x 112,5	74	17	SXI1617-V	kr 8 430	€ 967	£ 763
180 x 180	170 x 127,5	84	18	SXI1817-V	8 551	981	774
200 x 180	190 x 142,5	94	20	SXI2017-V	8 818	1 011	798
220 x 210	210 x 157,5	103	21	SXI2217-V	9 442	1 083	854
240 x 210	230 x 172,5	113	23	SXI2420-V	10 024	1 150	907
270 x 230	260 x 195	128	24	SXI2724-V	10 852	1 244	982
300 x 235	290 x 217,5	143	27	SXI3024-V	11 136	1 277	1 008
16:10 Format							
160 x 180	150 x 94	70	17	SXI1617-D	kr 8 430	€ 967	£ 763
180 x 180	170 x 106	79	18	SXI1817-D	8 551	981	774
200 x 180	190 x 119	88	20	SXI2017-D	8 818	1 011	798
220 x 1870	210 x 131	97	21	SXI2217-D	9 442	1 083	854
240 x 180	230 x 144	107	23	SXI2417-D	10 024	1 150	907
270 x 200	260 x 162,5	121	24	SXI2724-D	10 852	1 244	982
300 x 220	290 x 181	135	27	SXI3024-D	11 136	1 277	1 008
16:9 Format							
160 x 180	150 x 84,5	68	17	SXI1617-W	kr 8 430	€ 967	£ 763
180 x 180	170 x 95,5	77	18	SXI1817-W	8 551	981	774
200 x 180	190 x 107	86	20	SXI2017-W	8 818	1 011	798
220 x 180	210 x 118	95	21	SXI2217-W	9 442	1 083	854
240 x 180	230 x 129,5	104	23	SXI2417-W	10 024	1 150	907
270 x 200	260 x 146	117	24	SXI2724-W	10 852	1 244	982
300 x 220	290 x 163	131	27	SXI3024-W	11 136	1 277	1 008

Recessed Ceiling Brackets

Recessed ceiling brackets especially designed for Sesame 2.1 provides a trouble-free installation of the case in a prepared ceiling cut-out up to a 100 cm ceiling void as standard.


- » Adjustable height for extra flexibility
- » Join two threaded rods to achieve increased length
- » Delivered as pair

	Part No.	SEK	EUR	GBP
Recessed ceiling bracket, Sesame 2.1	930 200	kr 598	€ 69	£ 54




Use one or two brackets depending on installation.

SESAME 2.1 electric



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No. Inst. cable	ARCTIQ			GREYLIGHT			
					SEK	EUR	GBP	Part No. Inst. cable	SEK	EUR	GBP
1:1 Format											
160 x 160	160 x 160		17	SEI160	kr 6 563	€ 753	£ 594	SEGI160	kr 7 188	€ 824	£ 650
180 x 180	180 x 180		18	SEI180	6 695	768	606	SEGI180	7 450	854	674
200 x 200	200 x 200		20	SEI200	6 925	794	627	SEGI200	7 571	868	685
220 x 220	220 x 220		21	SEI220	7 822	897	708	SEGI220	8 220	943	744
240 x 240	240 x 240		23	SEI240	8 341	957	755	SEGI240	8 667	994	784
No Black Borders											
270 x 225	270 x 225		24	SEI2725	kr 9 301	€ 1 066	£ 842	-	-	-	-
300 x 225	300 x 225		27	SEI3024	9 600	1 101	870	-	-	-	-
4:3 Format											
160 x 175	150 x 112,5	74	17	SEI1617-V	kr 7 224	€ 828	£ 654	SEGI1617-V	kr 7 885	€ 904	£ 714
180 x 175	170 x 127,5	84	18	SEI1817-V	7 345	842	665	SEGI1817-V	8 116	931	734
200 x 175	190 x 142,5	94	20	SEI2017-V	7 612	873	689	SEGI2017-V	8 325	955	753
220 x 170	210 x 157,5	103	21	SEI2217-V	8 026	920	726	SEGI2217-V	8 981	1 030	813
240 x 205	230 x 172,5	113	23	SEI2420-V	8 609	987	779	SEGI2420-V	9 505	1 090	860
270 x 210	260 x 195	128	24	SEI2724-V	9 437	1 082	854	SEGI2724-V	10 569	1 212	956
300 x 235	290 x 217,5	143	27	SEI3024-V	9 720	1 115	880	SEGI3024-V	10 983	1 260	994
16:10 Format											
160 x 175	150 x 94	70	17	SEI1617-D	kr 7 224	€ 828	£ 654	SEGI1617-D	kr 7 885	€ 904	£ 714
180 x 175	170 x 106	79	18	SEI1817-D	7 345	842	665	SEGI1817-D	8 116	931	734
200 x 175	190 x 119	88	20	SEI2017-D	7 612	873	689	SEGI2017-D	8 325	955	753
220 x 170	210 x 131	97	21	SEI2217-D	8 026	920	726	SEGI2217-D	8 981	1 030	813
240 x 170	230 x 144	107	23	SEI2417-D	8 609	987	779	SEGI2417-D	9 505	1 090	860
270 x 205	260 x 162,5	121	24	SEI2724-D	9 437	1 082	854	SEGI2724-D	10 569	1 212	956
300 x 205	290 x 181	135	27	SEI3024-D	9 720	1 115	880	SEGI3024-D	10 983	1 260	994
16:9 Format											
160 x 175	150 x 84,5	68	17	SEI1617-W	kr 7 224	€ 828	£ 654	SEGI1617-W	kr 7 885	€ 904	£ 714
180 x 175	170 x 95,5	77	18	SEI1817-W	7 345	842	665	SEGI1817-W	8 116	931	734
200 x 175	190 x 107	86	20	SEI2017-W	7 612	873	689	SEGI2017-W	8 325	955	753
220 x 170	210 x 118	95	21	SEI2217-W	8 026	920	726	SEGI2217-W	8 981	1 030	813
240 x 170	230 x 129,5	104	23	SEI2417-W	8 609	987	779	SEGI2417-W	9 505	1 090	860
270 x 205	260 x 146	117	24	SEI2724-W	9 437	1 082	854	SEGI2724-W	10 569	1 212	956
300 x 205	290 x 163	131	27	SEI3024-W	9 720	1 115	880	SEGI3024-W	10 983	1 260	994

SESAME 2.1 Tab Tension



» FlexRear surface also available upon request

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 2.1				
				Part No. Inst. cable	SEK	EUR	GBP	Part No. Inst. cable	SEK	EUR	GBP
4:3 No Black Borders											
160 x 150	160 x 150		21	SETI1617	kr 8 949	€ 1 026	£ 810	SESTI1617	kr 11 186	€ 1 283	£ 1 012
180 x 165	180 x 165		22	SETI1817	9 095	1 043	823	SESTI1817	11 462	1 314	1 037
200 x 180	200 x 180		24	SETI2017	9 348	1 072	846	SESTI2017	12 619	1 447	1 142
220 x 195	220 x 195		25	SETI2217	10 334	1 185	935	SESTI2217	13 434	1 541	1 216
240 x 200	240 x 200		27	SETI2420	10 905	1 251	987	SESTI2420	15 267	1 751	1 382
4:3 Format											
160 x 150	150 x 112,5	74	21	SETI1617-V	kr 10 564	€ 1 211	£ 956	SESTI1617-V	kr 14 066	€ 1 613	£ 1 273
180 x 165	170 x 127,5	84	22	SETI1817-V	10 689	1 226	967	SESTI1817-V	14 459	1 658	1 309
200 x 180	190 x 142,5	94	24	SETI2017-V	10 973	1 258	993	SESTI2017-V	14 826	1 700	1 342
220 x 195	210 x 157,5	103	25	SETI2217-V	11 418	1 309	1 033	SESTI2217-V	15 849	1 818	1 434
240 x 200	230 x 172,5	113	27	SETI2420-V	12 042	1 381	1 090	SESTI2420-V	16 551	1 898	1 498
16:10 Format											
160 x 130	150 x 94	70	21	SETI1617-D	kr 10 564	€ 1 211	£ 956	SESTI1617-D	kr 14 066	€ 1 613	£ 1 273
180 x 140	170 x 106	79	22	SETI1817-D	10 689	1 226	967	SESTI1817-D	14 459	1 658	1 309
200 x 155	190 x 119	88	24	SETI2017-D	10 973	1 258	993	SESTI2017-D	14 826	1 700	1 342
220 x 165	210 x 131	97	25	SETI2217-D	11 418	1 309	1 033	SESTI2217-D	15 849	1 818	1 434
240 x 180	230 x 144	107	27	SETI2417-D	12 042	1 381	1 090	SESTI2417-D	16 551	1 898	1 498
16:9 Format											
160 x 120	150 x 84,5	68	21	SETI1617-W	kr 10 564	€ 1 211	£ 956	SESTI1617-W	kr 14 066	€ 1 613	£ 1 273
180 x 130	170 x 95,5	77	22	SETI1817-W	10 689	1 226	967	SESTI1817-W	14 459	1 658	1 309
200 x 140	190 x 107	86	24	SETI2017-W	10 973	1 258	993	SESTI2017-W	14 826	1 700	1 342
220 x 155	210 x 118	95	25	SETI2217-W	11 418	1 309	1 033	SESTI2217-W	15 849	1 818	1 434
240 x 165	230 x 129,5	104	27	SETI2417-W	12 042	1 381	1 090	SESTI2417-W	16 551	1 898	1 498

LINEA Tab Tension

The Linea Tab Tension cassette has a unique designed shape which consists of gently rounded aluminium, with no exposed mounting fixtures or fasteners, and all attachment points are completely invisible.

Delivered with Euroscreen® Control Box (part no. 210730) with Plug n' Play feature - fast and easy installation! Choose optional transmitters; AutoLink RF, RF remote control, IR remote control or RF Wall Switch Transmitter.


The case is finished in white and the white heavy weight bottom dowel retracts completely inside the case when the screen is not in use. Thanks to the tensioning wires, which are integrated along the screen surfaces vertical edges, a fully flat screen surface can be obtained for many years in use. A perfectly flat screen surface is a requirement when using Short Throw projectors where the wide angled projector lens put higher demands on the quality of the projection screen.

- » Uniquely designed, gently rounded aluminium cassette
- » Perfectly flat screen surface
- » Easy to adjust surface flatness when required
- » Bottom dowel retracts completely into case
- » Heavy weight bottom dowel in white finish
- » Delivered with Euroscreen® Control Box as standard
- » Case size (W x H): 121 x 153 mm
- » Case length: screen width + 409 mm
- » 4:3, 16:10, 16:9 and 2.35:1 with black borders all have 30 cm black drop as standard

NEW! Available with the new FlexPerf screen surface - a vinyl reflective fabric with microscopic perforations which create a sound transparent projection surface. See page 7 for more info.

Elegant case design with no exposed fasteners and flat surface with Tab Tension.





Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 2.1			FLEXPERF					
				Part No. Inst. cable	SEK	EUR	GBP	Part No. Inst. cable	SEK	EUR	GBP	Part No. Inst. cable	SEK	EUR	GBP
No Black Borders															
220 x 195	220 x 195	116	30	LET2217	kr 12 965	€ 1 487	£ 1 173	LETS2217	kr 17 463	€ 2 003	£ 1 580	-	-	-	
240 X 195	240 X 195	122	32	LET2417	13 359	1 532	1 209	LETS2417	17 594	2 018	1 592	-	-	-	
270 X 195	240 X 195	131	36	LET2717	14 433	1 655	1 306	LETS2717	19 534	2 240	1 768	-	-	-	
4:3 Format															
180 x 165	170 x 127,5	84	24	LET1817-V	kr 13 290	€ 1 524	£ 1 203	LETS1817-V	kr 17 002	€ 1 950	£ 1 539	-	-	-	
200 x 180	190 x 142,5	94	27	LET2017-V	14 302	1 640	1 294	LETS2017-V	18 413	2 112	1 666	-	-	-	
220 x 195	210 x 157,5	103	30	LET2217-V	14 946	1 714	1 353	LETS2217-V	19 445	2 230	1 760	-	-	-	
240 x 210	230 x 172,5	113	32	LET2420-V	15 340	1 759	1 388	LETS2417-V	20 206	2 317	1 829	-	-	-	
270 x 230	260 x 195	128	36	LET2724-V	16 415	1 882	1 486	LETS2724-V	22 145	2 540	2 004	-	-	-	
300 x 255	290 x 217,5	143	38	LET3024-V	20 116	2 307	1 820	-	-	-	-	-	-	-	
16:10 Format															
180 x 140	170 x 106	79	24	LET1817-D	kr 13 290	€ 1 524	£ 1 203	LETS1817-D	kr 17 002	€ 1 950	£ 1 539	-	-	-	
200 x 155	190 x 119	88	27	LET2017-D	14 302	1 640	1 294	LETS2017-D	18 413	2 112	1 666	-	-	-	
220 x 165	210 x 131	97	30	LET2217-D	14 946	1 714	1 353	LETS2217-D	19 445	2 230	1 760	-	-	-	
240 x 180	230 x 143,5	107	32	LET2417-D	15 340	1 759	1 388	LETS2417-D	20 206	2 317	1 829	-	-	-	
270 x 195	260 x 162,5	121	36	LET2724-D	16 415	1 882	1 486	LETS2724-D	22 145	2 540	2 004	-	-	-	
300 x 195	290 x 181	135	38	LET3024-D	20 116	2 307	1 820	LETS3024-D	25 039	2 871	2 266	-	-	-	
16:9 Format															
180 x 130	170 x 95,5	77	24	LET1817-W	kr 13 290	€ 1 524	£ 1 203	LETS1817-W	kr 17 002	€ 1 950	£ 1 539	LETP1817-W	kr 17 002	€ 1 950	£ 1 539
200 x 140	190 x 107	86	27	LET2017-W	14 302	1 640	1 294	LETS2017-W	18 413	2 112	1 666	LETP2017-W	18 413	2 112	1 666
220 x 155	210 x 118	95	30	LET2217-W	14 946	1 714	1 353	LETS2217-W	19 445	2 230	1 760	LETP2217-W	19 445	2 230	1 760
240 x 165	230 x 129,5	104	32	LET2417-W	15 340	1 759	1 388	LETS2417-W	20 206	2 317	1 829	LETP2417-W	20 206	2 317	1 829
270 x 180	260 x 146	117	36	LET2724-W	16 415	1 882	1 486	LETS2724-W	22 145	2 540	2 004	LETP2724-W	22 145	2 540	2 004
300 x 195	290 x 163	131	38	LET3024-W	20 116	2 307	1 820	LETS3024-W	25 039	2 871	2 266	LETP3024-W	25 039	2 871	2 266
2.35:1 Format															
180 x 110	170 x 72,5	73	24	LET1817-C	kr 13 290	€ 1 524	£ 1 203	LETS1817-C	kr 17 002	€ 1 950	£ 1 539	LETP1817-C	kr 17 002	€ 1 950	£ 1 539
200 x 115	190 x 81	81	27	LET2017-C	14 302	1 640	1 294	LETS2017-C	18 413	2 112	1 666	LETP2017-C	18 413	2 112	1 666
220 x 125	210 x 89,5	90	30	LET2217-C	14 946	1 714	1 353	LETS2217-C	19 445	2 230	1 760	LETP2217-C	19 445	2 230	1 760
240 x 135	230 x 98	98	32	LET2417-C	15 340	1 759	1 388	LETS2417-C	20 206	2 317	1 829	LETP2417-C	20 206	2 317	1 829
270 x 145	260 x 110	111	36	LET2724-C	16 415	1 882	1 486	LETS2724-C	22 145	2 540	2 004	LETP2724-C	22 145	2 540	2 004
300 x 160	290 x 123,5	124	38	LET3024-C	20 116	2 307	1 820	LETS3024-C	25 039	2 871	2 266	LETP3024-C	25 039	2 871	2 266

NEW!

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			
				Part No. Inst. cable	SEK	EUR	GBP
No Black Borders							
200 x 180	200 x 180	94	27	LETR2017	kr 15 283	€ 1 753	£ 1 383
220 x 195	220 x 195	103	30	LETR2217	15 949	1 829	1 443
240 x 210	240 x 210	113	32	LETR2420	16 430	1 884	1 487
270 x 210	270 x 210	128	36	LETR2720	18 758	2 151	1 698
300 x 225	300 x 225	148	42	LETR3024	20 918	2 399	1 893

DIPLOMAT electric

The Diplomat is Euroscreen's best-selling projection screen with its white aluminium cassette and channel-fixed installation. The channel-fixed feature makes it one of the market's most flexible and easy screens to install. Thanks to its functional and comprehensive design the Diplomat is suitable for any application; especially popular in conference and education facilities, and home theatres.

- » White cylindrical shaped aluminium cassette
- » Channel-fixed and flexible installation
- » Case size (W x H): 101 x 105 mm
- » Case length: screen width +125 mm
- » Bottom dowel from wall: 48 mm


Diplomat Tab Tension

The tensioning function provides Diplomat with a flat viewing surface, and the surface flatness can be adjusted after time if needed. A new heavy weight bottom dowel in white finish provides extra vertical tensioning. The model is very popular in conference rooms where high technology Short Throw projectors are common and among home theatre enthusiasts where full HD projectors are used.

- » Heavy weight bottom dowel in white finish
- » Case size (W x H): 101 x 105 mm
- » Case length: screen width + 285 mm
- » 4:3, 16:10 and 16:9 with black borders all have 30 cm black drop as standard

NEW! Available with the new FlexPerf screen surface - a vinyl reflective fabric with microscopic perforations which create a sound transparent projection surface. See page 7 for more info.






Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	XPERT				
				Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP
1:1 Format								
180 x 180	180 x 180		9	MDX180	MDXI180	kr 5 778	€ 663	£ 523
200 x 200	200 x 200		11	MDX200	MDXI200	6 286	721	569
220 x 220	220 x 220		13	MDX220	MDXI220	6 915	793	626
240 x 240	240 x 240		14	MDX240	MDXI240	7 340	842	664
No Black Borders								
270 x 225	270 x 225		16	MDX2725	MDXI2724	kr 8 284	€ 950	£ 750
300 x 250	300 x 250		17	MDX3025	MDXI3024	9 386	1 076	850
4:3 Format								
160 x 180	150 x 112,5	74	8	MDX1617-V	MDXI1617-V	kr 6 810	€ 781	£ 616
180 x 180	170 x 127,5	84	10	MDX1817-V	MDXI1817-V	6 910	792	625
200 x 180	190 x 142,5	94	11	MDX2017-V	MDXI2017-V	7 119	816	644
220 x 210	210 x 157,5	103	13	MDX2217-V	MDXI2217-V	8 053	924	729
240 x 210	230 x 172,5	113	14	MDX2420-V	MDXI2420-V	8 655	993	783
270 x 230	260 x 195	128	16	MDX2724-V	MDXI2724-V	9 615	1 103	870
300 x 255	290 x 217,5	143	18	MDX3024-V	MDXI3024-V	9 715	1 114	879
16:10 Format								
160 x 180	150 x 94	70	8	MDX1617-D	MDXI1617-D	kr 6 810	€ 781	£ 616
180 x 180	170 x 106	79	10	MDX1817-D	MDXI1817-D	6 910	792	625
200 x 180	190 x 119	88	11	MDX2017-D	MDXI2017-D	7 119	816	644
220 x 180	210 x 131	97	13	MDX2217-D	MDXI2217-D	8 053	924	729
240 x 180	230 x 144	107	13	MDX2417-D	MDXI2417-D	8 655	993	783
270 x 200	260 x 162,5	121	16	MDX2724-D	MDXI2724-D	9 615	1 103	870
300 x 220	290 x 181	135	17	MDX3024-D	MDXI3024-D	9 715	1 114	879
16:9 Format								
160 x 180	150 x 84,5	68	8	MDX1617-W	MDXI1617-W	kr 6 810	€ 781	£ 616
180 x 180	170 x 95,5	77	10	MDX1817-W	MDXI1817-W	6 910	792	625
200 x 180	190 x 107	86	11	MDX2017-W	MDXI2017-W	7 119	816	644
220 x 180	210 x 118	95	13	MDX2217-W	MDXI2217-W	8 053	924	729
240 x 180	230 x 129,5	104	14	MDX2417-W	MDXI2417-W	8 655	993	783
270 x 200	260 x 146	117	16	MDX2724-W	MDXI2724-W	9 615	1 103	870
300 x 220	290 x 163	131	18	MDX3024-W	MDXI3024-W	9 715	1 114	879




Euroscreen® Diplomat Xpert
award-winner 2012.




Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	ARCTIQ					GREYLIGHT					
				Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP	Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP	
W x H (cm)	W x H (cm)	(")												
Nordic														
140 x 200	140 x 200		6	MD1420	MDI1420	kr 4 719	€ 541	£ 427	MG1420	MGI1420	kr 5 343	€ 613	£ 484	
150 x 200	150 x 200		7	MD1520	MDI1520	4 818	553	436	MG1520	MGI1520	5 436	623	492	
160 x 200	160 x 200		8	MD1620	MDI1620	4 870	558	441	MG1620	MGI1620	5 578	640	505	
180 x 200	180 x 200		9	MD1820	MDI1820	5 096	584	461	MG1820	MGI1820	5 778	663	523	
No Black Borders														
270 x 210	270 x 210		16	MD2724	MDI2724	kr 7 764	€ 890	£ 703	-	-	-	-	-	
300 x 210	300 x 210		17	MD3024	MDI3024	7 864	902	712	-	-	-	-	-	
1:1 Format														
125 x 125	125 x 125		5	MD125	MDI125	4 546	521	£ 411	MG125	MGI125	kr 5 300	€ 608	£ 480	
150 x 150	150 x 150		7	MD150	MDI150	4 708	540	426	MG150	MGI150	5 436	623	492	
180 x 180	180 x 180		9	MD180	MDI180	5 096	584	461	MG180	MGI180	5 914	678	535	
200 x 200	200 x 200		11	MD200	MDI200	5 394	619	488	MG200	MGI200	5 972	685	540	
220 x 220	220 x 220		13	MD220	MDI220	6 024	691	545	MG220	MGI220	6 558	752	593	
240 x 240	240 x 240		14	MD240	MDI240	6 449	740	584	MG240	MGI240	6 998	803	633	
4:3 Format														
160 x 175	150 x 112,5	74	8	MD1617-V	MDI1617-V	kr 5 605	€ 643	£ 507	MG1617-V	MGI1617-V	kr 6 307	€ 723	£ 571	
180 x 175	170 x 127,5	84	10	MD1817-V	MDI1817-V	5 703	654	516	MG1817-V	MGI1817-V	6 500	745	588	
200 x 175	190 x 142,5	94	11	MD2017-V	MDI2017-V	5 914	678	535	MG2017-V	MGI2017-V	6 684	767	605	
220 x 170	210 x 157,5	103	13	MD2217-V	MDI2217-V	6 638	761	601	MG2217-V	MGI2217-V	7 297	837	660	
240 x 205	230 x 172,5	113	14	MD2420-V	MDI2420-V	7 240	830	655	MG2420-V	MGI2420-V	7 775	892	704	
270 x 210	260 x 195	128	16	MD2724-V	MDI2724-V	8 200	940	742	MG2724-V	MGI2724-V	8 430	967	763	
300 x 235	290 x 217,5	143	18	MD3024-V	MDI3024-V	8 300	952	751	MG3024-V	MGI3024-V	8 740	1 002	791	
16:10 Format														
160 x 175	150 x 94	70	8	MD1617-D	MDI1617-D	kr 5 605	€ 643	£ 507	MG1617-D	MGI1617-D	kr 6 307	€ 723	£ 571	
180 x 175	170 x 106	79	10	MD1817-D	MDI1817-D	5 703	654	516	MG1817-D	MGI1817-D	6 500	745	588	
200 x 175	190 x 119	88	11	MD2017-D	MDI2017-D	5 914	678	535	MG2017-D	MGI2017-D	6 684	767	605	
220 x 170	210 x 131	97	13	MD2217-D	MDI2217-D	6 638	761	601	MG2217-D	MGI2217-D	7 297	837	660	
240 x 170	230 x 144	107	13	MD2417-D	MDI2417-D	7 240	830	655	MG2417-D	MGI2417-D	7 775	892	704	
270 x 210	260 x 162,5	121	16	MD2724-D	MDI2724-D	8 200	940	742	MG2724-D	MGI2724-D	8 430	967	763	
300 x 210	290 x 181	135	17	MD3024-D	MDI3024-D	8 300	952	751	MG3024-D	MGI3024-D	8 740	1 002	791	
16:9 Format														
160 x 175	150 x 84,5	68	8	MD1617-W	MDI1617-W	kr 5 605	€ 643	£ 507	MG1617-W	MGI1617-W	kr 6 307	€ 723	£ 571	
180 x 175	170 x 95,5	77	10	MD1817-W	MDI1817-W	5 703	654	516	MG1817-W	MGI1817-W	6 500	745	588	
200 x 175	190 x 107	86	11	MD2017-W	MDI2017-W	5 914	678	535	MG2017-W	MGI2017-W	6 684	767	605	
220 x 170	210 x 118	95	13	MD2217-W	MDI2217-W	6 638	761	601	MG2217-W	MGI2217-W	7 297	837	660	
240 x 170	230 x 129,5	104	14	MD2417-W	MDI2417-W	7 240	830	655	MG2417-W	MGI2417-W	7 775	892	704	
270 x 205	260 x 146	117	16	MD2724-W	MDI2724-W	8 200	940	742	MG2724-W	MGI2724-W	8 430	967	763	
300 x 205	290 x 163	131	18	MD3024-W	MDI3024-W	8 300	952	751	MG3024-W	MGI3024-W	8 740	1 002	791	

DIPLOMAT electric with Quiet Motor



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	XPERT				
				Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable	SEK	EUR	GBP
1:1 Format								
180 x 180	180 x 180		9	MDXQ180	MDXQI180	kr 7 088	€ 813	£ 641
200 x 200	200 x 200		11	MDXQ200	MDXQI200	7 807	895	707
220 x 220	220 x 220		13	MDXQ220	MDXQI220	8 436	967	763
240 x 240	240 x 240		14	MDXQ240	MDXQI240	8 860	1 016	802
4:3 Format								
160 x 180	150 x 112,5	74	8	-	-	-	-	-
180 x 180	170 x 127,5	84	10	MDXQ1817-V	MDXQI1817-V	kr 8 745	€ 1 003	£ 791
200 x 180	190 x 142,5	94	11	MDXQ2017-V	MDXQI2017-V	8 954	1 027	810
220 x 210	210 x 157,5	103	13	MDXQ2217-V	MDXQI2217-V	10 098	1 158	914
240 x 210	230 x 172,5	113	14	MDXQ2420-V	MDXQI2420-V	10 700	1 227	968
270 x 230	260 x 195	128	16	MDXQ2724-V	MDXQI2724-V	11 660	1 337	1 055
300 x 255	290 x 217,5	143	18	MDXQ3024-V	MDXQI3024-V	11 760	1 349	1 064
16:10 Format								
160 x 180	150 x 94	70	8	-	-	-	-	-
180 x 180	170 x 106	79	10	MDXQ1817-D	MDXQI1817-D	kr 8 745	€ 1 003	£ 791
200 x 180	190 x 119	88	11	MDXQ2017-D	MDXQI2017-D	8 954	1 027	810
220 x 180	210 x 131	97	13	MDXQ2217-D	MDXQI2217-D	10 098	1 158	914
240 x 180	230 x 144	107	13	MDXQ2417-D	MDXQI2417-D	10 700	1 227	968
270 x 200	260 x 162.5	121	16	MDXQ2724-D	MDXQI2724-D	11 660	1 337	1 055
300 x 220	290 x 181	135	17	MDXQ3024-D	MDXQI3024-D	11 760	1 349	1 064
16:9 Format								
160 x 180	150 x 84,5	68	8	-	-	-	-	-
180 x 180	170 x 95,5	77	10	MDXQ1817-W	MDXQI1817-W	kr 8 745	€ 1 003	£ 791
200 x 180	190 x 107	86	11	MDXQ2017-W	MDXQI2017-W	8 954	1 027	810
220 x 180	210 x 118	95	13	MDXQ2217-W	MDXQI2217-W	10 098	1 158	914
240 x 180	230 x 129,5	104	14	MDXQ2417-W	MDXQI2417-W	10 700	1 227	968
270 x 200	260 x 146	117	16	MDXQ2724-W	MDXQI2724-W	11 660	1 337	1 055
300 x 220	290 x 163	131	18	MDXQ3024-W	MDXQI3024-W	11 760	1 349	1 064

DIPLOMAT electric with Quiet Motor



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ				
				Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable	SEK	EUR	GBP
Nordic								
140 x 200	140 x 200	6		MDQ1420	MDQI1420	kr 5 348	€ 613	£ 484
150 x 200	150 x 200	7		MDQ1520	MDQI1520	5 447	625	493
160 x 200	160 x 200	8		MDQ1620	MDQI1620	5 499	631	498
180 x 200	180 x 200	9		MDQ1820	MDQI1820	5 725	657	518
1:1								
125 x 125	125 x 125	5		MDQ125	MDQI125	kr 5 175	€ 593	£ 468
150 x 150	150 x 150	7		MDQ150	MDQI150	5 337	612	483
180 x 180	180 x 180	9		MDQ180	MDQI180	5 725	657	518
200 x 200	200 x 200	11		MDQ200	MDQI200	6 024	691	545
220 x 220	220 x 220	13		MDQ220	MDQI220	6 653	763	602
240 x 240	240 x 240	14		MDQ240	MDQI240	7 078	812	641
4:3 Format								
160 x 170	150 x 112,5	74	8	MDQ1617-V	MDQI1617-V	kr 6 233	€ 715	£ 564
180 x 170	170 x 127,5	84	10	MDQ1817-V	MDQI1817-V	6 333	726	573
200 x 170	190 x 142,5	94	11	MDQ2017-V	MDQI2017-V	6 543	750	592
220 x 170	210 x 157,5	103	13	MDQ2217-V	MDQI2217-V	7 266	833	658
240 x 205	230 x 172,5	113	14	MDQ2420-V	MDQI2420-V	7 870	903	712
270 x 210	260 x 195	128	16	MDQ2724-V	MDQI2724-V	8 828	1 012	799
300 x 235	290 x 217,5	143	18	MDQ3024-V	MDQI3024-V	8 928	1 024	808
16:10 Format								
160 x 170	150 x 94	70	8	MDQ1617-D	MDQI1617-D	kr 6 233	€ 715	£ 564
180 x 170	170 x 106	79	10	MDQ1817-D	MDQI1817-D	6 333	726	573
200 x 170	190 x 119	88	11	MDQ2017-D	MDQI2017-D	6 543	750	592
220 x 170	210 x 131	97	13	MDQ2217-D	MDQI2217-D	7 266	833	658
240 x 170	230 x 144	107	14	MDQ2417-D	MDQI2417-D	7 870	903	712
270 x 210	260 x 162,5	121	16	MDQ2724-D	MDQI2724-D	8 828	1 012	799
300 x 210	290 x 181	135	18	MDQ3024-D	MDQI3024-D	8 928	1 024	808
16:9 Format								
160 x 170	150 x 84,5	68	8	MDQ1617-W	MDQI1617-W	kr 6 233	€ 715	£ 564
180 x 170	170 x 95,5	77	10	MDQ1817-W	MDQI1817-W	6 333	726	573
200 x 170	190 x 107	86	11	MDQ2017-W	MDQI2017-W	6 543	750	592
220 x 170	210 x 118	95	13	MDQ2217-W	MDQI2217-W	7 266	833	658
240 x 170	230 x 129,5	104	13	MDQ2417-W	MDQI2417-W	7 870	903	712
270 x 210	260 x 146	117	16	MDQ2724-W	MDQI2724-W	8 828	1 012	799
300 x 210	290 x 163	131	17	MDQ3024-W	MDQI3024-W	8 928	1 024	808



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE					REACT 2.1				
				Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP	Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP
4:3 No Black Borders													
160 x 150	160 x 150		11	MDT1617	MDTI1617	kr 7 261	€ 833	£ 657	MST1617	MSTI1617	kr 9 389	€ 1 077	£ 850
180 x 165	180 x 165		13	MDT1817	MDTI1817	7 518	862	680	MST1817	MSTI1817	9 573	1 098	866
200 x 180	200 x 180		15	MDT2017	MDTI2017	7 681	881	695	MST2017	MSTI2017	10 276	1 178	930
220 x 195	220 x 195		17	MDT2217	MDTI2217	8 252	946	747	MST2217	MSTI2217	10 847	1 244	982
240 x 200	240 x 200		19	MDT2420	MDTI2420	9 500	1 089	860	MST2420	MSTI2420	13 490	1 547	1 221
4:3 Format													
160 x 150	150 x 112,5	74	11	MDT1617-V	MDTI1617-V	kr 9 264	€ 1 062	£ 838	MST1617-V	MSTI1617-V	kr 12 849	€ 1 474	£ 1 163
180 x 165	170 x 127,5	84	13	MDT1817-V	MDTI1817-V	9 364	1 074	847	MST1817-V	MSTI1817-V	13 254	1 520	1 199
200 x 180	190 x 142,5	94	15	MDT2017-V	MDTI2017-V	9 615	1 103	870	MST2017-V	MSTI2017-V	13 631	1 563	1 234
220 x 195	210 x 157,5	103	17	MDT2217-V	MDTI2217-V	10 433	1 196	944	MST2217-V	MSTI2217-V	14 685	1 684	1 329
240 x 200	230 x 172,5	113	19	MDT2420-V	MDTI2420-V	11 119	1 275	1 006	MST2420-V	MSTI2420-V	15 408	1 767	1 394
16:10 Format													
160 x 130	150 x 94	70	11	MDT1617-D	MDTI1617-D	kr 9 264	€ 1 062	£ 838	MST1617-D	MSTI1617-D	kr 12 849	€ 1 474	£ 1 163
180 x 140	170 x 106	79	13	MDT1817-D	MDTI1817-D	9 364	1 074	847	MST1817-D	MSTI1817-D	13 254	1 520	1 199
200 x 155	190 x 119	88	15	MDT2017-D	MDTI2017-D	9 615	1 103	870	MST2017-D	MSTI2017-D	13 631	1 563	1 234
220 x 165	210 x 131	97	17	MDT2217-D	MDTI2217-D	10 433	1 196	944	MST2217-D	MSTI2217-D	14 685	1 684	1 329
240 x 180	230 x 144	107	19	MDT2417-D	MDTI2417-D	11 119	1 275	1 006	MST2417-D	MSTI2417-D	15 408	1 767	1 394
16:9 Format													
160 x 120	150 x 84,5	68	11	MDT1617-W	MDTI1617-W	kr 9 264	€ 1 062	£ 838	MST1617-W	MSTI1617-W	kr 12 849	€ 1 474	£ 1 163
180 x 130	170 x 95,5	77	13	MDT1817-W	MDTI1817-W	9 364	1 074	847	MST1817-W	MSTI1817-W	13 254	1 520	1 199
200 x 140	190 x 107	86	15	MDT2017-W	MDTI2017-W	9 615	1 103	870	MST2017-W	MSTI2017-W	13 631	1 563	1 234
220 x 155	210 x 118	95	17	MDT2217-W	MDTI2217-W	10 433	1 196	944	MST2217-W	MSTI2217-W	14 685	1 684	1 329
240 x 165	230 x 129,5	104	19	MDT2417-W	MDTI2417-W	11 119	1 275	1 006	MST2417-W	MSTI2417-W	15 408	1 767	1 394
NEW!													
FLEXPERF													
Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP					
16:9 Format													
160 x 120	150 x 84,5	68	11	MPT1617-W	MPTI1617-W	kr 12 849	€ 1 474	£ 1 163					
180 x 130	170 x 95,5	77	13	MPT1817-W	MPTI1817-W	13 254	1 520	1 199					
200 x 140	190 x 107	86	15	MPT2017-W	MPTI2017-W	13 631	1 563	1 234					
220 x 155	210 x 118	95	17	MPT2217-W	MPTI2217-W	14 685	1 684	1 329					
240 x 165	230 x 129,5	104	19	MPT2417-W	MPTI2417-W	15 408	1 767	1 394					
2.35:1 Format													
160 x 120	150 x 64	64	11	MPT1617-C	MPTI1617-C	kr 12 849	€ 1 474	£ 1 163					
180 x 130	170 x 72,5	73	13	MPT1817-C	MPTI1817-C	13 254	1 520	1 199					
200 x 140	190 x 81	81	15	MPT2017-C	MPTI2017-C	13 631	1 563	1 234					
220 x 155	210 x 89,5	90	17	MPT2217-C	MPTI2217-C	14 685	1 684	1 329					
240 x 165	230 x 98	98	19	MPT2417-C	MPTI2417-C	15 408	1 767	1 394					

DIPLOMAT Tab Tension with Quiet Motor



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	FLEXWHITE					REACT 2.1				
				Part No.	Part No.	SEK	EUR	GBP	Part No.	Part No.	SEK	EUR	GBP
W x H (cm)	W x H (cm)	(")		Quiet Motor Switch	Quiet Motor Inst. cable				Quiet Motor Switch	Quiet Motor Inst. cable			
1:1 Format													
160 x 150	160 x 150		11	MDTQ1617	MDTQI1617	kr 7 880	€ 904	£ 713	MSTQ1817	MSTQI1817	kr 10 202	€ 1 170	£ 923
180 x 165	180 x 165		13	MDTQ1817	MDTQI1817	8 137	933	736	MSTQ1817	MSTQI1817	10 202	1 170	923
200 x 180	200 x 180		15	MDTQ2017	MDTQI2017	8 300	952	751	MSTQ2017	MSTQI2017	10 905	1 251	987
220 x 195	220 x 195		17	MDTQ2217	MDTQI2217	8 871	1 017	803	MSTQ2217	MSTQI2217	11 476	1 316	1 039
240 x 200	240 x 200		19	MDTQ2420	MDTQI2420	10 118	1 160	916	MSTQ2420	MSTQI2420	14 119	1 619	1 278
4:3 Format													
160 x 150	150 x 112,5	74	11	MDTQ1617-V	MDTQI1617-V	kr 9 882	€ 1 133	£ 894	-	-	-	-	-
180 x 165	170 x 127,5	84	13	MDTQ1817-V	MDTQI1817-V	9 982	1 145	903	MSTQ1817-V	MSTQI1817-V	kr 13 882	€ 1 592	£ 1 256
200 x 180	190 x 142,5	94	15	MDTQ2017-V	MDTQI2017-V	10 234	1 174	926	MSTQ2017-V	MSTQI2017-V	14 260	1 635	1 290
220 x 195	210 x 157,5	103	17	MDTQ2217-V	MDTQI2217-V	11 051	1 267	1 000	MSTQ2217-V	MSTQI2217-V	15 313	1 756	1 386
240 x 200	230 x 172,5	113	19	MDTQ2420-V	MDTQI2420-V	11 738	1 346	1 062	MSTQ2420-V	MSTQI2420-V	16 037	1 839	1 451
16:10 Format													
160 x 130	150 x 94	70	11	MDTQ1617-D	MDTQI1617-D	kr 9 882	€ 1 133	£ 894	-	-	-	-	-
180 x 140	170 x 106	79	13	MDTQ1817-D	MDTQI1817-D	9 982	1 145	903	MSTQ1817-D	MSTQI1817-D	kr 13 882	€ 1 592	£ 1 256
200 x 155	190 x 119	88	15	MDTQ2017-D	MDTQI2017-D	10 234	1 174	926	MSTQ2017-D	MSTQI2017-D	14 260	1 635	1 290
220 x 165	210 x 131	97	17	MDTQ2217-D	MDTQI2217-D	11 051	1 267	1 000	MSTQ2217-D	MSTQI2217-D	15 313	1 756	1 386
240 x 180	230 x 144	107	19	MDTQ2417-D	MDTQI2417-D	11 738	1 346	1 062	MSTQ2417-D	MSTQI2417-D	16 037	1 839	1 451
16:9 Format													
160 x 120	150 x 84,5	68	11	MDTQ1617-W	MDTQI1617-W	kr 9 882	€ 1 133	£ 894	-	-	-	-	-
180 x 130	170 x 95,5	77	13	MDTQ1817-W	MDTQI1817-W	9 982	1 145	903	MSTQ1817-W	MSTQI1817-W	kr 13 882	€ 1 592	£ 1 256
200 x 140	190 x 107	86	15	MDTQ2017-W	MDTQI2017-W	10 234	1 174	926	MSTQ2017-W	MSTQI2017-W	14 260	1 635	1 290
220 x 155	210 x 118	95	17	MDTQ2217-W	MDTQI2217-W	11 051	1 267	1 000	MSTQ2217-W	MSTQI2217-W	15 313	1 756	1 386
240 x 165	230 x 129,5	104	19	MDTQ2417-W	MDTQI2417-W	11 738	1 346	1 062	MSTQ2417-W	MSTQI2417-W	16 037	1 839	1 451

BLACKLINE electric

The Euroscreen® BlackLine electric offers a stylish projection screen with a black aluminium cassette, especially appreciated in home theatre environments. The black case together with the black framework of the screen surface works very well together and puts the focus on the projected image. The BlackLine is easy to install with its channel-fixed mounting feature, and it is suitable for both wall and ceiling installation.

- » Black cylindrical shaped aluminium cassette
- » Channel-fixed and flexible installation
- » Case size (W x H): 101 x 105 mm
- » Case length: screen width +125 mm
- » Bottom dowel from wall: 48 mm

BlackLine Tab Tension

The tensioning system and the new extra heavy weight bottom dowel in black finish provides BlackLine with a perfect flat viewing surface. The surface flatness can easily be adjusted after time if needed. A perfect flat viewing surface is a must when high technology Short Throw projectors are used and also highly recommended for Full HD projectors.

- » Heavy weight bottom dowel in black finish
- » Case size (W x H): 101 x 105 mm
- » Case length: screen width + 285 mm
- » 4:3, 16:9 and 2.35:1 with black borders all have 30 cm black drop as standard

NEW! Available with the new FlexPerf screen surface - a vinyl reflective fabric with microscopic perforations which create a sound transparent projection surface. See page 7 for more info.

Black case with channel-fixed installation and also available as Tab Tension.



BLACKLINE electric




Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	ARCTIQ					GREYLIGHT				
				Part No.	Part No.	SEK	EUR	GBP	Part No.	Part No.	SEK	EUR	GBP
				Switch	Inst. cable				Switch	Inst. cable			
4:3 Format													
160 x 175	150 x 112,5	74	8	MB1617-V	MBI1617-V	kr 5 605	€ 643	£ 507	MBG1617-V	MBGI1617-V	kr 6 307	€ 723	£ 571
180 x 175	170 x 127,5	84	10	MB1817-V	MBI1817-V	5 703	654	516	MBG1817-V	MBGI1817-V	6 500	745	588
200 x 175	190 x 142,5	94	11	MB2017-V	MBI2017-V	5 914	678	535	MBG2017-V	MBGI2017-V	6 684	767	605
220 x 170	210 x 157,5	103	13	MB2217-V	MBI2217-V	6 638	761	601	MBG2217-V	MBGI2217-V	7 297	837	660
240 x 205	230 x 172,5	113	14	MB2420-V	MBI2420-V	7 240	830	655	MBG2420-V	MBGI2420-V	7 775	892	704
270 x 210	260 x 195	128	16	MB2724-V	MBI2724-V	8 200	940	742	MBG2724-V	MBGI2724-V	8 430	967	763
300 x 235	290 x 217,5	143	18	MB3024-V	MBI3024-V	8 300	952	751	MBG3024-V	MBGI3024-V	8 844	1 014	800
16:9 Format													
160 x 175	150 x 84,5	68	8	MB1617-W	MBI1617-W	kr 5 605	€ 643	£ 507	MBG1617-W	MBGI1617-W	kr 6 307	€ 723	£ 571
180 x 175	170 x 95,5	77	10	MB1817-W	MBI1817-W	5 703	654	516	MBG1817-W	MBGI1817-W	6 500	745	588
200 x 175	190 x 107	86	11	MB2017-W	MBI2017-W	5 914	678	535	MBG2017-W	MBGI2017-W	6 684	767	605
220 x 170	210 x 118	95	13	MB2217-W	MBI2217-W	6 638	761	601	MBG2217-W	MBGI2217-W	7 297	837	660
240 x 170	230 x 129,5	104	13	MB2417-W	MBI2417-W	7 240	830	655	MBG2417-W	MBGI2417-W	7 775	892	704
270 x 205	260 x 146	117	16	MB2724-W	MBI2724-W	8 200	940	742	MBG2724-W	MBGI2724-W	8 430	967	763
300 x 205	290 x 163	131	17	MB3024-W	MBI3024-W	8 300	952	751	MBG3024-W	MBGI3024-W	8 844	1 014	800
2.35:1 Format													
160 x 175	150 x 64	64	8	MB1617-C	MBI1617-C	kr 5 605	€ 643	£ 507	MBG1617-C	MBGI1617-C	kr 6 307	€ 723	£ 571
180 x 175	170 x 72,5	73	10	MB1817-C	MBI1817-C	5 703	654	516	MBG1817-C	MBGI1817-C	6 500	745	588
200 x 175	190 x 81	81	11	MB2017-C	MBI2017-C	5 914	678	535	MBG2017-C	MBGI2017-C	6 684	767	605
220 x 170	210 x 89,5	90	13	MB2217-C	MBI2217-C	6 638	761	601	MBG2217-C	MBGI2217-C	7 297	837	660
240 x 170	230 x 98	98	13	MB2417-C	MBI2417-C	7 240	830	655	MBG2417-C	MBGI2417-C	7 775	892	704
270 x 205	260 x 110,5	111	16	MB2724-C	MBI2724-C	8 200	940	742	MBG2724-C	MBGI2724-C	8 430	967	763
300 x 205	290 x 123,5	124	17	MB3024-C	MBI3024-C	8 300	952	751	MBG3024-C	MBGI3024-C	8 844	1 014	800

BLACKLINE electric with Quiet Motor



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	ARCTIQ					GREYLIGHT				
				Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable	SEK	EUR	GBP	Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable	SEK	EUR	GBP
4:3 Format													
160 x 170	150 x 112,5	74	8	MBQ1617-V	MBQI1617-V	kr 6 422	€ 736	£ 581	MBGQ1617-V	MBGQI1617-V	kr 6 967	€ 799	£ 630
180 x 170	170 x 127,5	84	10	MBQ1817-V	MBQI1817-V	6 522	748	590	MBGQ1817-V	MBGQI1817-V	7 161	821	648
200 x 170	190 x 142,5	94	11	MBQ2017-V	MBQI2017-V	6 737	773	610	MBGQ2017-V	MBGQI2017-V	7 345	842	665
220 x 170	210 x 157,5	103	13	MBQ2217-V	MBQI2217-V	7 486	858	677	MBGQ2217-V	MBGQI2217-V	7 953	912	720
240 x 205	230 x 172,5	113	14	MBQ2420-V	MBQI2420-V	7 025	806	636	MBGQ2420-V	MBGQI2420-V	8 436	967	763
270 x 210	260 x 195	128	16	MBQ2724-V	MBQI2724-V	9 095	1 043	823	MBGQ2724-V	MBGQI2724-V	9 085	1 042	822
300 x 235	290 x 217,5	143	18	MBQ3024-V	MBQI3024-V	9 195	1 054	832	MBGQ3024-V	MBGQI3024-V	9 505	1 090	860
16:9 Format													
160 x 170	150 x 84,5	68	8	MBQ1617-W	MBQI1617-W	kr 6 422	€ 736	£ 581	MBGQ1617-W	MBGQI1617-W	kr 6 967	€ 799	£ 630
180 x 170	170 x 95,5	77	10	MBQ1817-W	MBQI1817-W	6 522	748	590	MBGQ1817-W	MBGQI1817-W	7 161	821	648
200 x 170	190 x 107	86	11	MBQ2017-W	MBQI2017-W	6 737	773	610	MBGQ2017-W	MBGQI2017-W	7 345	842	665
220 x 170	210 x 118	95	13	MBQ2217-W	MBQI2217-W	7 486	858	677	MBGQ2217-W	MBGQI2217-W	7 953	912	720
240 x 170	230 x 129,5	104	13	MBQ2417-W	MBQI2417-W	7 025	806	636	MBGQ2417-W	MBGQI2417-W	8 436	967	763
270 x 205	260 x 146	117	16	MBQ2724-W	MBQI2724-W	9 095	1 043	823	MBGQ2724-W	MBGQI2724-W	9 085	1 042	822
300 x 205	290 x 163	131	17	MBQ3024-W	MBQI3024-W	9 195	1 054	832	MBGQ3024-W	MBGQI3024-W	9 505	1 090	860
2.35:1 Format													
160 x 170	150 x 64	64	8	MBQ1617-C	MBQI1617-C	kr 6 422	€ 736	£ 581	MBGQ1617-C	MBGQI1617-C	kr 6 967	€ 799	£ 630
180 x 170	170 x 72,5	73	10	MBQ1817-C	MBQI1817-C	6 522	748	590	MBGQ1817-C	MBGQI1817-C	7 161	821	648
200 x 170	190 x 81	81	11	MBQ2017-C	MBQI2017-C	6 737	773	610	MBGQ2017-C	MBGQI2017-C	7 345	842	665
220 x 170	210 x 89,5	90	13	MBQ2217-C	MBQI2217-C	7 486	858	677	MBGQ2217-C	MBGQI2217-C	7 953	912	720
240 x 170	230 x 98	98	13	MBQ2417-C	MBQI2417-C	7 025	806	636	MBGQ2417-C	MBGQI2417-C	8 436	967	763
270 x 205	260 x 110,5	111	16	MBQ2724-C	MBQI2724-C	9 095	1 043	823	MBGQ2724-C	MBGQI2724-C	9 085	1 042	822
300 x 205	290 x 123,5	124	17	MBQ3024-C	MBQI3024-C	9 195	1 054	832	MBGQ3024-C	MBGQI3024-C	9 505	1 090	860

BLACKLINE Tab Tension




Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE					REACT 2.1				
				Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP	Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP
4:3 Format													
160 x 150	150 x 112,5	74	11	MBT1617-V	MBTI1617-V	kr 9 264	€ 1 062	£ 838	MBST1617-V	MBSTI1617-V	kr 12 849	€ 1 474	£ 1 163
180 x 165	170 x 127,5	84	13	MBT1817-V	MBTI1817-V	9 364	1 074	847	MBST1817-V	MBSTI1817-V	13 254	1 520	1 199
200 x 180	190 x 142,5	94	15	MBT2017-V	MBTI2017-V	9 615	1 103	870	MBST2017-V	MBSTI2017-V	13 631	1 563	1 234
220 x 195	210 x 157,5	103	17	MBT2217-V	MBTI2217-V	10 433	1 196	944	MBST2217-V	MBSTI2217-V	14 685	1 684	1 329
240 x 200	230 x 172,5	113	19	MBT2420-V	MBTI2420-V	11 119	1 275	1 006	MBST2420-V	MBSTI2420-V	15 408	1 767	1 394
16:9 Format													
160 x 120	150 x 84,5	68	11	MBT1617-W	MBTI1617-W	kr 9 264	€ 1 062	£ 838	MBST1617-W	MBSTI1617-W	kr 12 849	€ 1 474	£ 1 163
180 x 130	170 x 95,5	77	13	MBT1817-W	MBTI1817-W	9 364	1 074	847	MBST1817-W	MBSTI1817-W	13 254	1 520	1 199
200 x 140	190 x 107	86	15	MBT2017-W	MBTI2017-W	9 615	1 103	870	MBST2017-W	MBSTI2017-W	13 631	1 563	1 234
220 x 155	210 x 118	95	17	MBT2217-W	MBTI2217-W	10 433	1 196	944	MBST2217-W	MBSTI2217-W	14 685	1 684	1 329
240 x 165	230 x 129,5	104	19	MBT2417-W	MBTI2417-W	11 119	1 275	1 006	MBST2417-W	MBSTI2417-W	15 408	1 767	1 394
2.35:1 Format													
160 x 120	150 x 64	64	11	MBT1617-C	MBTI1617-C	kr 9 264	€ 1 062	£ 838	MBST1617-C	MBSTI1617-C	kr 12 849	€ 1 474	£ 1 163
180 x 130	170 x 72,5	73	13	MBT1817-C	MBTI1817-C	9 364	1 074	847	MBST1817-C	MBSTI1817-C	13 254	1 520	1 199
200 x 140	190 x 81	81	15	MBT2017-C	MBTI2017-C	9 615	1 103	870	MBST2017-C	MBSTI2017-C	13 631	1 563	1 234
220 x 155	210 x 89,5	90	17	MBT2217-C	MBTI2217-C	10 433	1 196	944	MBST2217-C	MBSTI2217-C	14 685	1 684	1 329
240 x 165	230 x 98	98	19	MBT2417-C	MBTI2417-C	11 119	1 275	1 006	MBST2417-C	MBSTI2417-C	15 408	1 767	1 394

NEW!

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXPERF				
				Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP
16:9 Format								
160 x 120	150 x 84,5	68	11	MBPT1617-W	MBPTI1617-W	kr 12 849	€ 1 474	£ 1 163
180 x 130	170 x 95,5	77	13	MBPT1817-W	MBPTI1817-W	13 254	1 520	1 199
200 x 140	190 x 107	86	15	MBPT2017-W	MBPTI2017-W	13 631	1 563	1 234
220 x 155	210 x 118	95	17	MBPT2217-W	MBPTI2217-W	14 685	1 684	1 329
240 x 165	230 x 129,5	104	19	MBPT2417-W	MBPTI2417-W	15 408	1 767	1 394
2.35:1 Format								
160 x 120	150 x 64	64	11	MBPT1617-C	MBPTI1617-C	kr 12 849	€ 1 474	£ 1 163
180 x 130	170 x 72,5	73	13	MBPT1817-C	MBPTI1817-C	13 254	1 520	1 199
200 x 140	190 x 81	81	15	MBPT2017-C	MBPTI2017-C	13 631	1 563	1 234
220 x 155	210 x 89,5	90	17	MBPT2217-C	MBPTI2217-C	14 685	1 684	1 329
240 x 165	230 x 98	98	19	MBPT2417-C	MBPTI2417-C	15 408	1 767	1 394

BLACKLINE Tab Tension with Quiet Motor




Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	FLEXWHITE					REACT 2.1					
				Part No.	Part No.	SEK	EUR	GBP	Part No.	Part No.	SEK	EUR	GBP	
W x H (cm)	W x H (cm)	(")		Quiet Motor Switch	Quiet Motor Inst. cable				Quiet Motor Switch	Quiet Motor Inst. cable				
4:3 Format														
160 x 150	150 x 112,5	74	11	MBT1617-V	MBTI1617-V	kr 9 264	€ 1 062	£ 838	MBSTQ1617-V	MBSTQI1617-V	kr 13 479	€ 1 546	£ 1 220	
180 x 165	170 x 127,5	84	13	MBT1817-V	MBTI1817-V	9 364	1 074	847	MBSTQ1817-V	MBSTQI1817-V	13 882	1 592	1 256	
200 x 180	190 x 142,5	94	15	MBT2017-V	MBTI2017-V	9 615	1 103	870	MBSTQ2017-V	MBSTQI2017-V	14 260	1 635	1 290	
220 x 195	210 x 157,5	103	17	MBT2217-V	MBTI2217-V	10 433	1 196	944	MBSTQ2217-V	MBSTQI2217-V	15 313	1 756	1 386	
240 x 200	230 x 172,5	113	19	MBT2420-V	MBTI2420-V	11 119	1 275	1 006	MBSTQ2420-V	MBSTQI2420-V	16 037	1 839	1 451	
16:9 Format														
160 x 120	150 x 84,5	68	11	MBT1617-W	MBTI1617-W	kr 9 264	€ 1 062	£ 838	MBSTQ1617-W	MBSTQI1617-W	kr 13 479	€ 1 546	£ 1 220	
180 x 130	170 x 95,5	77	13	MBT1817-W	MBTI1817-W	9 364	1 074	847	MBSTQ1817-W	MBSTQI1817-W	13 882	1 592	1 256	
200 x 140	190 x 107	86	15	MBT2017-W	MBTI2017-W	9 615	1 103	870	MBSTQ2017-W	MBSTQI2017-W	14 260	1 635	1 290	
220 x 155	210 x 118	95	17	MBT2217-W	MBTI2217-W	10 433	1 196	944	MBSTQ2217-W	MBSTQI2217-W	15 313	1 756	1 386	
240 x 165	230 x 129,5	104	19	MBT2417-W	MBTI2417-W	11 119	1 275	1 006	MBSTQ2417-W	MBSTQI2417-W	16 037	1 839	1 451	
2.35:1 Format														
160 x 120	150 x 64	64	11	MBT1617-C	MBTI1617-C	kr 9 264	€ 1 062	£ 838	MBSTQ1617-C	MBSTQI1617-C	kr 13 479	€ 1 546	£ 1 220	
180 x 130	170 x 72,5	73	13	MBT1817-C	MBTI1817-C	9 364	1 074	847	MBSTQ1817-C	MBSTQI1817-C	13 882	1 592	1 256	
200 x 140	190 x 81	81	15	MBT2017-C	MBTI2017-C	9 615	1 103	870	MBSTQ2017-C	MBSTQI2017-C	14 260	1 635	1 290	
220 x 155	210 x 89,5	90	17	MBT2217-C	MBTI2217-C	10 433	1 196	944	MBSTQ2217-C	MBSTQI2217-C	15 313	1 756	1 386	
240 x 165	230 x 98	98	19	MBT2417-C	MBTI2417-C	11 119	1 275	1 006	MBSTQ2417-C	MBSTQI2417-C	16 037	1 839	1 451	

CONNECT electric

The Connect electric projection screen is the longest established model within the Euroscreen® range. Its cassette has a square design with soft edges, and the white steel case is equipped with matching end caps which can be used for an easy mounting directly onto the wall or the ceiling.

- » White square shaped steel case
- » Matching white end caps for easy mounting directly onto wall or ceiling
- » Case size (W x H): 74 x 74 mm
- » Case length: screen width + 91 mm
- » Bottom dowel very close wall
- » Optional wall brackets allow keystone correction


Connect Electric with matching end caps for easy mounting and Plug n' Play feature for a quick installation.





Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE				
				Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP
Nordic								
140 x 200	140 x 200		7	CEL1420	CEL1420	kr 3 676	€ 422	£ 333
150 x 200	150 x 200		7	CEL1520	CEL1520	3 759	431	340
160 x 200	160 x 200		8	CEL1620	CEL1620	3 801	436	344
180 x 200	180 x 200		8	CEL1820	CEL1820	3 985	457	361
1:1 Format								
125 x 125	125 x 125		6	CEL125	CEL125	kr 3 418	€ 392	£ 309
150 x 150	150 x 150		7	CEL150	CEL150	3 570	409	323
180 x 180	180 x 180		8	CEL180	CEL180	3 796	435	344
200 x 200	200 x 200		10	CEL200	CEL200	4 021	461	364
220 x 220	220 x 220		11	CEL220	CEL220	4 456	511	403
240 x 240	240 x 240		12	CEL240	CEL240	4 702	539	426
4:3 No Black Borders								
180 x 135	180 x 135		9	CEL1814	CEL1814	kr 3 613	€ 414	£ 327
200 x 150	200 x 150		10	CEL2015	CEL2015	3 790	435	343
220 x 165	220 x 165		11	CEL2217	CEL2217	4 204	482	380
240 x 180	240 x 180		11	CEL2418	CEL2418	4 435	509	401
4:3 Format								
160 x 165	150 x 112,5	74	8	CEL1617-V	CEL1617-V	kr 3 812	€ 437	£ 345
180 x 165	170 x 127,5	84	9	CEL1817-V	CEL1817-V	3 916	449	354
200 x 165	190 x 142,5	94	10	CEL2017-V	CEL2017-V	4 111	471	372
220 x 165	210 x 157,5	103	11	CEL2217-V	CEL2217-V	4 456	511	403
240 x 180	230 x 172,5	113	11	CEL2417-V	CEL2417-V	4 813	552	436
16:10 Format								
160 x 165	150 x 94	70	8	CEL1617-D	CEL1617-D	kr 3 812	€ 437	£ 345
180 x 165	170 x 106	79	9	CEL1817-D	CEL1817-D	3 916	449	354
200 x 165	190 x 119	88	10	CEL2017-D	CEL2017-D	4 111	471	372
220 x 165	210 x 131	97	11	CEL2217-D	CEL2217-D	4 456	511	403
240 x 180	230 x 144	107	11	CEL2417-D	CEL2417-D	4 813	552	436
16:9 Format								
160 x 165	150 x 84,5	68	8	CEL1617-W	CEL1617-W	kr 3 812	€ 437	£ 345
180 x 165	170 x 95,5	77	9	CEL1817-W	CEL1817-W	3 916	449	354
200 x 165	190 x 107	86	10	CEL2017-W	CEL2017-W	4 111	471	372
220 x 165	210 x 118	95	11	CEL2217-W	CEL2217-W	4 456	511	403
240 x 165	230 x 129,5	104	11	CEL2417-W	CEL2417-W	4 813	552	436

DIPLOMAT XL FLEX electric



Euroscreen® Diplomat XL Flex is a new electric projection screen, a perfect solution for large venue installations, and is available in sizes up to 600 cm in width. The Diplomat XL Flex has a cylindrical shaped case in white aluminium and is delivered with extra sturdy brackets for a safe installation. The viewing surface is a flexible white front projection material with a gain of 1.0. The surface is welded either horizontally or vertically to match desired formats and sizes, leaving an almost invisible weld. To gain the flattest viewing surface possible Diplomat XL Flex is equipped with a heavy weight bottom dowel.


- » Available in sizes up to 600 cm in width
- » Cylindrical shaped case in white aluminium
- » Extra sturdy brackets
- » Flexible white front projection surface, gain 1.0
- » Surface welded either horizontally or vertically
- » Almost invisible weld
- » Heavy weight bottom dowel in white finish
- » Delivered with 3 m hard wire cable
- » Case size (W x H): 165 x 170 mm
- » Case length: screen width + 151 mm
- » Bottom dowel from wall: 30 mm
- » Recommended control options: Control Box, AutoLink RF or RF remote control



White aluminium, cylindrical shaped cassette.

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	FLEXWHITE		
					SEK	EUR	GBP
W x H (cm)	W x H (cm)	(")		Inst. cable			
1:1 Format							
350 x 350	350 x 350		55	MF350	kr 14 119	€ 1 619	£ 1 278
400 x 400	400 x 400		65	MF400	15 806	1 813	1 430
No Black Borders							
450 x 410	450 x 410		75	MF450	kr 18 968	€ 2 175	£ 1 717
500 x 460	500 x 460		135	MF500	44 164	5 065	3 997
550 x 510	550 x 510		150	MF550	48 411	5 552	4 381
4:3 No Black Borders							
350 x 265	350 x 265		54	MF3530	kr 13 296	€ 1 525	£ 1 203
400 x 300	400 x 300		62	MF4030	14 149	1 623	1 280
450 x 350	450 x 350		67	MF4535	17 269	1 980	1 563
500 x 375	500 x 375		130	MF5040	36 012	4 130	3 259
550 x 415	550 x 415		148	MF5545	39 555	4 536	3 580
600 x 450	600 x 450		162	MF6050	43 755	5 018	3 960
4:3 Format							
350 x 265	340 x 255	167	55	MF3530-V	kr 14 370	€ 1 648	£ 1 300
400 x 310	390 x 292,5	192	65	MF4030-V	15 204	1 744	1 376
450 x 360	440 x 330	217	67	MF4535-V	18 245	2 092	1 651
16:10 Format							
350 x 235	340 x 212,5	158	55	MF3530-D	kr 14 370	€ 1 648	£ 1 300
400 x 265	390 x 244	181	65	MF4030-D	15 204	1 744	1 376
450 x 295	440 x 275	204	67	MF4535-D	18 245	2 092	1 651
16:9 Format							
350 x 210	340 x 191	154	55	MF3530-W	kr 14 370	€ 1 648	£ 1 300
400 x 240	390 x 219,5	176	62	MF4030-W	15 204	1 744	1 376
450 x 265	440 x 247,5	199	67	MF4535-W	18 245	2 092	1 651

ACCESS FLEX electric



For concealed, large venue installations Euroscreen® offers the new Access Flex case for completely new possibilities for recessed ceiling. Not only is the screen entirely hidden when not in use, but Access Flex offers the possibility to install the case first and the screen any time later, therefore the screen surface is not at risk of damage during construction work. Access Flex is available in sizes up to 450 cm in width and has a flexible white front projection surface. The surface is welded either horizontally or vertically to match desired formats and sizes, leaving an almost invisible weld.


- » Case for recessed ceiling installations
- » Available in sizes up to 450 cm width
- » Possibility to install the case first and screen later
- » Flexible white front projection surface, gain 1.0
- » Surface welded either horizontally or vertically
- » Almost invisible weld
- » Sliding brackets inside the case accommodate different sizes of screen in the same case
- » Sliding brackets on top of case allow unlimited adjustment for mounting
- » Bottom of case is removable without tools for screen installation or maintenance
- » Delivered with 3 m hard wire cable
- » Case size (W x H): 205 x 180 mm
- » Recommended control options: Control Box, AutoLink RF or RF remote control



The recessed ceiling Access case open for service (1) and case closed (2).

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No. Inst. cable	FLEXWHITE		
					SEK	EUR	GBP
1:1 Format							
350 x 350	350 x 350		40	ACF350	kr 22 601	€ 2 592	£ 2 045
400 x 400	400 x 400		51	ACF400	24 289	2 785	2 198
450 x 450	450 x 450		59	ACF450	27 450	3 148	2 484
4:3 No Black Borders							
350 x 265	350 x 265		39	ACF3530	kr 21 778	€ 2 497	£ 1 971
400 x 300	400 x 300		49	ACF4030	22 633	2 596	2 048
450 x 350	450 x 350		57	ACF4535	25 752	2 953	2 330

DIPLOMAT XL electric



Diplomat XL is an electric projection screen available in sizes up to 450 cm width and in several projection formats. The model has a white cylindrical shaped aluminium case, equipped with sturdy brackets for a rigid installation. The screen surface used for Diplomat XL is Euroscreen® Arctiq; textile backed matt white with a black backing. Surface areas are seamed together with a fine lined seam to match desired screen size. The recently upgraded bottom dowel has extra weight to obtain the flattest viewing surface possible.

Diplomat XL is also available with the optional choice of the Access case for recessed installation, which is an excellent choice as it is possible to conceal the projection screen within a ceiling void. Easily install the Access case first, and the screen any time later. See page 35 for more information about Access case.

- » Available in sizes up to 450 cm
- » White cylindrical shaped aluminium case
- » Heavy weight bottom dowel in white finish
- » Matt white textile backed screen surface
- » Delivered with 3 m hard wire cable
- » Case size (W x H): 165 x 170 mm
- » Case length: screen width +121 mm
- » Bottom dowel from wall: 30 mm
- » Recommended control options: Control Box, AutoLink RF or RF remote control



Available in sizes up to 450 cm in width.

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No. Inst. cable	ARCTIQ		
					SEK	EUR	GBP
4:3 No Black Borders							
350 x 265	350 x 265		42	MD3530	kr 13 296	€ 1 525	£ 1 203
4:3 Format							
350 x 275	340 x 255	167	55	MD3530-V	kr 14 370	€ 1 648	£ 1 300
16:10 Format							
350 x 235	340 x 212,5	158	55	MD3530-D	kr 14 370	€ 1 648	£ 1 300
400 x 265	390 x 244	181	62	MD4030-D	15 204	1 744	1 376
450 x 295	440 x 275	204	67	MD4535-D	18 245	2 092	1 651
16:9 Format							
350 x 210	340 x 191	154	55	MD3530-W	kr 14 370	€ 1 648	£ 1 300
400 x 240	390 x 219,5	176	62	MD4030-W	15 204	1 744	1 376
450 x 265	440 x 247,5	199	67	MD4535-W	18 245	2 092	1 651



The Royal electric by Euroscreen® is an alternative for large venue installations where the screen surface is required to be in one piece. The Euroscreen® AstraNova screen surface has white front projection surface and black backing. The Royal is available in sizes up to 600 cm in width. A cylindrical shaped aluminium cassette in white finish characterizes the Royal projection screens up to 4.5 meters wide, while larger sizes are delivered with a square shaped wooden case finished in white. Sturdy brackets for wall or ceiling installation are included as standard. The recently upgraded bottom dowel has extra weight to obtain the flattest viewing surface possible.

Royal is also available with the optional choice of the Access case for recessed installation, which is an excellent choice as it is possible to conceal the projection screen within a ceiling void. Easily install the Access case first, and the screen any time later. See page 35 for more information about Access case.


- » Available in sizes up to 600 cm width
- » Large sized electric screen with one piece screen surface
- » Heavy weight bottom dowel in white finish
- » White aluminium case for width up to 450 cm
- » White wooden case for sizes over 450 cm (*)
- » Delivered with 3 m hard wire cable
- » Case size (W x H): 165 x 170 mm (≤ 450 cm)
- » Case size (W x H): 220 x 220 mm (> 500 cm)
- » Recommended control options: Control Box, AutoLink RF or RF remote control



White aluminium case up to 450 cm width (1) and white wooden case in sizes above 450 cm (2).

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ASTRANOVA			
				Part No.	SEK	EUR	GBP
1:1 Format							
300 x 300	300 x 300		36	MD300U	kr 22 612	€ 2 593	£ 2 046
350 x 350	350 x 350		42	MD350U	25 049	2 873	2 267
400 x 400	400 x 400		48	MD400U	28 032	3 215	2 537
4:3 No Black Borders							
300 x 225	300 x 225		33	MD3025U	kr 21 101	€ 2 420	£ 1 910
350 x 265	350 x 265		38	MD3530U	23 571	2 703	2 133
400 x 300	400 x 300		42	MD4030U	25 086	2 877	2 270
450 x 350	450 x 350		65	MD4535U	30 611	3 510	2 770
16:10 No Black Borders							
500 x 350	500 x 350		125	MD5040U *	kr 42 523	€ 4 876	£ 3 848
16:9 No Black Borders							
600 x 350	600 x 350		145	MD6040U *	kr 43 325	€ 4 968	£ 3 921

LODO electric




For the absolute largest electric screen option the LODO is offered, available in sizes up to 700 cm width. LODO is a large sized professional electric screen with a strong square shaped aluminium cassette in matt white finish. The screen is supplied with safety chains which provide an upper-grade of safety. The screen surface is a white flexible surface with a gain of 1.1 for front projection.

- » Available in sizes up to 700 cm width
- » Square shaped white aluminium case
- » Supplied with extra safety chains
- » Case size (W x H): 210 x 204 mm
- » White flexible screen surface



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	WHITE SURFACE			
				Part No. Inst. cable	SEK	EUR	GBP
1:1 Format							
450x450	450x450		100	LODO450	kr 43 115	€ 4 944	£ 3 902
500x500	500x500		111	LODO500	48 883	5 606	4 424
550x550	550x550		115	LODO550	53 128	6 093	4 808
4:3 No Black Borders							
500x375	500x375		111	LODO5040	kr 40 730	€ 4 671	£ 3 686
550x412	550x412		115	LODO5545	44 274	5 077	4 007
600x450	600x450		119	LODO6050	48 473	5 559	4 387
650x487	650x487		123	LODO6550	54 649	6 267	4 946
700x525	700x525		127	LODO7055	59 047	6 771	5 344

ACCESS installation case



The Access recessed installation case is an excellent choice when it is possible to conceal the projection screen within a ceiling void. The screen is completely concealed above the ceiling when not used. Also provides the benefit of installing the case first and the screen any time later, therefore any risk of damage the screen surface is minimized. The aluminium case features ceiling trim flanges and movable brackets for an easy installation.

Access installation case is an optional choice to the following standard projection screens models:

Linea Tab Tension - read more on page 14

Access Flex - read more on page 31

Diplomat XL - read more on page 32

Royal - read more on page 33

- » Concealing recessed installation case
- » Aluminium case with ceiling trim flanges
- » Possible to install case first and screen later
- » Sliding brackets inside the case accommodate different sizes of screen in the same case
- » Sliding brackets on top of case allow unlimited adjustment for mounting
- » Bottom is removable without tools for screen installation or maintenance
- » Case size (W x H): 230 x 178 mm (includes flange and mounting brackets)



The Access case open for service (1) and case closed (2). Sliding brackets on top of case allow unlimited adjustment for mounting (3).

	Wt (kg)	Part No. Inst. cable	SEK	EUR	GBP
ACCESS installation case for screen size:					
Up to width: 300 cm	31	AC328	kr 8 483	€ 973	£ 768
Up to width: 350 cm	36	AC378	8 483	973	768
Up to width: 400 cm	38	AC428	8 483	973	768
Up to width: 450 cm	39	AC478	8 483	973	768

CONTROL BOX & other Control Options

NEW!

The Control Box is a new multifunctional unit for easy and trouble-free operation of electrical projection screens. The device features the most usual versions of operations such as RF, IR, Dry Contact/Contact Closure, 12V trigger and RS232. Euroscreen® offers optional transmitters for communication with the box; RF AutoLink trigger, RF or IR remote control, and RF wall switch transmitter. The Control Box is equipped with a 300cm cord to power outlet, a 150cm screen cord, and a 30cm Dry Contact/RS232 cable is included as standard.

- » 1 single box provides no less than 5 possible control options
- » Compatible with RF, IR, Dry Contact/Contact Closure, 12V trigger and RS232
- » Built-in IR eye
- » Dry Contact/RS232 cable (30cm) included
- » 300cm power cord
- » 150cm screen cord
- » The Control Box is also available in complete kits

Automatic RF AutoLink

The Euroscreen® Control Box is beneficially supplemented with the RF AutoLink trigger. These two units create Euroscreen's uniquely developed control device AutoLink – now also RF operated. The automatic AutoLink is a clever control solution for a trouble-free projection screen operation. It does the job for you - just turn the projector on and the AutoLink triggers the screen to roll down, and when the projector is turned off the screen automatically retracts.

Transmitters

Several transmitter options available such as the hand remote controls, RF or IR, which have three buttons for up – stop – down. The IR remote control needs a clear path from the projection screen's IR receiver and the IR transmitter on the remote control. The RF remote control on the other hand can be used from a long distance, up to 30 m, and disregards obstacles since the RF does not need a visible connection between transmitter and receiver. Same function on the new RF wall switch transmitter.

Switches

The most basic control option is the InLine switch with the up – stop – down positions. The switch is integrated with the cable, whose total length is 300 cm. Ready to use when screen is delivered. The external wall switch has up – stop positions and must be installed by electrician. The key switch is an external switch controlled with a removable key. Up – stop – down positions. Must be installed by electrician.



SCREEN ACCESSORIES Electric Screens

	Part No.	SEK	EUR	GBP
Euroscreen® Control Box Kits				
NEW! RF remote control kit (incl. 210 730 + 210 727)	210 760	kr 1 405	€ 161	£ 127
RF AutoLink kit (incl. 210 730 + 210 722)	210 750-1	1 578	181	143
IR remote control kit (incl. 210 730 + 210 704)	210 740	1 405	161	127
Control Options for Electric Screens				
Control Box (RF, IR, Contact Closure, RS232, trigger)	210 730	kr 938	€ 108	£ 85
RF remote control, 3-positions (up - stop - down)	210 727	467	54	42
AutoLink trigger (RF)	210 722 -1	588	67	53
RF wall switch transmitter	210 724	467	54	42
IR remote control, 3-positions (up - stop - down)	210 704	467	54	42
External Switch, 2-positions (up - down)	210 603	414	47	37
Key switch, 3-positions (up - stop - down)	210 604	1 096	126	99
Cables				
IR Eye Extender (for AutoLink IR (210 700) & IR remote control (210 695))	210 705	kr 513	€ 59	£ 46
IR Eye, 1m	210 734	510	58	46
12 V trigger, 15m	210 733	402	46	36
Dry Contact/RS232, 15 m	210 930	356	41	32
Dry Contact/RS232, 30cm	210 933	299	34	27
Serial Adaptor (DB9 to RJ11)	DRC103.042	253	29	23
Wall / Ceiling Brackets				
15 cm wall brackets, pair	485 015	kr 341	€ 39	£ 31
30 cm wall brackets, pair	485 030	377	43	34
50 cm wall brackets, pair	485 050	420	48	38
75 cm wall brackets, pair	485 075	498	57	45
Recessed ceiling bracket for Sesame 2.1, pair	930 200	598	69	54



Part No. 210 727.



Part No. 210 704.



Part No. 210 603.



Part No. 210 724.



Part No. 930 200.



Wall brackets: 75, 50, 30 and 15 cm.

SCREEN ACCESSORIES Manual Screens

Wall Brackets

Euroscreen® wall brackets in white finish are available in four lengths; 15 cm, 30 cm, 50 cm and 75 cm. The brackets are easily adjusted and delivered as pair.

Magnets

The magnet strip is permanently attached on the back of the bottom bar to attach to a white board for example. The removable super magnet hook is mobile and has the same functionality as the magnet strip.

Draw Sticks

Draw sticks for manual projection screens in two lengths; 100 cm and 140 cm.

Pulling Cord

Black pulling cord for manual projection screens, 75 cm. Often a suitable complement to super magnet hook and draw sticks.



Wall brackets: 75, 50, 30 and 15 cm.



Drawstick, 2 lengths.

	Part No.	SEK	EUR	GBP
Wall / Ceiling Brackets				
15 cm wall brackets, pair	485 015	kr 341	€ 39	£ 31
30 cm wall brackets, pair	485 030	377	43	34
50 cm wall brackets, pair	485 050	420	48	38
75 cm wall brackets, pair	485 075	498	57	45
Accessories Manual Screens				
Magnetic strip 60 cm	340 000	kr 189	€ 22	£ 17
Super magnet with hook	340 004	152	17	14
Draw stick 100 cm	400 100	209	24	19
Draw stick 140 cm	400 140	231	26	21
Pulling cord 75 cm	410 285	68	8	6

DIPLOMAT manual

The Diplomat is Euroscreen's best-selling projection screen with its white aluminium cassette and channel-fixed installation. This makes it one of the market's most flexible and easy screens to install. Thanks to its functional and comprehensive design the Diplomat is suitable for any environment; conference rooms, education facilities and home theatres.

- » White cylindrical shaped aluminium cassette
- » Channel-fixed and flexible installation
- » Case size (W x H): 89 x 105 mm
- » Case length: screen width + 86 mm (\leq 200 cm width)
- » Case length: screen width + 94 mm ($>$ 200 cm width)
- » Bottom dowel from wall: 48 mm

Soft&Quiet

Get the best functionality out of the manual projection screen and at the same time preserve the mechanism and function for years and years by upgrading to the Soft&Quiet feature. The Soft&Quiet feature is a reliable and strong roller mechanism that slowly and smoothly retracts the screen surface into the case, slowing even more as it approaches its upper limit. Just a simple tug on the handle or the pull cord is all that is needed. The Soft&Quiet feature prolongs the life of a manual screen since it prevents potential damage to the case and its mechanism, and screen surface.

- » Reliable and strong roller mechanism
- » Slowly retracts the screen surface into the case
- » Slowing as it approaches its upper limit
- » Prolongs the life of the screen

Channel-fixed installation for maximum flexibility.





Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			GREYLIGHT				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
Nordic											
140 x 200	140 x 200		6	DD1420	kr 1 295	€ 149	£ 117	DG1420	kr 2 050	€ 235	£ 186
150 x 200	150 x 200		7	DD1520	1 342	154	121	DG1520	2 118	243	192
160 x 200	160 x 200		7	DD1620	1 410	162	128	DG1620	2 291	263	207
180 x 200	180 x 200		8	DD1820	1 541	177	139	DG1820	2 391	274	216
No Black Borders											
270 x 210	270 x 210		15	DD2724	kr 4 147	€ 476	£ 375	-	-	-	-
300 x 210	300 x 210		17	DD3024	4 272	490	387	-	-	-	-
1:1 Format											
125 x 125	125 x 125		6	DD125	kr 1 154	€ 132	£ 104	DG125	kr 2 014	€ 231	£ 182
150 x 150	150 x 150		7	DD150	1 206	138	109	DG150	2 118	243	192
180 x 180	180 x 180		8	DD180	1 373	157	124	DG180	2 386	274	216
200 x 200	200 x 200		9	DD200	1 987	228	180	DG200	2 784	319	252
220 x 220	220 x 220		12	DD220	2 542	292	230	DG220	3 518	403	318
240 x 240	240 x 240		13	DD240	3 140	360	284	DG240	4 236	486	383
4:3 Format											
160 x 175	150 x 112,5	74	7	DD1617-V	kr 1 934	€ 222	£ 175	DG1617-V	kr 2 816	€ 323	£ 255
180 x 175	170 x 127,5	84	8	DD1817-V	2 024	232	183	DG1817-V	2 889	331	261
200 x 175	190 x 142,5	94	10	DD2017-V	2 328	267	211	DG2017-V	2 952	339	267
220 x 170	210 x 157,5	103	12	DD2217-V	2 736	314	248	DG2217-V	3 696	424	334
240 x 205	230 x 172,5	113	13	DD2420-V	3 135	360	284	DG2420-V	4 252	488	385
270 x 210	260 x 195	128	15	DD2724-V	4 272	490	387	DG2724-V	4 850	556	439
300 x 235	290 x 217,5	143	17	DD3024-V	4 435	509	401	DG3024-V	5 001	574	453
16:10 Format											
160 x 175	150 x 94	70	7	DD1617-D	kr 1 934	€ 222	£ 175	DG1617-D	kr 2 816	€ 323	£ 255
180 x 175	170 x 106	79	8	DD1817-D	2 024	232	183	DG1817-D	2 889	331	261
200 x 175	190 x 119	88	10	DD2017-D	2 328	267	211	DG2017-D	2 952	339	267
220 x 170	210 x 131	97	12	DD2217-D	2 736	314	248	DG2217-D	3 696	424	334
240 x 170	230 x 144	107	13	DD2417-D	3 135	360	284	DG2417-D	4 252	488	385
270 x 205	260 x 162,5	121	15	DD2724-D	4 272	490	387	DG2724-D	4 850	556	439
300 x 205	290 x 181	135	17	DD3024-D	4 435	509	401	DG3024-D	5 001	574	453
16:9 Format											
160 x 175	150 x 84,5	68	7	DD1617-W	kr 1 934	€ 222	£ 175	DG1617-W	kr 2 816	€ 323	£ 255
180 x 175	170 x 95,5	77	8	DD1817-W	2 024	232	183	DG1817-W	2 889	331	261
200 x 175	190 x 107	86	10	DD2017-W	2 328	267	211	DG2017-W	2 952	339	267
220 x 170	210 x 118	95	12	DD2217-W	2 736	314	248	DG2217-W	3 696	424	334
240 x 170	230 x 129,5	104	13	DD2417-W	3 135	360	284	DG2417-W	4 252	488	385
270 x 205	260 x 146	117	15	DD2724-W	4 272	490	387	DG2724-W	4 850	556	439
300 x 205	290 x 163	131	17	DD3024-W	4 435	509	401	DG3024-W	5 001	574	453



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			GREYLIGHT				
				Part No. Soft & Quiet	SEK	EUR	GBP	Part No. Soft & Quiet	SEK	EUR	GBP
Nordic											
140 x 200	140 x 200		6	DDQ1420	kr 1 924	€ 221	£ 174	DGQ1420	kr 2 679	€ 307	£ 242
150 x 200	150 x 200		7	DDQ1520	1 971	226	178	DGQ1520	2 748	315	249
160 x 200	160 x 200		7	DDQ1620	2 039	234	185	DGQ1620	2 920	335	264
180 x 200	180 x 200		8	DDQ1820	2 170	249	196	DGQ1820	3 020	346	273
No Black Borders											
270 x 210	270 x 210		16	DDQ2724	kr 5 721	€ 656	518	-	-	-	-
300 x 210	300 x 210		18	DDQ3024	5 487	629	497	-	-	-	-
1:1 Format											
125 x 125	125 x 125		6	DDQ125	kr 1 783	€ 204	£ 161	DGQ125	kr 2 642	€ 303	£ 239
150 x 150	150 x 150		7	DDQ150	1 835	210	166	DGQ150	2 748	315	249
180 x 180	180 x 180		8	DDQ180	2 002	230	181	DGQ180	3 015	346	273
200 x 200	200 x 200		9	DDQ200	2 616	300	237	DGQ200	3 413	391	309
220 x 220	220 x 220		13	DDQ220	3 171	364	287	DGQ220	4 147	476	375
240 x 240	240 x 240		14	DDQ240	3 769	432	341	DGQ240	4 865	558	440
4:3 Format											
160 x 175	150 x 112,5	74	7	DDQ1617-V	kr 2 564	€ 294	£ 232	DGQ1617-V	kr 3 445	€ 395	£ 312
180 x 175	170 x 127,5	84	8	DDQ1817-V	2 653	304	240	DGQ1817-V	3 518	403	318
200 x 175	190 x 142,5	94	10	DDQ2017-V	2 957	339	268	DGQ2017-V	3 581	411	324
220 x 170	210 x 157,5	103	13	DDQ2217-V	3 366	386	305	DGQ2217-V	4 325	496	391
240 x 205	230 x 172,5	113	14	DDQ2420-V	3 764	432	341	DGQ2420-V	4 881	560	442
270 x 210	260 x 195	128	16	DDQ2724-V	4 901	562	444	DGQ2724-V	5 479	628	496
300 x 235	290 x 217,5	143	18	DDQ3024-V	5 064	581	458	DGQ3024-V	5 630	646	510
16:10 Format											
160 x 175	150 x 94	70	7	DDQ1617-D	kr 2 564	€ 294	£ 232	DGQ1617-D	kr 3 445	€ 395	£ 312
180 x 175	170 x 106	79	8	DDQ1817-D	2 653	304	240	DGQ1817-D	3 518	403	318
200 x 175	190 x 119	88	10	DDQ2017-D	2 957	339	268	DGQ2017-D	3 581	411	324
220 x 170	210 x 131	97	13	DDQ2217-D	3 366	386	305	DGQ2217-D	4 325	496	391
240 x 170	230 x 144	107	14	DDQ2417-D	3 764	432	341	DGQ2417-D	4 881	560	442
270 x 205	260 x 162,5	121	16	DDQ2724-D	4 901	562	444	DGQ2724-D	5 479	628	496
300 x 205	290 x 181	135	18	DDQ3024-D	5 064	581	458	DGQ3024-D	5 630	646	510
16:9 Format											
160 x 175	150 x 84,5	68	7	DDQ1617-W	kr 2 564	€ 294	£ 232	DGQ1617-W	kr 3 445	€ 395	£ 312
180 x 175	170 x 95,5	77	8	DDQ1817-W	2 653	304	240	DGQ1817-W	3 518	403	318
200 x 175	190 x 107	86	10	DDQ2017-W	2 957	339	268	DGQ2017-W	3 581	411	324
220 x 170	210 x 118	95	13	DDQ2217-W	3 366	386	305	DGQ2217-W	4 325	496	391
240 x 170	230 x 129,5	104	14	DDQ2417-W	3 764	432	341	DGQ2417-W	4 881	560	442
270 x 205	260 x 146	117	16	DDQ2724-W	4 901	562	444	DGQ2724-W	5 479	628	496
300 x 205	290 x 163	131	18	DDQ3024-W	5 064	581	458	DGQ3024-W	5 630	646	510

BLACKLINE manual

The Euroscreen® BlackLine model offers a stylish projection screen in a black aluminium cassette, especially appreciated in home theatre environments. The black case together with the black framework of the screen surface works very well together and puts the focus on the projected image. The BlackLine cassette is easy to install with its channel-fixed mounting feature, and it is suitable for both wall and ceiling installation.

- » Popular manual screen for home theatre applications
- » Black cylindrical shaped aluminium case
- » Channel-fixed and flexible installation
- » Case size (W x H): 89 x 105 mm
- » Case length: screen width + 86 mm (\leq 200 cm width)
- » Case length: screen width + 94 mm ($>$ 200 cm width)
- » Bottom dowel from wall: 48 mm

Soft&Quiet

Get the best functionality out of the manual projection screen and at the same time preserve the mechanism and function for years and years by upgrading to the Soft&Quiet feature. The Soft&Quiet feature is a reliable and strong roller mechanism that slowly and smoothly retracts the screen surface into the case, slowing even more as it approaches its upper limit. Just a simple tug on the handle or the pull cord is all that is needed. The Soft&Quiet feature prolongs the life of a manual screen since it prevents potential damage to the case and its mechanism, and screen surface.

- » Reliable and strong roller mechanism
- » Slowly retracts the screen surface into the case
- » Slowing as it approaches its upper limit
- » Prolongs the life of the screen


Black case with channel-fixed installation.





Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			GREYLIGHT				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
160 x 175	150 x 112,5	74	7	BL1617-V	kr 1 934	€ 222	£ 175	BLG1617-V	kr 2 816	€ 323	£ 255
180 x 175	170 x 127,5	84	8	BL1817-V	2 024	232	183	BLG1817-V	2 889	331	261
200 x 175	190 x 142,5	94	10	BL2017-V	2 328	267	211	BLG2017-V	2 952	339	267
220 x 170	210 x 157,5	103	12	BL2217-V	2 736	314	248	BLG2217-V	3 696	424	334
240 x 205	230 x 172,5	113	13	BL2420-V	3 135	360	284	BLG2420-V	4 252	488	385
270 x 210	260 x 195	128	15	BL2724-V	4 272	490	387	BLG2724-V	4 850	556	439
300 x 235	290 x 217,5	143	17	BL3024-V	4 435	509	401	BLG3024-V	5 001	574	453
16:9 Format											
160 x 175	150 x 84,5	68	7	BL1617-W	kr 1 934	€ 222	£ 175	BLG1617-W	kr 2 816	€ 323	£ 255
180 x 175	170 x 95,5	77	8	BL1817-W	2 024	232	183	BLG1817-W	2 889	331	261
200 x 175	190 x 107	86	10	BL2017-W	2 328	267	211	BLG2017-W	2 952	339	267
220 x 170	210 x 118	95	12	BL2217-W	2 736	314	248	BLG2217-W	3 696	424	334
240 x 170	230 x 129,5	104	13	BL2417-W	3 135	360	284	BLG2417-W	4 252	488	385
270 x 205	260 x 146	117	15	BL2724-W	4 272	490	387	BLG2724-W	4 850	556	439
300 x 205	290 x 163	131	17	BL3024-W	4 435	509	401	BLG3024-W	5 001	574	453
2.35:1 Format											
160 x 175	150 x 64	64	7	BL1617-C	kr 1 934	€ 222	£ 175	BLG1617-C	kr 2 816	€ 323	£ 255
180 x 175	170 x 72,5	73	8	BL1817-C	2 024	232	183	BLG1817-C	2 889	331	261
200 x 175	190 x 81	81	10	BL2017-C	2 328	267	211	BLG2017-C	2 952	339	267
220 x 170	210 x 89,5	90	12	BL2217-C	2 736	314	248	BLG2217-C	3 696	424	334
240 x 170	230 x 98	98	13	BL2417-C	3 135	360	284	BLG2417-C	4 252	488	385
270 x 205	260 x 110,5	111	15	BL2724-C	4 272	490	387	BLG2724-C	4 850	556	439
300 x 205	290 x 123,5	124	17	BL3024-C	4 435	509	401	BLG3024-C	5 001	574	453

CONNECT manual



The Connect projection screen is the longest established model within the Euroscreen® range. Its cassette has a square design with soft edges, and the white steel case is equipped with matching end caps which are used for an easy installation directly onto the wall or the ceiling. This economical screen is available in a large selection of projection formats. The Connect is often used for educational applications and is therefore recommended together with optional mounting brackets which allow keystone correction if required.

- » White square shaped steel case
- » Matching white end caps
- » Use end caps for easy installation directly onto wall or ceiling
- » Case size (W x H): 74 x 74 mm
- » Case length: screen width + 91 mm
- » Bottom dowel very close to wall
- » Optional wall brackets allow keystone correction



Use end caps for fast installation directly onto wall.

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			
				Part No.	SEK	EUR	GBP
Nordic							
140 x 200	140 x 200		5	C1420	kr 1 159	€ 133	£ 105
150 x 200	150 x 200		6	C1520	1 211	139	110
160 x 200	160 x 200		6	C1620	1 253	144	113
180 x 200	180 x 200		7	C1820	1 353	155	122
1:1 Format							
125 x 125	125 x 125		4	C125	kr 954	€ 109	£ 86
150 x 150	150 x 150		5	C150	1 001	115	91
180 x 180	180 x 180		7	C180	1 106	127	100
200 x 200	200 x 200		8	C200	1 604	184	145
220 x 220	220 x 220		10	C220	2 055	236	186
240 x 240	240 x 240		11	C240	2 548	292	231
4:3 No Black Borders							
180 x 135	180 x 135		7	C1814	kr 1 054	€ 121	£ 95
200 x 150	200 x 150		7	C2015	1 327	152	120
220 x 165	220 x 165		10	C2217	1 893	217	171
240 x 180	240 x 180		10	C2418	2 255	259	204
4:3 Format							
160 x 165	150 x 112,5	74	6	C1617-V	kr 1 436	€ 165	£ 130
180 x 165	170 x 127,5	84	7	C1817-V	1 536	176	139
200 x 165	190 x 142,5	94	8	C2017-V	1 845	212	167
220 x 165	210 x 157,5	103	10	C2217-V	2 223	255	201
240 x 180	230 x 172,5	113	10	C2417-V	2 574	295	233
16:10 Format							
160 x 165	150 x 94	70	6	C1617-D	kr 1 436	€ 165	£ 130
180 x 165	170 x 106	79	7	C1817-D	1 536	176	139
200 x 165	190 x 119	88	8	C2017-D	1 845	212	167
220 x 165	210 x 131	97	10	C2217-D	2 223	255	201
240 x 180	230 x 144	107	10	C2417-D	2 574	295	233
16:9 Format							
160 x 165	150 x 84,5	68	6	C1617-W	kr 1 436	€ 165	£ 130
180 x 165	170 x 95,5	77	7	C1817-W	1 536	176	139
200 x 165	190 x 107	86	8	C2017-W	1 845	212	167
220 x 165	210 x 118	95	10	C2217-W	2 223	255	201
240 x 165	230 x 129,5	104	10	C2417-W	2 574	295	233



The Euroscreen® Excello 2000 is a rail system designed to use wall space most efficiently. Projection screen and other visual resources such as maps and posters are integrated with the rail system for a most mobile and flexible use. Compatible Euroscreen® projection screens are offered up to 240 cm width within the Excello 2000 system.

- » Efficient rail system
- » Easy to install
- » Use of projection screens, maps and posters in a very flexible way



Map carriers and case carriers, sold as pair.



	Wt (kg)	Part No.	SEK	EUR	GBP
No Black Borders					
180 x 190	180 x 190	4	SDF1820	kr 1 426	€ 164 £ 129
200 x 190	200 x 190	5	SDF2020	1 578	181 143
200 x 230	200 x 230	5	SDF2024	1 876	215 170
Accessories Excello 2000					
Magnetic strip 60 cm		340 000	kr 189	€ 22	£ 17
Super magnet with hook		340 004	152	17	14
Drawstick 100 cm		400 100	209	24	19
Drawstick 140 cm		400 140	231	26	21
Adjustable fixing with carriers		420 250	1 609	185	146
Carriers, for Excello 2000 rail system		421 020	136	16	12
Map carriers, pair		421 102	189	22	17
Joining piece, for rail system		450 001	42	5	4
Rail 300 cm		450 300	304	35	28
Rail 400 cm		450 400	377	43	34
Rail 500 cm		450 500	467	54	42
Rail 600 cm		450 600	540	62	49
Mounting profil, 5 cm for 1 rail		460 005	58	7	5
Mounting profil, 45 cm for 5 rails		460 050	105	12	10
Map holder with carriers for rail system		K100	965	111	87

FRAME VISION LIGHT

Frame Vision Light is a permanently tensioned projection screen that achieves an optimal flat viewing surface. The Frame Vision Light has a clever construction that makes it easy to assemble the 5 cm wide frame profiles and attach the screen surface. Easy-mounted wall brackets to hang the complete screen onto are included. The frame design puts equal tension on each part of the viewing surface, making it perfectly smooth. The light-weight black aluminium border frames the projected image nicely. For a even more fantastic viewing experience, the Vel-Tex® option is highly recommended.

- » 5 cm wide black aluminium frame
- » Perfectly flat viewing surface
- » Easy to assemble frame parts
- » Screen surface attaches to the frame without snaps or tools
- » Easily mounted wall brackets included

NEW! Available with the new FlexPerf screen surface - a vinyl reflective fabric with microscopic perforations which create a sound transparent projection surface. See page 7 for more info.

Vel-Tex®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Not only does the Vel-Tex® give the screen a more luxurious impression and conceals all trace of joints in the frame; it is also more forgiving to any incorrect adjustment of the projected image since every small edge of the images beyond the inner frames are visually absorbed by the Vel-Tex®. At the same time it helps to cut reflection from surroundings lights.

- » Black, velvety textile covering
- » Provides a luxurious impression
- » Conceals all trace of joints in the frame
- » Incorrect adjustment visually absorbed
- » Cuts reflection from surroundings lights

Assemble the 5 cm wide aluminium frame profiles - Vel-Tex® is a recommended option!



FRAME VISION LIGHT



Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 2.1				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
170 x 130	160 x 120	79	7	VL160-V	kr 4 634	€ 531	£ 419	VLS160-V	kr 7 287	€ 836	£ 659
180 x 137,5	170 x 127,5	84	8	VL170-V	4 692	538	425	VLS170-V	7 513	862	680
190 x 145	180 x 135	89	9	VL180-V	4 729	542	428	VLS180-V	7 717	885	698
200 x 152,5	190 x 142,5	94	10	VL190-V	4 782	548	433	VLS190-V	7 933	910	718
210 x 160	200 x 150	98	11	VL200-V	4 818	553	436	VLS200-V	8 137	933	736
220 x 167,5	210 x 157,5	103	12	VL210-V	4 855	557	439	VLS210-V	8 341	957	755
230 x 175	220 x 165	108	13	VL220-V	4 908	563	444	VLS220-V	8 556	981	774
240 x 182,5	230 x 172,5	113	14	VL230-V	4 954	568	448	VLS230-V	8 771	1 006	794
16:10 Format											
170 x 110	160 x 100	74	7	VL160-D	kr 4 634	€ 531	£ 419	VLS160-D	kr 7 287	€ 836	£ 659
180 x 116	170 x 106	79	8	VL170-D	4 692	538	425	VLS170-D	7 513	862	680
190 x 122,5	180 x 112,5	84	9	VL180-D	4 729	542	428	VLS180-D	7 717	885	698
200 x 129	190 x 119	88	10	VL190-D	4 782	548	433	VLS190-D	7 933	910	718
210 x 135	200 x 125	93	11	VL200-D	4 818	553	436	VLS200-D	8 137	933	736
220 x 141	210 x 131	97	12	VL210-D	4 855	557	439	VLS210-D	8 341	957	755
230 x 147,5	220 x 137,5	102	13	VL220-D	4 908	563	444	VLS220-D	8 556	981	774
240 x 154	230 x 144	107	14	VL230-D	4 954	568	448	VLS230-D	8 771	1 006	794
16:9 Format											
170 x 100	160 x 90	72	7	VL160-W	kr 4 634	€ 531	£ 419	VLS160-W	kr 7 287	€ 836	£ 659
180 x 105,5	170 x 95,5	77	8	VL170-W	4 692	538	425	VLS170-W	7 513	862	680
190 x 111	180 x 101	81	9	VL180-W	4 729	542	428	VLS180-W	7 717	885	698
200 x 117	190 x 107	86	10	VL190-W	4 782	548	433	VLS190-W	7 933	910	718
210 x 122,5	200 x 112,5	90	11	VL200-W	4 818	553	436	VLS200-W	8 137	933	736
220 x 128	210 x 118	95	12	VL210-W	4 855	557	439	VLS210-W	8 341	957	755
230 x 133,5	220 x 123,5	99	13	VL220-W	4 908	563	444	VLS220-W	8 556	981	774
240 x 139,5	230 x 129,5	104	14	VL230-W	4 954	568	448	VLS230-W	8 771	1 006	794
2.35:1 Format											
170 x 78	160 x 68	68	7	VL160-C	kr 4 634	€ 531	£ 419	VLS160-C	kr 7 287	€ 836	£ 659
180 x 82,5	170 x 72,5	73	8	VL170-C	4 692	538	425	VLS170-C	7 513	862	680
190 x 86,5	180 x 76,5	77	9	VL180-C	4 729	542	428	VLS180-C	7 717	885	698
200 x 91	190 x 81	81	10	VL190-C	4 782	548	433	VLS190-C	7 933	910	718
210 x 95	200 x 85	85	11	VL200-C	4 818	553	436	VLS200-C	8 137	933	736
220 x 99,5	210 x 89,5	90	12	VL210-C	4 855	557	439	VLS210-C	8 341	957	755
230 x 103,5	220 x 93,5	94	13	VL220-C	4 908	563	444	VLS220-C	8 556	981	774
240 x 108	230 x 98	98	14	VL230-C	4 954	568	448	VLS230-C	8 771	1 006	794

FRAME VISION LIGHT



Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No.	FLEXREAR			Part No.	FLEXPERF		
					SEK	EUR	GBP		SEK	EUR	GBP
4:3 Format											
170 x 130	160 x 120	79	7	VLR160-V	kr 5 872	€ 673	£ 531	-	-	-	-
180 x 137,5	170 x 127,5	84	8	VLR170-V	5 945	682	538	-	-	-	-
190 x 145	180 x 135	89	9	VLR180-V	6 002	688	543	-	-	-	-
200 x 152,5	190 x 142,5	94	10	VLR190-V	6 077	697	550	-	-	-	-
210 x 160	200 x 150	98	11	VLR200-V	6 140	704	556	-	-	-	-
220 x 167,5	210 x 157,5	103	12	VLR210-V	6 191	710	560	-	-	-	-
230 x 175	220 x 165	108	13	VLR220-V	6 265	718	567	-	-	-	-
240 x 182,5	230 x 172,5	113	14	VLR230-V	6 328	726	573	-	-	-	-
16:10 Format											
170 x 110	160 x 100	74	7	VLR160-D	kr 5 872	€ 673	£ 531	-	-	-	-
180 x 116	170 x 106	79	8	VLR170-D	5 945	682	538	-	-	-	-
190 x 122,5	180 x 112,5	84	9	VLR180-D	6 002	688	543	-	-	-	-
200 x 129	190 x 119	88	10	VLR190-D	6 077	697	550	-	-	-	-
210 x 135	200 x 125	93	11	VLR200-D	6 140	704	556	-	-	-	-
220 x 141	210 x 131	97	12	VLR210-D	6 191	710	560	-	-	-	-
230 x 147,5	220 x 137,5	102	13	VLR220-D	6 265	718	567	-	-	-	-
240 x 154	230 x 144	107	14	VLR230-D	6 328	726	573	-	-	-	-
16:9 Format											
170 x 100	160 x 90	72	7	VLR160-W	kr 5 872	€ 673	£ 531	VLP160-W	kr 7 287	€ 836	£ 659
180 x 105,5	170 x 95,5	77	8	VLR170-W	5 945	682	538	VLP170-W	7 513	862	680
190 x 111	180 x 101	81	9	VLR180-W	6 002	688	543	VLP180-W	7 717	885	698
200 x 117	190 x 107	86	10	VLR190-W	6 077	697	550	VLP190-W	7 933	910	718
210 x 122,5	200 x 112,5	90	11	VLR200-W	6 140	704	556	VLP200-W	8 137	933	736
220 x 128	210 x 118	95	12	VLR210-W	6 191	710	560	VLP210-W	8 341	957	755
230 x 133,5	220 x 123,5	99	13	VLR220-W	6 265	718	567	VLP220-W	8 556	981	774
240 x 139,5	230 x 129,5	104	14	VLR230-W	6 328	726	573	VLP230-W	8 771	1 006	794
2.35:1 Format											
170 x 78	160 x 68	68	7	VLR160-C	kr 5 872	€ 673	£ 531	VLP160-C	kr 7 287	€ 836	£ 659
180 x 82,5	170 x 72,5	73	8	VLR170-C	5 945	682	538	VLP170-C	7 513	862	680
190 x 86,5	180 x 76,5	77	9	VLR180-C	6 002	688	543	VLP180-C	7 717	885	698
200 x 91	190 x 81	81	10	VLR190-C	6 077	697	550	VLP190-C	7 933	910	718
210 x 95	200 x 85	85	11	VLR200-C	6 140	704	556	VLP200-C	8 137	933	736
220 x 99,5	210 x 89,5	90	12	VLR210-C	6 191	710	560	VLP210-C	8 341	957	755
230 x 103,5	220 x 93,5	94	13	VLR220-C	6 265	718	567	VLP220-C	8 556	981	774
240 x 108	230 x 98	98	14	VLR230-C	6 328	726	573	VLP230-C	8 771	1 006	794

NEW!



FRAME VISION LIGHT with Vel-Tex

Vel-Tex®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Provides a luxurious impression and cuts reflection from surroundings lights. Incorrect adjustment is visually absorbed.

Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 2.1				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
170 x 130	160 x 120	79	7	VLD160-V	kr 5 630	€ 646	£ 510	VLSD160-V	kr 8 320	€ 954	£ 753
180 x 137,5	170 x 127,5	84	8	VLD170-V	5 698	653	516	VLSD170-V	8 546	980	773
190 x 145	180 x 135	89	9	VLD180-V	5 730	657	519	VLSD180-V	8 745	1 003	791
200 x 152,5	190 x 142,5	94	10	VLD190-V	5 778	663	523	VLSD190-V	8 959	1 027	811
210 x 160	200 x 150	98	11	VLD200-V	5 814	667	526	VLSD200-V	9 165	1 051	829
220 x 167,5	210 x 157,5	103	12	VLD210-V	5 861	672	530	VLSD210-V	9 369	1 074	848
230 x 175	220 x 165	108	13	VLD220-V	5 909	678	535	VLSD220-V	9 588	1 100	868
240 x 182,5	230 x 172,5	113	14	VLD230-V	5 950	682	538	VLSD230-V	9 799	1 124	887
16:10 Format											
170 x 110	160 x 100	74	7	VLD160-D	kr 5 630	€ 646	£ 510	VLSD160-D	kr 8 320	€ 954	£ 753
180 x 116	170 x 106	79	8	VLD170-D	5 698	653	516	VLSD170-D	8 546	980	773
190 x 122,5	180 x 112,5	84	9	VLD180-D	5 730	657	519	VLSD180-D	8 745	1 003	791
200 x 129	190 x 119	88	10	VLD190-D	5 778	663	523	VLSD190-D	8 959	1 027	811
210 x 135	200 x 125	93	11	VLD200-D	5 814	667	526	VLSD200-D	9 165	1 051	829
220 x 141	210 x 131	97	12	VLD210-D	5 861	672	530	VLSD210-D	9 369	1 074	848
230 x 147,5	220 x 137,5	102	13	VLD220-D	5 909	678	535	VLSD220-D	9 588	1 100	868
240 x 154	230 x 144	107	14	VLD230-D	5 950	682	538	VLSD230-D	9 799	1 124	887
16:9 Format											
170 x 100	160 x 90	72	7	VLD160-W	kr 5 630	€ 646	£ 510	VLSD160-W	kr 8 320	€ 954	£ 753
180 x 105,5	170 x 95,5	77	8	VLD170-W	5 698	653	516	VLSD170-W	8 546	980	773
190 x 111	180 x 101	81	9	VLD180-W	5 730	657	519	VLSD180-W	8 745	1 003	791
200 x 117	190 x 107	86	10	VLD190-W	5 778	663	523	VLSD190-W	8 959	1 027	811
210 x 122,5	200 x 112,5	90	11	VLD200-W	5 814	667	526	VLSD200-W	9 165	1 051	829
220 x 128	210 x 118	95	12	VLD210-W	5 861	672	530	VLSD210-W	9 369	1 074	848
230 x 133,5	220 x 123,5	99	13	VLD220-W	5 909	678	535	VLSD220-W	9 588	1 100	868
240 x 139,5	230 x 129,5	104	14	VLD230-W	5 950	682	538	VLSD230-W	9 799	1 124	887
2.35:1 Format											
170 x 78	160 x 68	68	7	VLD160-C	kr 5 630	€ 646	£ 510	VLSD160-C	kr 8 320	€ 954	£ 753
180 x 82,5	170 x 72,5	73	8	VLD170-C	5 698	653	516	VLSD170-C	8 546	980	773
190 x 86,5	180 x 76,5	77	9	VLD180-C	5 730	657	519	VLSD180-C	8 745	1 003	791
200 x 91	190 x 81	81	10	VLD190-C	5 778	663	523	VLSD190-C	8 959	1 027	811
210 x 95	200 x 85	85	11	VLD200-C	5 814	667	526	VLSD200-C	9 165	1 051	829
220 x 99,5	210 x 89,5	90	12	VLD210-C	5 861	672	530	VLSD210-C	9 369	1 074	848
230 x 103,5	220 x 93,5	94	13	VLD220-C	5 909	678	535	VLSD220-C	9 588	1 100	868
240 x 108	230 x 98	98	14	VLD230-C	5 950	682	538	VLSD230-C	9 799	1 124	887

FRAME VISION LIGHT with Vel-Tex



Vel-Tex®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Provides a luxurious impression and cuts reflection from surroundings lights. Incorrect adjustment is visually absorbed.

Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			FLEXPERF				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
170 x 130	160 x 120	79	7	VLRD160-V	kr 6 879	€ 789	£ 623	-	-	-	
180 x 137,5	170 x 127,5	84	8	VLRD170-V	6 967	799	630	-	-	-	
190 x 145	180 x 135	89	9	VLRD180-V	7 025	806	636	-	-	-	
200 x 152,5	190 x 142,5	94	10	VLRD190-V	7 093	813	642	-	-	-	
210 x 160	200 x 150	98	11	VLRD200-V	7 161	821	648	-	-	-	
220 x 167,5	210 x 157,5	103	12	VLRD210-V	7 209	827	652	-	-	-	
230 x 175	220 x 165	108	13	VLRD220-V	7 292	836	660	-	-	-	
240 x 182,5	230 x 172,5	113	14	VLRD230-V	7 350	843	665	-	-	-	
16:10 Format											
170 x 110	160 x 100	74	7	VLRD160-D	kr 6 879	€ 789	£ 623	-	-	-	
180 x 116	170 x 106	79	8	VLRD170-D	6 967	799	630	-	-	-	
190 x 122,5	180 x 112,5	84	9	VLRD180-D	7 025	806	636	-	-	-	
200 x 129	190 x 119	88	10	VLRD190-D	7 093	813	642	-	-	-	
210 x 135	200 x 125	93	11	VLRD200-D	7 161	821	648	-	-	-	
220 x 141	210 x 131	97	12	VLRD210-D	7 209	827	652	-	-	-	
230 x 147,5	220 x 137,5	102	13	VLRD220-D	7 292	836	660	-	-	-	
240 x 154	230 x 144	107	14	VLRD230-D	7 350	843	665	-	-	-	
16:9 Format											
170 x 100	160 x 90	72	7	VLRD160-W	kr 6 879	€ 789	£ 623	VLPD160-W	kr 8 320	€ 954	£ 753
180 x 105,5	170 x 95,5	77	8	VLRD170-W	6 967	799	630	VLPD170-W	8 546	980	773
190 x 111	180 x 101	81	9	VLRD180-W	7 025	806	636	VLPD180-W	8 745	1 003	791
200 x 117	190 x 107	86	10	VLRD190-W	7 093	813	642	VLPD190-W	8 959	1 027	811
210 x 122,5	200 x 112,5	90	11	VLRD200-W	7 161	821	648	VLPD200-W	9 165	1 051	829
220 x 128	210 x 118	95	12	VLRD210-W	7 209	827	652	VLPD210-W	9 369	1 074	848
230 x 133,5	220 x 123,5	99	13	VLRD220-W	7 292	836	660	VLPD220-W	9 588	1 100	868
240 x 139,5	230 x 129,5	104	14	VLRD230-W	7 350	843	665	VLPD230-W	9 799	1 124	887
2.35:1 Format											
170 x 78	160 x 68	68	7	VLRD160-C	kr 6 879	€ 789	£ 623	VLPD160-C	kr 8 320	€ 954	£ 753
180 x 82,5	170 x 72,5	73	8	VLRD170-C	6 967	799	630	VLPD170-C	8 546	980	773
190 x 86,5	180 x 76,5	77	9	VLRD180-C	7 025	806	636	VLPD180-C	8 745	1 003	791
200 x 91	190 x 81	81	10	VLRD190-C	7 093	813	642	VLPD190-C	8 959	1 027	811
210 x 95	200 x 85	85	11	VLRD200-C	7 161	821	648	VLPD200-C	9 165	1 051	829
220 x 99,5	210 x 89,5	90	12	VLRD210-C	7 209	827	652	VLPD210-C	9 369	1 074	848
230 x 103,5	220 x 93,5	94	13	VLRD220-C	7 292	836	660	VLPD220-C	9 588	1 100	868
240 x 108	230 x 98	98	14	VLRD230-C	7 350	843	665	VLPD230-C	9 799	1 124	887

NEW!

FRAME VISION

The Frame Vision is Euroscreen's largest permanently tensioned projection screen; available up to 420 cm width. The surface is stretched on the reverse of the 10 cm wide black aluminium frame which provides an attractive and powerful black framework to the projected image. The Vel-Tex® option is highly recommended to obtain an even greater viewing experience. The frame puts equal tension on each part of the viewing surface and the flexible screen surface can be adjusted into three different channels to ensure optimal flatness. The frame profiles are easily assembled and easy-mounted wall brackets are included for a trouble-free installation onto the wall.

NEW! Available with the new FlexPerf screen surface - a vinyl reflective fabric with microscopic perforations which create a sound transparent projection surface. See page 7 for more info.

Vel-Tex®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Not only does the Vel-Tex® give the screen a more luxurious impression and conceals all trace of joints in the frame; it is also more forgiving to any incorrect adjustment of the projected image since every small edge of the images beyond the inner frames are visually absorbed by the Vel-Tex®. At the same time it helps to cut reflection from surroundings lights.

- » Black, velvety textile covering
- » Provides a luxurious impression
- » Conceals all trace of joints in the frame
- » Incorrect adjustment visually absorbed
- » Cuts reflection from surroundings lights

Frame Vision: 10cm wide aluminium frame.



FRAME VISION



Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 2.1				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
180 x 140	160 x 120	79	15	V160-V	kr 5 594	€ 642	£ 506	VS160-V	kr 8 168	€ 937	£ 739
200 x 155	180 x 135	89	17	V180-V	5 929	680	537	VS180-V	8 823	1 012	798
220 x 170	200 x 150	98	19	V200-V	6 244	716	565	VS200-V	9 474	1 086	857
240 x 185	220 x 165	108	20	V220-V	7 214	827	653	VS220-V	10 769	1 235	975
270 x 210	250 x 190	123	24	V250-V	8 194	940	742	VS250-V	12 226	1 402	1 106
295 x 226	275 x 206	135	25	V275-V	9 788	1 122	886	VS275-V	14 134	1 621	1 279
320 x 245	300 x 225	148	28	V300-V	10 648	1 221	964	-	-	-	-
370 x 282,5	350 x 262,5	172	32	V350-V	12 027	1 379	1 088	-	-	-	-
405 x 309	385 x 289	190	36	V400-V	13 416	1 539	1 214	-	-	-	-
16:10 Format											
180 x 120	160 x 100	74	13	V160-D	kr 5 594	€ 642	£ 506	VS160-D	kr 8 168	€ 937	£ 739
200 x 132,5	180 x 112,5	84	15	V180-D	5 929	680	537	VS180-D	8 823	1 012	798
220 x 145	200 x 125	93	16	V200-D	6 244	716	565	VS200-D	9 474	1 086	857
240 x 157,5	220 x 137,5	102	18	V220-D	7 214	827	653	VS220-D	10 769	1 235	975
270 x 176	250 x 156	116	21	V250-D	8 194	940	742	VS250-D	12 226	1 402	1 106
295 x 192	275 x 172	128	23	V275-D	9 788	1 122	886	VS275-D	14 134	1 621	1 279
320 x 207,5	300 x 187,5	139	25	V300-D	10 648	1 221	964	VS300-D	15 471	1 774	1 400
370 x 239	350 x 219	163	30	V350-D	12 027	1 379	1 088	-	-	-	-
420 x 270	400 x 250	179	34	V400-D	13 416	1 539	1 214	-	-	-	-
16:9 Format											
180 x 110	160 x 90	72	13	V160-W	kr 5 594	€ 642	£ 506	VS160-W	kr 8 168	€ 937	£ 739
200 x 121	180 x 101	81	15	V180-W	5 929	680	537	VS180-W	8 823	1 012	798
220 x 132,5	200 x 112,5	90	16	V200-W	6 244	716	565	VS200-W	9 474	1 086	857
240 x 143,5	220 x 123,5	99	18	V220-W	7 214	827	653	VS220-W	10 769	1 235	975
270 x 160,5	250 x 140,5	113	21	V250-W	8 194	940	742	VS250-W	12 226	1 402	1 106
295 x 174,5	275 x 154,5	124	23	V275-W	9 788	1 122	886	VS275-W	14 134	1 621	1 279
320 x 189	300 x 169	135	25	V300-W	10 648	1 221	964	VS300-W	15 471	1 774	1 400
370 x 217	350 x 197	158	30	V350-W	12 027	1 379	1 088	VS350-W	16 814	1 928	1 522
420 x 245	400 x 225	181	34	V400-W	13 416	1 539	1 214	-	-	-	-
2.35:1 Format											
180 x 88	160 x 68	68	13	V160-C	kr 5 594	€ 642	£ 506	VS160-C	kr 8 168	€ 937	£ 739
200 x 96,5	180 x 76,5	77	15	V180-C	5 929	680	537	VS180-C	8 823	1 012	798
220 x 105	200 x 85	85	16	V200-C	6 244	716	565	VS200-C	9 474	1 086	857
240 x 113,5	220 x 93,5	94	18	V220-C	7 214	827	653	VS220-C	10 769	1 235	975
270 x 126,5	250 x 106,5	107	21	V250-C	8 194	940	742	VS250-C	12 226	1 402	1 106
295 x 137	275 x 117	117	23	V275-C	9 788	1 122	886	VS275-C	14 134	1 621	1 279
320 x 147,5	300 x 127,5	128	25	V300-C	10 648	1 221	964	VS300-C	15 471	1 774	1 400
370 x 169	350 x 149	149	30	V350-C	12 027	1 379	1 088	VS350-C	16 814	1 928	1 522
420 x 190	400 x 170	170	34	V400-C	13 416	1 539	1 214	VS400-C	19 854	2 277	1 797

Sizes ≥ 300cm width includes additional frame stag/s.

FRAME VISION



Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			FLEXPERF				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
180 x 140	160 x 120	79	15	VR160-V	kr 7 061	€ 810	£ 639	-	-	-	-
200 x 155	180 x 135	89	17	VR180-V	7 639	876	691	-	-	-	-
220 x 170	200 x 150	98	19	VR200-V	8 230	944	745	-	-	-	-
240 x 185	220 x 165	108	20	VR220-V	9 641	1 106	872	-	-	-	-
270 x 210	250 x 190	123	24	VR250-V	11 051	1 267	1 000	-	-	-	-
295 x 226	275 x 206	135	25	VR275-V	11 622	1 333	1 052	-	-	-	-
320 x 245	300 x 225	148	28	VR300-V	12 178	1 397	1 102	-	-	-	-
16:10 Format											
180 x 120	160 x 100	74	13	VR160-D	kr 7 061	€ 810	£ 639	-	-	-	-
200 x 132,5	180 x 112,5	84	15	VR180-D	7 639	876	691	-	-	-	-
220 x 145	200 x 125	93	16	VR200-D	8 230	944	745	-	-	-	-
240 x 157,5	220 x 137,5	102	18	VR220-D	9 641	1 106	872	-	-	-	-
270 x 176	250 x 156	116	21	VR250-D	11 051	1 267	1 000	-	-	-	-
295 x 196	275 x 172	128	23	VR275-D	11 622	1 333	1 052	-	-	-	-
320 x 207,5	300 x 187,5	139	25	VR300-D	12 178	1 397	1 102	-	-	-	-
370 x 239	350 x 219	163	30	VR350-D	13 191	1 513	1 194	-	-	-	-
16:9 Format											
180 x 110	160 x 90	72	13	VR160-W	kr 7 061	€ 810	£ 639	VP160-W	kr 8 168	€ 937	£ 739
200 x 121	180 x 101	81	15	VR180-W	7 639	876	691	VP180-W	8 823	1 012	798
220 x 132,5	200 x 112,5	90	16	VR200-W	8 230	944	745	VP200-W	9 474	1 086	857
240 x 143,5	220 x 123,5	99	18	VR220-W	9 641	1 106	872	VP220-W	10 769	1 235	975
270 x 160,5	250 x 140,5	113	21	VR250-W	11 051	1 267	1 000	VP250-W	12 226	1 402	1 106
295 x 174,5	275 x 154,5	124	23	VR275-W	11 622	1 333	1 052	VP275-W	14 134	1 621	1 279
320 x 189	300 x 169	135	25	VR300-W	12 178	1 397	1 102	VP300-W	15 471	1 774	1 400
370 x 217	350 x 197	158	30	VR350-W	13 191	1 513	1 194	VP350-W	16 814	1 928	1 522
420 x 245	400 x 225	181	34	VR400-W	17 212	1 974	1 558	-	-	-	-
2.35:1 Format											
180 x 88	160 x 68	68	13	VR160-C	kr 7 061	€ 810	£ 639	VP160-C	kr 8 168	€ 937	£ 739
200 x 96,5	180 x 76,5	77	15	VR180-C	7 639	876	691	VP180-C	8 823	1 012	798
220 x 105	200 x 85	85	16	VR200-C	8 230	944	745	VP200-C	9 474	1 086	857
240 x 113,5	220 x 93,5	94	18	VR220-C	9 641	1 106	872	VP220-C	10 769	1 235	975
270 x 126,5	250 x 106,5	107	21	VR250-C	11 051	1 267	1 000	VP250-C	12 226	1 402	1 106
295 x 137	275 x 117	117	23	VR275-C	11 622	1 333	1 052	VP275-C	14 134	1 621	1 279
320 x 147,5	300 x 127,5	128	25	VR300-C	12 178	1 397	1 102	VP300-C	15 471	1 774	1 400
370 x 169	350 x 149	149	30	VR350-C	13 191	1 513	1 194	VP350-C	16 814	1 928	1 522
420 x 190	400 x 170	170	34	VR400-C	17 212	1 974	1 558	VP400-C	19 854	2 277	1 797

NEW!

Sizes ≥ 300cm width includes additional frame stag/s.

FRAME VISION with Vel-Tex



Vel-Tex®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Provides a luxurious impression and cuts reflection from surroundings lights. Incorrect adjustment is visually absorbed.

Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 2.1				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
180 x 140	160 x 120	79	15	VD160-V	kr 6 611	€ 758	£ 598	VSD160-V	kr 9 195	€ 1 054	£ 832
200 x 155	180 x 135	89	17	VD180-V	6 952	797	629	VSD180-V	9 856	1 130	892
220 x 170	200 x 150	98	19	VD200-V	7 261	833	657	VSD200-V	10 501	1 204	950
240 x 185	220 x 165	108	20	VD220-V	8 242	945	746	VSD220-V	11 796	1 353	1 068
270 x 210	250 x 190	123	24	VD250-V	9 211	1 056	834	VSD250-V	13 259	1 521	1 200
295 x 226	275 x 206	135	25	VD275-V	10 810	1 240	978	VSD275-V	15 167	1 739	1 373
320 x 245	300 x 225	148	28	VD300-V	11 665	1 338	1 056	-	-	-	-
370 x 282,5	350 x 262,5	172	32	VD350-V	13 038	1 495	1 180	-	-	-	-
405 x 309	385 x 289	190	36	VD400-V	14 433	1 655	1 306	-	-	-	-
16:10 Format											
180 x 120	160 x 100	74	13	VD160-D	kr 6 611	€ 758	£ 598	VSD160-D	kr 9 195	€ 1 054	£ 832
200 x 132,5	180 x 112,5	84	15	VD180-D	6 952	797	629	VSD180-D	9 856	1 130	892
220 x 145	200 x 125	93	16	VD200-D	7 261	833	657	VSD200-D	10 501	1 204	950
240 x 157,5	220 x 137,5	102	18	VD220-D	8 242	945	746	VSD220-D	11 796	1 353	1 068
270 x 176	250 x 156	116	21	VD250-D	9 211	1 056	834	VSD250-D	13 259	1 521	1 200
295 x 192	275 x 172	128	23	VD275-D	10 810	1 240	978	VSD275-D	15 167	1 739	1 373
320 x 207,5	300 x 187,5	139	25	VD300-D	11 665	1 338	1 056	VSD300-D	16 504	1 893	1 494
370 x 239	350 x 219	163	30	VD350-D	13 038	1 495	1 180	-	-	-	-
420 x 270	400 x 250	179	34	VD400-D	14 433	1 655	1 306	-	-	-	-
16:9 Format											
180 x 110	160 x 90	72	13	VD160-W	kr 6 611	€ 758	£ 598	VSD160-W	kr 9 195	€ 1 054	£ 832
200 x 121	180 x 101	81	15	VD180-W	6 952	797	629	VSD180-W	9 856	1 130	892
220 x 132,5	200 x 112,5	90	16	VD200-W	7 261	833	657	VSD200-W	10 501	1 204	950
240 x 143,5	220 x 123,5	99	18	VD220-W	8 242	945	746	VSD220-W	11 796	1 353	1 068
270 x 160,5	250 x 140,5	113	21	VD250-W	9 211	1 056	834	VSD250-W	13 259	1 521	1 200
295 x 174,5	275 x 154,5	124	23	VD275-W	10 810	1 240	978	VSD275-W	15 167	1 739	1 373
320 x 189	300 x 169	135	25	VD300-W	11 665	1 338	1 056	VSD300-W	16 504	1 893	1 494
370 x 217	350 x 197	158	30	VD350-W	13 038	1 495	1 180	VSD350-W	17 846	2 047	1 615
420 x 245	400 x 225	181	34	VD400-W	14 433	1 655	1 306	-	-	-	-
2.35:1 Format											
180 x 88	160 x 68	68	13	VD160-C	kr 6 611	€ 758	£ 598	VSD160-C	9 195	€ 1 054	£ 832
200 x 96,5	180 x 76,5	77	15	VD180-C	6 952	797	629	VSD180-C	9 856	1 130	892
220 x 105	200 x 85	85	16	VD200-C	7 261	833	657	VSD200-C	10 501	1 204	950
240 x 113,5	220 x 93,5	94	18	VD220-C	8 242	945	746	VSD220-C	11 796	1 353	1 068
270 x 126,5	250 x 106,5	107	21	VD250-C	9 211	1 056	834	VSD250-C	13 259	1 521	1 200
295 x 137	275 x 117	117	23	VD275-C	10 810	1 240	978	VSD275-C	15 167	1 739	1 373
320 x 147,5	300 x 127,5	128	25	VD300-C	11 665	1 338	1 056	VSD300-C	16 504	1 893	1 494
370 x 169	350 x 149	149	30	VD350-C	13 038	1 495	1 180	VSD350-C	17 846	2 047	1 615
420 x 190	400 x 170	170	34	VD400-C	14 433	1 655	1 306	VSD400-C	20 892	2 396	1 891

Sizes ≥ 300cm width includes additional frame stag/s.



FRAME VISION with Vel-Tex

Vel-Tex®


The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Provides a luxurious impression and cuts reflection from surroundings lights. Incorrect adjustment is visually absorbed.

Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			FLEXPERF				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
180 x 140	160 x 120	79	15	VRD160-V	kr 8 079	€ 926	£ 731	-	-	-	
200 x 155	180 x 135	89	17	VRD180-V	8 446	969	764	-	-	-	
220 x 170	200 x 150	98	19	VRD200-V	9 243	1 060	836	-	-	-	
240 x 185	220 x 165	108	20	VRD220-V	10 658	1 222	965	-	-	-	
270 x 210	250 x 190	123	24	VRD250-V	12 064	1 383	1 092	-	-	-	
295 x 226	275 x 206	135	25	VRD275-V	12 635	1 449	1 143	-	-	-	
320 x 245	300 x 225	148	28	VRD300-V	13 191	1 513	1 194	-	-	-	
16:10 Format											
180 x 120	160 x 100	74	13	VRD160-D	kr 8 079	€ 926	£ 731	-	-	-	
200 x 132,5	180 x 112,5	84	15	VRD180-D	8 446	969	764	-	-	-	
220 x 145	200 x 125	93	16	VRD200-D	9 243	1 060	836	-	-	-	
240 x 157,5	220 x 137,5	102	18	VRD220-D	10 658	1 222	965	-	-	-	
270 x 176	250 x 156	116	21	VRD250-D	12 064	1 383	1 092	-	-	-	
295 x 196	275 x 172	128	23	VRD275-D	12 635	1 449	1 143	-	-	-	
320 x 207,5	300 x 187,5	139	25	VRD300-D	13 191	1 513	1 194	-	-	-	
16:9 Format											
180 x 110	160 x 90	72	13	VRD160-W	kr 8 079	€ 926	£ 731	VPD160-W	kr 9 195	€ 1 054	£ 832
200 x 121	180 x 101	81	15	VRD180-W	8 446	969	764	VPD180-W	9 856	1 130	892
220 x 132,5	200 x 112,5	90	16	VRD200-W	9 243	1 060	836	VPD200-W	10 501	1 204	950
240 x 143,5	220 x 123,5	99	18	VRD220-W	10 658	1 222	965	VPD220-W	11 796	1 353	1 068
270 x 160,5	250 x 140,5	113	21	VRD250-W	12 064	1 383	1 092	VPD250-W	13 259	1 521	1 200
295 x 174,5	275 x 154,5	124	23	VRD275-W	12 635	1 449	1 143	VPD275-W	15 167	1 739	1 373
320 x 189	300 x 169	135	25	VRD300-W	13 191	1 513	1 194	VPD300-W	16 504	1 893	1 494
370 x 217	350 x 197	158	30	VRD350-W	17 820	2 044	1 613	VPD350-W	17 846	2 047	1 615
420 x 245	400 x 225	181	34	VRD400-W	18 229	2 090	1 650	-	-	-	
2.35:1 Format											
180 x 88	160 x 68	68	13	VRD160-C	kr 8 079	€ 926	£ 731	VPD160-C	kr 9 195	€ 1 054	£ 832
200 x 96,5	180 x 76,5	77	15	VRD180-C	8 446	969	764	VPD180-C	9 856	1 130	892
220 x 105	200 x 85	85	16	VRD200-C	9 243	1 060	836	VPD200-C	10 501	1 204	950
240 x 113,5	220 x 93,5	94	18	VRD220-C	10 658	1 222	965	VPD220-C	11 796	1 353	1 068
270 x 126,5	250 x 106,5	107	21	VRD250-C	12 064	1 383	1 092	VPD250-C	13 259	1 521	1 200
295 x 137	275 x 117	117	23	VRD275-C	12 635	1 449	1 143	VPD275-C	15 167	1 739	1 373
320 x 147,5	300 x 127,5	128	25	VRD300-C	13 191	1 513	1 194	VPD300-C	16 504	1 893	1 494
370 x 169	350 x 149	149	30	VRD350-C	17 820	2 044	1 613	VPD350-C	17 846	2 047	1 615
420 x 190	400 x 170	170	34	VRD400-C	18 229	2 090	1 650	VPD400-C	20 892	2 396	1 891

NEW!

Sizes ≥ 300cm width includes additional frame stag/s.

DIFFUSION SCREENS



Diffusion screens are an excellent choice for rear projection installations and especially suitable for window displays or indoor usage in controlled lighting areas. With a rear projection solution, there is no need to have the actual valuable product on display but instead commercial movies and multimedia experiences can be displayed on the screen to attract the viewer. The diffusion screen is an acrylic rigid surface which provides an attractive mix of light output and contrast.

DIFFUSION CONTRAST


- » Acrylic rigid surface for rear projection
- » Attractive mix of light output and contrast
- » Gain 2.2
- » Delivered with standard frame, wire and brackets for mount
- » Other screen sizes available upon request

DIFFUSION WHITE

- » Acrylic rigid surface for rear projection
- » Extremely high gain 8.0
- » Viewing cone 120°
- » Optimized for window display
- » Delivered with standard frame, wire and brackets for mount
- » Other screen sizes available upon request



Suitable for window displays or indoor usage.



Screen Size W x H (cm)	Diag. /Inch (")	Wt (kg)	DIFFUSION CONTRAST				DIFFUSION WHITE			
			Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format							4:3 Format			
100 x 75	49	3	DIFF49-V	kr 10 249	€ 1 175	£ 928	DIW49-V	kr 11 245	€ 1 290	£ 1 018
133,3 x 100	65	5	DIFF65-V	13 091	1 501	1 185	DIW65-V	14 344	1 645	1 298
152 x 114	75	6	DIFF75-V	14 921	1 711	1 350	DIW75-V	16 331	1 873	1 478
195 x 146	96	10	DIFF96-V	22 633	2 596	2 048	DIW96-V	24 871	2 852	2 251
225 x 169	111	14	DIFF111-V	33 495	3 841	3 031	-	-	-	-
265 x 199	130	19	DIFF130-V	41 459	4 754	3 752	-	-	-	-
16:9 Format										
100 x 56	45	2	DIFF45-W	kr 9 715	€ 1 114	£ 879				
133,3 x 75	60	4	DIFF60-W	11 697	1 341	1 059				
152 x 87	70	5	DIFF70-W	15 949	1 829	1 443				
195 x 110	88	8	DIFF88-W	20 200	2 317	1 828				
225 x 127	102	10	DIFF102-W	27 797	3 188	2 516				
300 x 169	135	18	DIFF135-W	41 600	4 771	3 765				

CUSTOM PRINT

We print your name, logo or promotional message onto the screen surface! The details will be on view all the time the screen is in use and be at the focal point of the audience's attention. On the popular Euroscreen® Connect Floor screen, the area below the screen itself can be printed, ensuring that your brand or message is constantly on view during presentations. This is ideal for sales teams and promotion agencies.

- » Maximum exposure of message and/or logo
- » 4-colour print
- » Layout included in print charge
- » Preferred logo/artwork as .eps

	SEK	EUR	GBP
Printing charge for custom print, incl. layout	kr 1 006	€ 115	£ 91

1. After receiving logo/artwork from customer a suggested layout is created. The layout is sent back to customer for approval.
2. The approved layout is processed and ripped in the printer's high technology software.
3. The layout is printed on Euroscreen® Arctiq screen surface for an ideal colour rendition and contrast.
4. The artwork is accurately cut in the desired size and format.
5. The printed surface is being installed onto a roller and the screen is assembled.
6. Done! The screen is ready to be at the focal point of the audience's attention.



CONNECT FLOOR



Need a compact and reliable projection screen when out on the road? If yes, the portable Connect Floor is the answer! This screen is one of the best-selling Euroscreen® products and is a favourite with many customers. Compared to other portable screens the Connect Floor is sturdier, often more practical, and contains fewer parts than a tripod screen. The steel cassette rests steadily on the floor supported by a “foot” and provides an available viewing area from the cassette to the top of the raised viewing surface. The model is very easy to set up, light-weight and integrated handle makes it easy to carry along. Optional black padded carry case for extra protection is also available.

- » Mobile projection screen suitable for presentations on the road
- » Perfect screen model to display custom printed messages
- » Light-weight steel case in white finish
- » Easy to set up
- » Very slim when not in use
- » Case size (W x H): 110 x 130 mm
- » Case length: screen width + 72 mm
- » Padded protective carrying case available



The light-weight Connect Floor is easy to store away when not in use.



Screen Size	Viewing Area	Diag. /Inch	Wt	BLACK CASE - ARCTIQ SURFACE				WHITE CASE - ARCTIQ SURFACE				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP	
W x H (cm)	W x H (cm)	(")	(kg)									
1:1 Format												
125 x 180	125 x 180	86	7	CF125	kr 1 672	€ 192	£ 151	CFW125	kr 1 672	€ 192	£ 151	
150 x 210	150 x 210	102	7	CF150	1 814	208	164	CFW150	1 814	208	164	
160 x 210	160 x 210	104	8	CF160	1 866	214	169	CFW160	1 866	214	169	
180 x 210	180 x 210	109	10	CF180	1 987	228	180	CFW180	1 987	228	180	
200 x 210	200 x 210	114	11	CF200	2 207	253	200	-	-	-	-	
4:3 Format												
125 x 180	115 x 86	57	7	CF125-V	kr 1 997	€ 229	£ 181	CFW125-V	kr 1 997	€ 229	£ 181	
150 x 210	140 x 105	59	7	CF150-V	2 139	245	194	CFW150-V	2 139	245	194	
160 x 210	150 x 112,5	74	8	CF160-V	2 192	251	198	CFW160-V	2 192	251	198	
180 x 210	170 x 127,5	84	10	CF180-V	2 312	265	209	CFW180-V	2 312	265	209	
200 x 210	190 x 142,5	94	11	CF200-V	2 532	290	229	-	-	-	-	
16:10 Format												
125 x 180	115 x 72	53	7	CF125-D	kr 1 997	€ 229	£ 181	CFW125-D	kr 1 997	€ 229	£ 181	
150 x 210	140 x 87,5	65	7	CF150-D	2 139	245	194	CFW150-D	2 139	245	194	
160 x 210	150 x 94	70	8	CF160-D	2 192	251	198	CFW160-D	2 192	251	198	
180 x 210	170 x 106	79	10	CF180-D	2 312	265	209	CFW180-D	2 312	265	209	
200 x 210	190 x 119	88	11	CF200-D	2 532	290	229	-	-	-	-	

TRIPOD CONNECT



Tripod Connect is a portable projection screen ideally suited for a mobile and flexible use. The screen has a black cassette and a robust and detachable tripod stand which makes it perfect for mobile presentations and home theatre. The screen is light weight and easily set up in just a few moves. The Tripod Connect has a built-in keystone eliminator and is therefore a perfect match with use of overhead projectors.

- » Portable tripod projection screen
- » Light weight black steel case
- » Easy to set up
- » Detachable tripod
- » Screen height above floor: 40 - 80 cm
- » Padded protective carrying case available



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			GREYLIGHT				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
1:1 Format											
150 x 150	150 x 150		9	TC150	kr 1 358	€ 156	£ 123	TCG150	kr 2 296	€ 263	£ 208
180 x 180	180 x 180		10	TC180	1 662	191	150	TCG180	2 700	310	244
200 x 200	200 x 200		12	TC200	2 962	340	268	TCG200	4 073	467	369
4:3 No Black Borders											
240 x 180	240 x 180		14	TC2418	kr 4 556	€ 522	£ 412	TCG2418	kr 5 253	€ 602	£ 475

CARRYING CASE

- » Protective padded black carrying case
- » Supplied with zipper and handle
- » Suitable for Euroscreen® Connect Floor and Tripod Connect

	Part No.	SEK	EUR	GBP
Carrying case for screen model:				
CF125/CFW125	540 000	kr 435	€ 50	£ 39
CF150/CFW150/TCW150	540 001	483	55	44
CF160/CFW160/CFW180/TCW180	540 002	525	60	48
CF200/CFW200/TCW200	540 003	566	65	51
TC2418	540 004	624	72	56



Protective padded carrying case in black for portable screens.

AV CABINET



Store all valuable AV equipment safely in this high quality Euroscreen® AV Cabinet in stylish Scandinavian design. The AV cabinet has three shelves; the two bottom ones have adjustable heights. The cabinet is equipped with two solid lockable doors, both front and back for easy installation access. Other features are integrated cable management for ease of installation and a clean appearance, two sturdy cable-tidies to wrap cables around, and large ventilation grills to keep the inside cool.

- » Store all your AV equipment in one place
- » Designed for ease of use, blends in well in most modern environments
- » 3 shelves: the two bottom ones have adjustable heights
- » Top shelf slides out up to 26 cm
- » Two solid lockable doors front and back
- » Integrated cable management throughout cabinet for ease of installation
- » Two sturdy cable-tidies to wrap cables around
- » Ventilation grills assist airflow to cool equipment inside
- » Other finishes available upon request
- » Overall size (W x L x H): 55 x 60 x 91 cm
- » Optional 19" rack available



Optional 19" rack for a secure storage of all electrical equipment.

Wt (kg)	Part No.	SEK	EUR	GBP
42	962 100	kr 5 914	€ 678	£ 535
42	962 101	5 914	678	535
42	962 102	6 506	746	589
42	962 103	6 506	746	589
1,5	930 210	kr 304	€ 35	£ 28





LECTERN TOP for AV Cabinet

Transform the AV cabinet in just a few seconds to a professional lectern with the clever solution of a Lectern Top. The light weight top is easy to place onto the cabinet and no mounting is required. For ease of installation the Lectern Top has an integrated cable management throughout the unit which provides the opportunity to place a computer either on the very top or out of sight in the void below.

As an extra professional detail and appreciated feature a “mini screen” can be ordered to complete the AV unit. The mini screen is a perfect choice for company logos or message exposure in 4-colour print, and at the same time hide ventilation grills and cable-tidies from the audience.

Lectern Top

- » Mobile lectern top for a flexible use of the AV Cabinet
- » Robust and stable top
- » No mounting is needed - just lift top on/off the AV Cabinet
- » Integrated cable management for ability to place laptop on top area
- » Fold down top board for support of notes or hiding of objects
- » Total size (W x H x D): 57 x 66 x 17 cm

Mini Screen

- » Perfect for logo or message exposure
- » Hides ventilation grills and cable-tidies
- » 4-colour print
- » Printing area (W x H): 51 x 80 cm



Fold down top board for support of notes or hiding of objects.

Wt (kg)	Part No.	SEK	EUR	GBP
---------	----------	-----	-----	-----

Lectern top for AV Cabinet, Beech	10	962 110	kr 1 504	€ 172	£ 136
Lectern top for AV Cabinet, Grey	10	962 111	1 504	172	136
Lectern top for AV Cabinet, Birch	10	962 112	1 657	190	150
Lectern top for AV Cabinet, White	10	962 113	1 657	190	150

Mini Screen (incl. layout + print)		962 200	kr 1 074	€ 123	£ 97
------------------------------------	--	---------	----------	-------	------



FAQ The fast way to an answer.

What price do I pay?

Prices in this price list are Recommended Retail Prices. The prices are excluding VAT and export packaging. All invoices are based on the current price list of Draper Europe AB in SEK, EUR or GBP currency. The prices are Ex Works, Draper Europe AB, Halmstad, Sweden, in accordance with Incoterms 2000.

How do I buy a Euroscreen® product?

Euroscreen® products are only sold to qualified dealers. Contact the Draper Europe AB sales office to find your closest dealer.

Are Euroscreen® products kept in stock?

Euroscreen® products are manufactured only by orders. The normal lead time is 1-2 weeks.

Are Euroscreen® products CE approved?

Yes.

What is Tab Tension?

Projection screens with Tab Tension have a tensioning function with a wire running from end of bottom dowel to the top of the screen. Tab Tension screens are manufactured with a stretchable surface, and the possibility to adjust the flatness of the surface provides a perfectly flat viewing surface for years and years. Tab Tension screens are popular for conference applications where high technology Short Throw projectors are common and among home theatre enthusiasts where Full HD projectors are used.

The difference between a white and a grey screen surface?

As a general rule a white screen surface is used when most of the surrounding lights can be blocked out. The white areas of the projected image are shown as truly white, and the colours are authentically reflected on the screen surface. However, in many cases it can be difficult to block out all surrounding light, and therefore a grey screen surface might be a better choice. A grey screen surface enhances the darker image areas even when light sources tend to make it lighter, and a better contrast between colours and black/white is perceived.

On which side is the cable attached on projection screens?

The motor and cable are as standard mounted on the left side of Euroscreen® projection screens, with the exception of the Sesame 2.1 model where the motor and cable are on the right side (from audience side).

How to maintenance and clean a projection screen?

To protect a screen when not in use, store it in the fully retracted position. Do not install the screen close to a heat source. To clean the screen surface carefully use only neutral cleaning as water and soap. Euroscreen® also provides a special Screen Cleaning Spray. Stains like paint or ink might be impossible to remove. Contact our sales office for advice.

What warranty does Draper Europe AB offer?

Euroscreen® products are covered by 2 year warranty from invoice date. The warranty is valid for any damage caused by wrong manufacturing. Any incorrect tampering with the screen limit will discontinue our warranty on the product. The warranty does not cover any damages for transport; please contact the company responsible for the transport.

Where to turn to with a complaint?

We recommend that the end user contact the dealer where the product was purchased. If needed, the dealer will then contact Draper Europe AB to receive further information. Draper Europe AB reserves the right to check a returned product before replacing it.

TERMS OF SALE

Ordering and delivery

Orders in writing, by fax or by e-mail are accepted and deliveries are made Ex Works, Draper Europe AB, Halmstad, Sweden, in accordance with Incoterms® 2010.

Price

All invoices are based on the current price list of Draper Europe AB in SEK, EUR or GBP currency. The prices are Ex Works, Draper Europe AB, Halmstad, Sweden, in accordance with Incoterms® 2010, and does not include export packaging. The prices are excluding VAT.

Payment

Prepayment or confirmed irrevocable letter of credit as indicated by Draper Europe AB unless otherwise agreed. All payments are to be made without deduction and with all charges paid.

Swift: DABASESX; Danske Bank Sverige
SEK: Iban 12000000012091601810
Account 1209-16-01810
EURO: Iban SE191200000012093601206
Account 1209-36-01206

Danske Bank, Sweden Branch
P.O. Box 7523
SE-103 92 Stockholm

VAT number: SE556630280701

Should payment not be effected in accordance with terms of the payment, interest according to the Swedish Law of Interest shall be charged for delays.

Delivery

Delivery will be made within approximately 14 days after receipt of order and payment or approved L/C.

Freight damage

All deliveries should be inspected immediately upon receipt. It is always the recipient's responsibility to file a freight claim within 7 days upon receipt of goods.

Warranty

All products are warranted for two years against defects in material and workmanship in accordance with Draper Europe AB's special warranty conditions.

Returns

In case of any returns, the customer must contact Draper Europe AB before returning any products. Note that we do not accept returns from third party dealers or the end user. Products may be returned only by the original dealer after contacting Draper Europe AB.

Contact

Products within the trademark Euroscreen® are manufactured and/or distributed by Draper Europe AB.

Draper Europe AB	Tel: +46 35 14 42 90
Västervallvägen 6	Fax: +46 35 14 42 91
SE-302 41 Halmstad	info@drapereurope.se
Sweden	www.drapereurope.se

Electric Projection Screens	Page
» Access Flex	31
» ACCESS installation case	35
» BlackLine electric	23
» BlackLine w./ Quiet Motor	25
» BlackLine Tab Tension	26
» BlackLine Tab Tension w./ Quiet Motor ...	27
» Connect electric	28
» Diplomat XL Flex	30
» Diplomat electric	16
» Diplomat w./ Quiet Motor	19
» Diplomat Tab Tension	21
» Diplomat Tab Tension w./ Quiet Motor ...	22
» Diplomat XL	32
» Linea Tab Tension	14
» LODO	34
» Royal	33
» Sesame 2.1	10
» Sesame 2.1 Tab Tension	13

Manual Projection Screens

» BlackLine manual	42
» Connect manual	44
» Diplomat manual	49
» Diplomat Soft&Quiet	41
» Excello 2000	45

Fixed Frame Screens	Page
» Frame Vision	51
» Frame Vision w./ Vel-Tex®	54
» Frame Vision Light	46
» Frame Vision Light w./ Vel-Tex®	49

Portable Projection Screens

» Carrying Cases	59
» Connect Floor	58
» Tripod Connect	59

Screen Surfaces

» Arctiq	6
» Astranova	6
» FlexPerf	7
» FlexRear	7
» FlexWhite	7
» GreyLight	6
» ReAct 2.1	7
» Xpert	6

Diffusion Screens 56

Custom Print 57

Screen Accessories 36

AV Furniture

» AV Cabinet	60
» Lectern Top for AV Cabinet	61

