

Including the new **THOR** screen!



Audio Visual Equipment

e u r o s c r e e n[®]

PRICE BOOK - SEK & EUR & GBP

RECOMMENDED RETAIL PRICE

CONTENTS

	Page
Screen Selection	4-5
Custom Graphic Prints	6
Screen Surfaces	7-9
Frequently Asked Questions	10-11
 ELECTRIC PROJECTION SCREENS	
» Thor	12-17
» Sesame 2.1	18-21
» Linea	22-24
» Diplomat electric	25-30
» BlackLine electric	31-35
» Connect electric	36-37
» Access	38-42
» Diplomat XL	43
» Royal	44
» LODO	45
 SCREEN ACCESSORIES	 46-48
 MANUAL PROJECTION SCREENS	
» Diplomat manual	49-51
» BlackLine manual	52-53
» Connect manual	54
» Excello 2000	55
 FIXED FRAME SCREENS	
» Frame Vision Light	56-60
» Frame Vision	61-65
Diffusion Screens	66
Portable Connect Floor	67
 AV FURNITURE	
» AV Cabinet	68
» Lectern Top for AV Cabinet	69
About	70
Terms of Sale	71
Index	72



NEW! Thor

The new Thor motorised projection screen ranges from 250 and up in width and comes equipped with several popular features; an integrated multifunctional Euroscreen® Control Box, an adjustable inner bracket to easily level the screen and stylish aluminium case. Read more on pages 12-17.



UPDATED! Access

The Euroscreen® Access range is completely modified and the recessed ceiling case is now available in a large range of standard sizes, screen surfaces and even as Tab Tension versions. More details on pages 38-42.



PROJECTOR LIFTS

We offer you projector lifts to go with your projection screen. We have a selection of different types of models; scissor lifts, ceiling concealed and mirror based. Contact our sales office for more detailed info.

PORTABLE TRIPODS

Are you on the hunt for tripod projection screens? We have it, but just not listed here in the price book. Contact sales office for more info.



TECHNICAL INFO

Detailed and the latest updated technical information is always available on our website www.euroscreens.se

Not only offers Euroscreen® a broad range of projection screens in standard sizes with high quality and clever designs. In addition, custom made projection screens are our signature. Choose custom height, width, screen surface, or even custom printed graphics for unparalleled options in selecting your projection screens.

Screen Size

One of the most important decisions in projection screen selection is to determine the size of screen based upon the dimensions of the audience area.

Width

The general rule to be applied is that the screen should be of a width that is $\frac{2}{3}$ the distance between the screen itself and the front row of the audience. Put in another way, the closest people should be 1.5 times the width of the screen distance. If the audience is large in number the rule is that the screen width should be the total distance divided by five.


Viewing Height

The bottom of the screen should be approximately 100-120 cm above the floor in a room with a level floor and several rows of seats. In rooms with theatre seating or only one or two rows, such as a home theatre, the bottom of the screen should usually be 60-90 cm above the floor.

Try to make sure that the lower part of the screen will be visible from all seats. Extra drop may be required to position the screen at a comfortable viewing level in a room with a high ceiling.

Height

Screen height is generally determined by the width of the screen and the projection formats to be used. The height should not be exaggerated, but correctly estimated. Extra unused screen surface can cause issues with the screens mechanism and surface flatness, which will not fall under any manufacture faults clause.




Does it matter... really?

Each Euroscreen® screen leaving us is crafted and mechanically optimized for the given settings during the time of the order. Therefore, we cannot stress enough how important it is to order correct screen size and projection format from start. This is even more crucial when it comes to Tab Tension models. To make sure we deliver the flattest screen surface possible, the screen limits are individually set on each roller screen and optimized for usage with full height stretched. With pre-set screen limits end-customers should not find it necessary to tamper mechanically with the limits. If screen limits are tampered with anyway this will not fall under any manufacture faults clause.

Audience Area

The audience area can help you identify what type of projection screen is right for your unique installation. Euroscreen® has a wide product range and offers the following projection screen types:


- » Roller projection screens, manual or electric where the latter is most popular, and Tab Tension, for installation either in the ceiling or the wall.
- » Fixed frame screen for a permanent installation on wall
- » Portable projection screens for installations that will be transported or built up and torn down frequently.



In determining the correct screen size in relation to the audience area, the goal is to make the screen large enough so those in the rear of the audience area can read the subject matter easily, but not so large that those in the front of the audience area have difficulty seeing the full width of the projected image.

Projection Format

Once you have determined the correct size of screen for the audience area, that size may be modified based upon the type(s) of projection equipment to be used. If the screen will only be used with one type of projector, it is easy to determine exact screen dimensions based upon the projection format of that projector. Projection formats are expressed in terms of aspect ratio, which is the relationship of the width of the projected image to its height. Euroscreen® also offer several projection screen models in Nordic projection format, where the height is taller than the width.



Projector Performance

The projector's performance is also a highly significant factor to determine what type of screen and screen surface will be used. For a Full HD or a Short Throw projector it is extremely important a perfectly flat viewing area is obtain to perform as intended. Therefore these high technology projectors are used with a fixed frame screens with a permanently tensioned viewing surface, or Tab Tension screens where the adjustable tensioning system provides a flat surface.




CUSTOM GRAPHIC PRINTS

We print logos, backgrounds or promotional messages onto the screen surface! Regardless it is a manual, electric or portable projection screen, the details will be on view all the time the screen is in use and be at the focal point of the audience's attention. Both the Diplomat electric and manual screens, and the Connect Floor model, are suitable for graphic prints. Standard surface used is our matt white Arctiq. However, now we also offer the environmentally friendly surface Xpert for graphic prints for Diplomat.

- » Maximum exposure of message and/or logo
- » Electric, manual or portable screen
- » **NEW!** Xpert screen surface available
- » 4-colour print
- » Layout included in print charge
- » Preferred logo/artwork as .eps

	SEK	EUR	GBP
Printing charge for custom print, incl. layout	kr 1 495	€ 171	£ 138



Dried up on ideas? No worries, we can help you with the artwork!



On the move a lot? This lightweight portable display is perfect to bring along!

SCREEN SURFACES

The projector makes the image, but it is the screen surface that shows it. We cannot stress enough how important it is to have the correct screen surface in every unique application for you to get the best and most out of your money. Your selection of screen surfaces is essentially based upon what type of projection screen you have concluded would be the best option for your application. In some cases the type of screen might be altered due to a specific screen surface wanted and this surface might not be a compatible alternative with the type of screen first chosen.


Basically there are two types of screen surfaces; the *unsupported vinyl* which is characterised by its flexible qualities and the *textile backed* with its reflective front surface laminated to a woven textile base.

The tensioned unsupported vinyl screen surfaces, whether for front or rear projection, need to be correctly tensioned to achieve sufficient flatness to perform properly. These surfaces are used on fixed frame and Tab Tension screens, which provide the necessary support.

The non-tensioned textile backed screen surfaces are used on spring-roller operated and motorized projection screens. The screen hangs suitably flat by virtue of the dimensional stability of the material and the weight of the dowel in the bottom of the screen.

As a general rule a white screen surface is used when most of the surrounding lights can be blocked out. The white areas of the projected image are shown as truly white, and the colours are authentically reflected on the screen surface.

However, in many cases it can be difficult to block out all surrounding light, and therefore a grey screen surface might be a better choice. A grey screen surface enhances the darker image areas even when ambient light sources tend to make it brighter, and a better contrast between colours and black/white is perceived. Euroscreen® ReAct 2.1 is the superior high contrast surface and is an outstanding choice for projection in ambient or even bright light environments. ReAct 2.1 is a tensioned screen surface and available in fixed frame and Tab Tension screens. It is suitable for any installations such as home theatre and business application.



Screen Model - Screen Surface Chart

	Non-tensioned surfaces					Tensioned surfaces			
	Xpert	Arctiq	GreyLight	Astranova		FlexPerf	ReAct 2.1	FlexWhite	FlexRear
Thor	•	•			Thor			•	
Sesame 2.1	•	•	•		Thor Tab Tension		•	•	•
Linea	•				Sesame 2.1 Tab Tension	•	•	•	•
Diplomat	•	•	•		Linea Tab Tension	•	•	•	•
BlackLine	•	•	•		Diplomat Tab Tension	•	•	•	•
Connect		•			BlackLine Tab Tension	•	•	•	•
Access	•	•			Access			•	
Diplomat XL		•			Access Tab Tension		•	•	•
Royal				•	Diplomat XL			•	
Connect Floor		•	•		Frame Vision Light	•	•	•	•
Do-It-Yourself		•	•		Frame Vision	•	•	•	•
					Do-It-Yourself			•	•

Non-tensioned Screen Surfaces



Xpert

Euroscreen® Xpert surface is 100% PVC free, and is manufactured without using hazardous substances. While it is a more environmentally friendly viewing surface, Xpert does not sacrifice quality and effectiveness. Provides excellent viewing flatness and colour rendition (colour temp. 6430 K). Supplied with a white black-out backing for superior blocking of incoming light from behind. Gain 1.0. Flame retardancy B1.



Arctiq

Euroscreen's standard matt white surface with fibreglass support and black-backed. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0. Requires control of ambient light in the audience area. Suitable for "wear & tear" installations, such as public restaurants and pubs. Washable. Flame and mildew resistant.



GreyLight

Matt light grey front projection surface, fibreglass supported and black-backed. It diffuses projected light in all directions, so the image can be seen from any angle. Performs well in ambient light condition. Gain 0.75. Same base construction as Arctiq, with the same toughness against "wear & tear". Washable. Flame and mildew resistant.



Astranova

A white, black-backed front projection surface. For use with some of Euroscreen's larger projection screens. Thickness 0.57 mm. Provides a flat viewing surface. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0.



GREENGUARD Children and SchoolsSM certified, meeting the strictest standards and contribute to healthier indoor air quality for school age children.



REACH controls the registration, evaluation, authorisation and limitation of chemicals. All Euroscreen® screen surfaces are approved by the REACH regulation.



European Chemicals Agency (ECHA) gathers information on chemical substances. All Euroscreen® projection screens are printed with colours approved by ECHA.

Tensioned Screen Surfaces



ReAct 2.1

Euroscreen® is glad to be able to introduce the 2.1 version of ReAct. ReAct is a superior screen surface that presents an excellent viewing experience even with bright light in the audience area. The structure and finish of the silver grey material boost colour contrast and black levels in the projected image (colour temp. 6508 K). Ensures an excellent flat viewing surface. Full HD compliant. Gain 1.0.



FlexPerf


Euroscreen® is proud to present a completely new projection screen surface in its product range. The new FlexPerf surface is a vinyl reflective fabric with microscopic perforations which create a sound transparent projection surface. Home theatre enthusiasts find a new best friend in the FlexPerf surface since speakers can be placed behind the screen without any compromising with the audio quality. No compromising with the picture quality either since FlexPerf's white front projection surface provides a complete viewing experience with full contrast and accurate colour rendition. Gain 0.8



FlexWhite


Pliable matt white surface which provides excellent flat viewing area and superb colour rendition (colour temp. 6565 K). Full HD compliant. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0.

The black-backed FlexWhite M1 presents same high quality features, and in addition to its M1 fire resistant rating also allows less light to pass through from behind the screen.



FlexRear

Neutral grey rear projection diffusing surface allows placement of projector behind the screen. Provides high resolution and excellent contrast even in ambient light. Gain 2.5.



Do-It-Yourself

Euroscreen® offers screen surfaces as screen fabric only - Do-It-Yourself – where the fabric is cut to desire size and delivered on a roll. See chart on page 7 for surfaces available as Do-It-Yourself.

FREQUENTLY ASKED QUESTIONS

How to buy a Euroscreen® product?

Euroscreen® products are only sold by qualified AV dealers. Contact our sales office to find your closest dealer.

Are Euroscreen® products kept in stock?

Euroscreen® products are manufactured only by orders. The normal lead time is 1-2 weeks.

Are Euroscreen® products CE approved?

Yes.

Are the screen limits set in the factory?

Yes, please note that the projection screen is set at its outer limits when delivered. Incorrect adjustment of the screen limits may damage the product and eliminate the warranty. Make sure to always order correct screen size for each specific installation to avoid tampering with the screen limits afterwards and hence jeopardise the functionality of the screen.

On which side are the motor and cable attached on projection screens?

As standard the motor and cable are mounted on the left side of Euroscreen® projection screens. Sesame 2.1 is an exception, where motor and cable are mounted on the right side (facing the front of the screen).

I need a projector lift - can you help?

We have a selection of different types of projector lift models; scissor lifts, ceiling concealed and mirror based. Contact our sales office for more information.

What is a Tab Tension screen?

A projection screen type that has connections on all sides of the screen material, which pull it taut in order to have a flat screen surface.

What is gain?

As it applies to projectors, gain is the measurement of a projection screen's light reflectance with unity gain being one. A high gain screen will reflect more light along a narrower path than lower gain screen. Screen gains under one use a grey screen to absorb ambient light to help maintain contrast ratios.

How to maintenance and clean a projection screen?

To protect a screen when not in use, store it in the fully retracted position. Do not install the screen close to a heat source. To clean the screen surface, carefully use only neutral cleaning as water and soap. Stains like paint or ink might be impossible to remove, however contact sales office for advice.


Does Euroscreen® products have any warranty?

Euroscreen® products are covered by 2 year warranty from invoice date. The warranty is valid for any damage caused by wrong manufacturing. Please note that any incorrect tampering with the screen limit may discontinue the warranty of the product. The warranty does not cover any damages for transport; please contact the company responsible for the transport.

Where to turn to with any complaint?

Any complaints of product is directed to the current dealer for the purchase. We reserve the right to check a returned product before replacing it.



**Made in Sweden**



Products with this symbol are designed and manufactured in Sweden.

**Quiet Motor - electric**

Optional professional feature for electric screens which are equipped with high quality tubular Quiet Motor which reduces the motor noise by approx. 20%. It's make a huge difference compared to standard motors.

**Soft&Quiet - manual**


A feature that retracts the surface slowly and smoothly into the case, slowing even more as it approached its upper limit. Prevents potential damages to the screen/screen surface through repeated impact with the case.

**Wall/Ceiling Installation**

The symbol indicates the installation required for the screen model.

**Portable**

The screen is portable and no permanent installation is needed.

**Installation**

The screen is supplied with a hard wire cable only and the screen needs to be installed by an authorized installer.

**Plug n' Play**

The product is available with Plug n' Play function; quick and easy installation where no authorized electrician is needed.

**1:1 Square**

Height > width. Extra height gives additional flexibility, often suitable for educational applications. No black borders.

**1:1 Square**

The projection width and height is in the aspect ratio of 1:1. No black borders.

**4:3 Video**

The projection width and height is in the aspect ratio of 4:3. A part number followed by "-V" indicates the screen has black borders.

**16:10 Data**

The projection width and height is in the aspect ratio of 16:10. Often suitable for business projectors. A part number followed by "-D" indicates the screen has black borders.

**16:9 Wide**

The projection width and height is in the aspect ratio of 16:9, a commonly used format in movies. A part number followed by "-W" indicates the screen has black borders.

**2.35:1 Cinemascope**

The projection width and height is in the aspect ratio of 2.35:1. Often suitable for home cinema applications. A part number followed by "-C" indicates the screen has black borders.

Thor

Inspired by the powerful Norse gods who had their home based at Valhalla, the Euroscreen® Valhalla is an exciting projection screen development project.

The idea of a completely new series of projection screen models was developed to fill a gap. The Euroscreen® line lacked screen sizes in the 300-400cm width range. After more than a year's work, and countless hours of design and engineering, we proudly present Thor: the first projection screen released within this project.

The Euroscreen® Thor borrows its name from Thor, the hammer-wielding god associated with thunder, lightning, fertility and strength.

Patent pending.

Available as Tab Tension

The tensioned version is offered with or without black borders. The black border is neatly welded onto the screen surface to create a powerful framework.




Integrated Euroscreen® Control Box

The multifunctional Control Box is built into the case which includes a receiver with no less than five control options in one box: RF, IR, Dry Contact/Contact Closure, 12V trigger and RS232 function.



Quick installation

Suitable for both wall and ceiling installation and convenient channel-fixed fitting that cuts expensive installation time.



NEW!

THOR electric

The Thor motorised projection screen ranges from 250cm and up in width and comes equipped with several popular features; an integrated multifunctional Euroscreen® Control Box, an adjustable inner bracket to easily level the screen* and a sleek, stylish aluminium case. For convenient use, the programmable multifunctional Euroscreen® Control Box is built into the case which includes a receiver with no less than five control options in one box: RF, IR, Dry Contact/Contact Closure, 12V trigger and RS232 function. Choose and connect your favorite control trigger, see page 46 for options.

A convenient inner bracket makes it easy to level the screen, keeping the surface flat and the bottom dowel even. As standard, wall brackets and flexible mounting brackets for ceiling installation are included. Optional recessed ceiling brackets are also available (see page 19). The Thor case, finished in a contemporary white colour with matching aluminium bottom dowel, has a convenient wall channel-fixed fitting that cuts expensive installation time. When black borders are required, a true black border with a matt finish is welded onto the screen surface. This creates a powerful framework for the projected image.

- » Case size (W x H): 160 x 160 mm
- » Case length: screen width +290 mm
- » Bottom dowel from wall: 5-10 mm

Thor Tab Tension

This model features all of the benefits mentioned above, and an additional selection of tensioned screen surfaces. The tensioning function makes it possible to adjust the flatness of the surface and therefore provide a perfectly flat viewing surface for years to come.

- » Case size (W x H): 160 x 160 mm
- » Case length: screen width +440 mm
- » Bottom dowel from wall: 5-10 mm
- » 4:3, 16:10, 16:9 and 2.35:1 with black borders
all have 30 cm black drop as standard

* Adjustable inner bracket not available on all sizes.




Dowel completely retract when not in use.



Available also in Tab Tension version.





THOR electric



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			
				Part No. Inst. cable	SEK	EUR	GBP
1:1 Format							
250 x 250	250 x 250		33	TFE250	kr 11 597	€ 1 330	£ 1 050
275 x 275	275 x 275		35	TFE275	12 170	1 396	1 101
300 x 300	300 x 300		38	TFE300	12 391	1 421	1 121
325 x 325	325 x 325		42	TFE325	12 878	1 477	1 165
350 x 350	350 x 350		46	TFE350 *	13 019	1 493	1 178
375 x 375	375 x 375		50	TFE375 *	13 731	1 575	1 243
400 x 400	400 x 400		57	TFE400 *	14 130	1 620	1 279
425 x 425	425 x 425		63	TFE425 *	14 842	1 702	1 343
4:3 No Black Borders							
250 x 187,5	250 x 187,5		33	TFE2522	kr 10 971	€ 1 258	£ 993
275 x 206	275 x 206		35	TFE2822	11 544	1 324	1 045
300 x 225	300 x 225		38	TFE3024	11 765	1 349	1 065
325 x 244	325 x 244		42	TFE3326	12 252	1 405	1 109
350 x 265	350 x 265		46	TFE3530 *	12 706	1 457	1 150
375 x 281	375 x 281		50	TFE3830 *	13 105	1 503	1 186
400 x 300	400 x 300		57	TFE4033 *	13 504	1 549	1 222
425 x 319	425 x 319		63	TFE4333 *	14 216	1 630	1 286
4:3 Format							
250 x 210	240 x 180	118	33	TFE2522-V	kr 12 734	€ 1 460	£ 1 152
275 x 230	265 x 199	130	35	TFE2822-V	13 307	1 526	1 204
300 x 250	290 x 217,5	143	38	TFE3024-V	13 528	1 551	1 224
325 x 270	315 x 236	155	42	TFE3326-V	14 015	1 607	1 268
350 x 285	340 x 255	167	46	TFE3530-V *	14 156	1 623	1 281
375 x 305	365 x 274	180	50	TFE3830-V *	14 868	1 705	1 345
400 x 325	390 x 292,5	192	57	TFE4033-V *	15 267	1 751	1 382
425 x 345	415 x 311	204	63	TFE4333-V *	15 666	1 797	1 418
440 x 360	430 x 322,5	212	68	TFE4435-V *	17 459	2 002	1 580
16:10 Format							
250 x 180	240 x 150	111	33	TFE2522-D	kr 12 734	€ 1 460	£ 1 152
275 x 195	265 x 165,5	123	35	TFE2822-D	13 307	1 526	1 204
300 x 210	290 x 181	135	38	TFE3024-D	13 528	1 551	1 224
325 x 230	315 x 197	146	42	TFE3326-D	14 015	1 607	1 268
350 x 245	340 x 212,5	158	46	TFE3530-D *	14 156	1 623	1 281
375 x 260	365 x 228	170	50	TFE3830-D *	14 868	1 705	1 345
400 x 275	390 x 244	181	57	TFE4033-D *	15 267	1 751	1 382
425 x 290	415 x 259	193	63	TFE4333-D *	15 666	1 797	1 418
440 x 305	430 x 269	200	68	TFE4435-D *	17 459	2 002	1 580
16:9 Format							
250 x 165	240 x 135	108	33	TFE2522-W	kr 12 734	€ 1 460	£ 1 152
275 x 180	265 x 149	120	35	TFE2822-W	13 307	1 526	1 204
300 x 195	290 x 163	131	38	TFE3024-W	13 528	1 551	1 224
325 x 210	315 x 177	142	42	TFE3326-W	14 015	1 607	1 268
350 x 225	340 x 191	154	46	TFE3530-W *	14 156	1 623	1 281
375 x 235	365 x 205	165	50	TFE3830-W *	14 868	1 705	1 345
400 x 250	390 x 219,5	176	57	TFE4033-W *	15 267	1 751	1 382
425 x 265	415 x 233,5	188	63	TFE4333-W *	15 666	1 797	1 418
440 x 280	430 x 242	194	68	TFE4435-W *	17 459	2 002	1 580


* Adjustable inner bracket not available.



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	XPERT			ARCTIQ					
				Part No. Inst. cable	SEK	EUR	GBP	Part No. Inst. cable	SEK	EUR	GBP	
1:1 Format												
250 x 250	250 x 250		32	TXE250	kr 12 549	€ 1 439	£ 1 136	TDE250	kr 11 311	€ 1 297	£ 1 024	
275 x 275	275 x 275		33	TXE275	13 394	1 536	1 212	TDE275	12 002	1 376	1 086	
300 x 300	300 x 300		38	TXE300	13 813	1 584	1 250	TDE300	12 421	1 424	1 124	
4:3 No Black Borders												
250 x 187,5	250 x 187,5		33	TXE2522	kr 11 444	€ 1 312	£ 1 036	TDE2522	kr 10 501	€ 1 204	£ 950	
275 x 206	275 x 206		35	TXE2822	12 203	1 399	1 104	TDE2822	10 822	1 241	979	
300 x 225	300 x 225		38	TXE3024	12 622	1 448	1 142	TDE3024	11 241	1 289	1 017	
325 x 244	325 x 244		42	TXE3326	13 380	1 534	1 211	TDE3326	11 782	1 351	1 066	
350 x 265	350 x 265		46	TXE3530	14 372	1 648	1 301	TDE3530	12 980	1 489	1 175	
375 x 281	375 x 281		50	TXE3830	14 771	1 694	1 337	-	-	-	-	
4:3 Format												
250 x 210	240 x 180	118	33	TXE2522-V	kr 12 984	€ 1 489	£ 1 175	TDE2522-V	kr 11 603	€ 1 331	£ 1 050	
275 x 230	265 x 199	130	35	TXE2822-V	14 168	1 625	1 282	TDE2822-V	12 930	1 483	1 170	
300 x 250	290 x 217,5	143	38	TXE3024-V	14 587	1 673	1 320	TDE3024-V	13 349	1 531	1 208	
325 x 270	315 x 236	155	42	TXE3326-V	15 432	1 770	1 397	TDE3326-V	14 040	1 610	1 271	
350 x 285	340 x 255	167	46	TXE3530-V	15 572	1 786	1 409	TDE3530-V	14 180	1 626	1 283	
16:10 Format												
250 x 180	240 x 150	111	33	TXE2522-D	kr 12 984	€ 1 489	£ 1 175	TDE2522-D	kr 11 603	€ 1 331	£ 1 050	
275 x 195	265 x 165,5	123	35	TXE2822-D	14 168	1 625	1 282	TDE2822-D	12 930	1 483	1 170	
300 x 210	290 x 181	135	38	TXE3024-D	14 587	1 673	1 320	TDE3024-D	13 349	1 531	1 208	
325 x 230	315 x 197	146	42	TXE3326-D	15 432	1 770	1 397	TDE3326-D	14 040	1 610	1 271	
350 x 245	340 x 212,5	158	46	TXE3530-D	15 572	1 786	1 409	TDE3530-D	14 180	1 626	1 283	
375 x 260	365 x 228	170	50	TXE3830-D	15 971	1 832	1 445	TDE3830-D	14 280	1 638	1 292	
400 x 275	390 x 244	181	57	TXE4033-D *	16 370	1 877	1 481	TDE4033-D *	14 660	1 681	1 327	
16:9 Format												
250 x 165	240 x 135	108	33	TXE2522-W	kr 12 984	€ 1 489	£ 1 175	TDE2522-W	kr 11 603	€ 1 331	£ 1 050	
275 x 180	265 x 149	120	35	TXE2822-W	14 168	1 625	1 282	TDE2822-W	12 930	1 483	1 170	
300 x 195	290 x 163	131	38	TXE3024-W	14 587	1 673	1 320	TDE3024-W	13 349	1 531	1 208	
325 x 210	315 x 177	142	42	TXE3326-W	15 432	1 770	1 397	TDE3326-W	14 040	1 610	1 271	
350 x 225	340 x 191	154	46	TXE3530-W	15 572	1 786	1 409	TDE3530-W	14 180	1 626	1 283	
375 x 235	365 x 205	165	50	TXE3830-W	15 971	1 832	1 445	TDE3830-W	14 280	1 638	1 292	
400 x 250	390 x 219,5	176	57	TXE4033-W *	16 370	1 877	1 481	TDE4033-W *	14 660	1 681	1 327	
425 x 265	415 x 233,5	188	63	TXE4333-W *	16 769	1 923	1 518	TDE4333-W *	15 039	1 725	1 361	
450 x 280	440 x 247,5	199	69	TXE4535-W *	17 169	1 969	1 554	TDE4535-W *	15 418	1 768	1 395	

* Adjustable inner bracket not available.



THOR Tab Tension



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			
				Part No. Inst. cable	SEK	EUR	GBP
4:3 No Black Borders							
250 x 187,5	250 x 187,5		35	TFT2522	kr 13 256	€ 1 520	£ 1 200
275 x 206	275 x 206		37	TFT2822	12 889	1 478	1 166
300 x 225	300 x 225		41	TFT3024	14 050	1 611	1 271
325 x 244	325 x 244		43	TFT3326	14 537	1 667	1 316
350 x 265	350 x 265		48	TFT3530 *	14 991	1 719	1 357
375 x 281	375 x 281		54	TFT3830 *	15 390	1 765	1 393
400 x 300	400 x 300		61	TFT4033 *	15 789	1 811	1 429
425 x 319	425 x 319		65	TFT4333 *	16 501	1 892	1 493
4:3 Format							
250 x 210	240 x 180	118	35	TFT2522-V	kr 16 009	€ 1 836	£ 1 449
275 x 230	265 x 199	130	37	TFT2822-V	16 582	1 902	1 501
300 x 250	290 x 217,5	143	41	TFT3024-V	16 803	1 927	1 521
325 x 270	315 x 236	155	43	TFT3326-V	17 290	1 983	1 565
350 x 285	340 x 255	167	48	TFT3530-V *	17 431	1 999	1 577
375 x 305	365 x 274	180	54	TFT3830-V *	18 143	2 081	1 642
400 x 325	390 x 292,5	192	61	TFT4033-V *	18 542	2 126	1 678
425 x 345	415 x 311	204	65	TFT4333-V *	18 941	2 172	1 714
440 x 360	430 x 322,5	212	71	TFT4435-V *	20 734	2 378	1 876
16:10 Format							
250 x 180	240 x 150	111	35	TFT2522-D	kr 16 009	€ 1 836	£ 1 449
275 x 195	265 x 165,5	123	37	TFT2822-D	16 582	1 902	1 501
300 x 210	290 x 181	135	41	TFT3024-D	16 803	1 927	1 521
325 x 230	315 x 197	146	43	TFT3326-D	17 290	1 983	1 565
350 x 245	340 x 212,5	158	48	TFT3530-D *	17 431	1 999	1 577
375 x 260	365 x 228	170	54	TFT3830-D *	18 143	2 081	1 642
400 x 275	390 x 244	181	61	TFT4033-D *	18 542	2 126	1 678
425 x 290	415 x 259	193	65	TFT4333-D *	18 941	2 172	1 714
440 x 305	430 x 269	200	71	TFT4435-D *	20 734	2 378	1 876
16:9 Format							
250 x 165	240 x 135	108	35	TFT2522-W	kr 16 009	€ 1 836	£ 1 449
275 x 180	265 x 149	120	37	TFT2822-W	16 582	1 902	1 501
300 x 195	290 x 163	131	41	TFT3024-W	16 803	1 927	1 521
325 x 210	315 x 177	142	43	TFT3326-W	17 290	1 983	1 565
350 x 225	340 x 191	154	48	TFT3530-W *	17 431	1 999	1 577
375 x 235	365 x 205	165	54	TFT3830-W *	18 143	2 081	1 642
400 x 250	390 x 219,5	176	61	TFT4033-W *	18 542	2 126	1 678
425 x 265	415 x 233,5	188	65	TFT4333-W *	18 941	2 172	1 714
440 x 280	430 x 242	194	71	TFT4435-W *	20 734	2 378	1 876
2.35:1 Format							
250 x 135	240 x 102	103	35	TFT2522-C	kr 16 009	€ 1 836	£ 1 449
275 x 145	265 x 112,5	113	37	TFT2822-C	16 582	1 902	1 501
300 x 155	290 x 123,5	124	41	TFT3024-C	16 803	1 927	1 521
325 x 165	315 x 134	135	43	TFT3326-C	17 290	1 983	1 565
350 x 175	340 x 144,5	145	47	TFT3530-C *	17 431	1 999	1 577
375 x 185	365 x 155	156	53	TFT3830-C *	18 143	2 081	1 642
400 x 200	390 x 166	166	60	TFT4033-C *	18 542	2 126	1 678
425 x 210	415 x 176,5	178	64	TFT4333-C *	18 941	2 172	1 714
440 x 220	430 x 183	184	70	TFT4435-C *	20 734	2 378	1 876

* Adjustable inner bracket not available.

THOR Tab Tension



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	REACT 2.1			FLEXREAR				
				Part No. Inst. cable	SEK	EUR	GBP	Part No. Inst. cable	SEK	EUR	GBP
4:3 No Black Borders											
250 x 187,5	250 x 187,5		35	TST2522	kr 15 429	€ 1 769	£ 1 396	TRT2522	kr 14 566	€ 1 670	£ 1 318
275 x 206	275 x 206		37	-	-	-	-	TRT2822	15 935	1 827	1 442
300 x 225	300 x 225		41	-	-	-	-	TRT3024	16 354	1 875	1 480
4:3 Format											
250 x 210	240 x 180	118	35	TST2522-V	kr 18 776	€ 2 153	£ 1 699	TRT2522-V	kr 17 956	€ 2 059	£ 1 625
275 x 230	265 x 199	130	37	TST2822-V	20 100	2 305	1 819	TRT2822-V	19 325	2 216	1 749
300 x 250	290 x 217,5	143	41	-	-	-	-	TRT3024-V	19 744	2 264	1 787
325 x 270	315 x 236	155	43	-	-	-	-	TRT3326-V	21 113	2 421	1 911
16:10 Format											
250 x 180	240 x 150	111	35	TST2522-D	kr 18 776	€ 2 153	£ 1 699	TRT2522-D	kr 17 956	€ 2 059	£ 1 625
275 x 195	265 x 165,5	123	37	TST2822-D	20 100	2 305	1 819	TRT2822-D	19 325	2 216	1 749
300 x 210	290 x 181	135	41	TST3024-D	20 519	2 353	1 857	TRT3024-D	19 744	2 264	1 787
325 x 230	315 x 197	146	43	TST3326-D	21 846	2 505	1 977	TRT3326-D	21 113	2 421	1 911
350 x 245	340 x 212,5	158	48	-	-	-	-	TRT3530-D *	21 531	2 469	1 949
375 x 260	365 x 228	170	54	-	-	-	-	TRT3830-D *	21 950	2 517	1 986
16:9 Format											
250 x 165	240 x 135	108	35	TST2522-W	kr 18 776	€ 2 153	£ 1 699	TRT2522-W	kr 17 956	€ 2 059	£ 1 625
275 x 180	265 x 149	120	37	TST2822-W	20 100	2 305	1 819	TRT2822-W	19 325	2 216	1 749
300 x 195	290 x 163	131	41	TST3024-W	20 519	2 353	1 857	TRT3024-W	19 744	2 264	1 787
325 x 210	315 x 177	142	43	TST3326-W	21 846	2 505	1 977	TRT3326-W	21 113	2 421	1 911
350 x 225	340 x 191	154	48	TST3530-W *	22 265	2 553	2 015	TRT3530-W *	21 531	2 469	1 949
375 x 235	365 x 205	165	54	TST3830-W *	22 684	2 601	2 053	TRT3830-W *	21 950	2 517	1 986
400 x 250	390 x 219,5	176	61	-	-	-	-	TRT4033-W *	22 695	2 603	2 054
425 x 265	415 x 233,5	188	65	-	-	-	-	TRT4333-W *	23 473	2 692	2 124
2.35:1 Format											
250 x 135	240 x 102	103	35	TST2522-C	kr 18 776	€ 2 153	£ 1 699	-	-	-	-
275 x 145	265 x 112,5	113	37	TST2822-C	20 100	2 305	1 819	-	-	-	-
300 x 155	290 x 123,5	124	41	TST3024-C	20 519	2 353	1 857	-	-	-	-
325 x 165	315 x 134	135	43	TST3326-C	21 846	2 505	1 977	-	-	-	-
350 x 175	340 x 144,5	145	47	TST3530-C *	22 265	2 553	2 015	-	-	-	-
375 x 185	365 x 155	156	53	TST3830-C *	22 684	2 601	2 053	-	-	-	-
400 x 200	390 x 166	166	60	TST4033-C *	24 336	2 791	2 202	-	-	-	-
425 x 210	415 x 176,5	178	64	TST4333-C *	25 114	2 880	2 273	-	-	-	-
450 x 220	440 x 187	188	71	TST4535-C *	29 193	3 348	2 642	-	-	-	-

* Adjustable inner bracket not available.

SESAME 2.1 electric

The Sesame 2.1 is the Euroscreen's award winning model with an innovative recessed ceiling case design for installation within a ceiling void, suitable for installation in suspended or plastered ceilings. Once more it has been upgraded to complete the innovative screen design with adjustable inner brackets which allow for fine-tune of bottom dowel for perfectly flush closure when retracted up into case. The white aluminium case itself has a stylish appearance and unique removable integrated external flange profiles for easy and quick service access. The case also features a concealed drop function of the complete screen section which enable for easy access to install case first and screen later. Brackets especially designed for Sesame 2.1 provides a trouble-free installation of the case in a prepared ceiling cut-out up to a 100 cm ceiling void (see next page).

- » Case size (W x H): 161 x 100 mm
- » Case length: screen width + 345 mm
- » Cut-out case size (W x H): 140 x 102 mm
- » Cut-out length: screen width + 325 mm

Sesame 2.1 Tab Tension

The tensioning function provides Sesame 2.1 with a flat viewing surface, and the surface flatness can be adjusted after time if needed. This feature, together with the concealing design of the model, makes it very popular in conference rooms where high technology Short Throw projectors are common and among home theatre enthusiasts where full HD projectors are used.

- » Case size (W x H): 161 x 100 mm
- » Case length: screen width + 525 mm
- » Cut-out case size (W x H): 140 x 102 mm
- » Cut-out length: screen width + 505 mm
- » 4:3, 16:10 and 16:9 with black borders all have 30 cm black drop as standard





Perfect flush closure of bottom dowel.



Unique removable external flange profiles for easy installation and adjustments.



SESAME 2.1 electric



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No. Inst. cable	XPERT		
					SEK	EUR	GBP
1:1 Format							
160 x 160	160 x 160		17	SXI160	kr 7 364	€ 844	£ 679
180 x 180	180 x 180		18	SXI180	7 498	860	691
200 x 200	200 x 200		20	SXI200	7 945	911	732
220 x 220	220 x 220		21	SXI220	8 856	1 016	816
240 x 240	240 x 240		23	SXI240	9 384	1 076	865
4:3 Format							
160 x 180	150 x 112,5	74	17	SXI1617-V	kr 8 568	€ 983	£ 790
180 x 180	170 x 127,5	84	18	SXI1817-V	8 691	997	801
200 x 180	190 x 142,5	94	20	SXI2017-V	8 963	1 028	826
220 x 210	210 x 157,5	103	21	SXI2217-V	9 597	1 101	885
240 x 210	230 x 172,5	113	23	SXI2420-V	10 188	1 168	939
270 x 230	260 x 195	128	24	SXI2724-V	11 030	1 265	1 017
300 x 235	290 x 217,5	143	27	SXI3024-V	11 319	1 298	1 043
16:10 Format							
160 x 180	150 x 94	70	17	SXI1617-D	kr 8 568	€ 983	£ 790
180 x 180	170 x 106	79	18	SXI1817-D	8 691	997	801
200 x 180	190 x 119	88	20	SXI2017-D	8 963	1 028	826
220 x 1870	210 x 131	97	21	SXI2217-D	9 597	1 101	885
240 x 180	230 x 144	107	23	SXI2417-D	10 188	1 168	939
270 x 200	260 x 162.5	121	24	SXI2724-D	11 030	1 265	1 017
300 x 220	290 x 181	135	27	SXI3024-D	11 319	1 298	1 043
16:9 Format							
160 x 180	150 x 84,5	68	17	SXI1617-W	kr 8 568	€ 983	£ 790
180 x 180	170 x 95,5	77	18	SXI1817-W	8 691	997	801
200 x 180	190 x 107	86	20	SXI2017-W	8 963	1 028	826
220 x 180	210 x 118	95	21	SXI2217-W	9 597	1 101	885
240 x 180	230 x 129,5	104	23	SXI2417-W	10 188	1 168	939
270 x 200	260 x 146	117	24	SXI2724-W	11 030	1 265	1 017
300 x 220	290 x 163	131	27	SXI3024-W	11 319	1 298	1 043

Recessed Ceiling Brackets

Recessed ceiling brackets especially designed for Sesame 2.1 provides a trouble-free installation of the case in a prepared ceiling cut-out up to a 100 cm ceiling void as standard.



- » Adjustable height for extra flexibility
- » Join two threaded rods to achieve increased length
- » Delivered as pair

	Part No.	SEK	EUR	GBP
Recessed ceiling bracket, Sesame 2.1	930 200	kr 608	€ 70	£ 56





Use one or two brackets depending on installation.

SESAME 2.1 electric



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No. Inst. cable	ARCTIQ			Part No. Inst. cable	GREYLIGHT		
					SEK	EUR	GBP		SEK	EUR	GBP
1:1 Format											
160 x 160	160 x 160		17	SEI160	kr 6 671	€ 765	£ 615	SEGI160	kr 7 306	€ 838	£ 673
180 x 180	180 x 180		18	SEI180	6 805	780	627	SEGI180	7 572	868	698
200 x 200	200 x 200		20	SEI200	7 039	807	649	SEGI200	7 695	882	709
220 x 220	220 x 220		21	SEI220	7 950	912	733	SEGI220	8 355	958	770
240 x 240	240 x 240		23	SEI240	8 478	972	781	SEGI240	8 809	1 010	812
4:3 Format											
160 x 175	150 x 112,5	74	17	SEI1617-V	kr 7 342	€ 842	£ 677	SEGI1617-V	kr 8 014	€ 919	£ 739
180 x 175	170 x 127,5	84	18	SEI1817-V	7 465	856	688	SEGI1817-V	8 249	946	760
200 x 175	190 x 142,5	94	20	SEI2017-V	7 737	887	713	SEGI2017-V	8 462	970	780
220 x 170	210 x 157,5	103	21	SEI2217-V	8 158	936	752	SEGI2217-V	9 128	1 047	841
240 x 205	230 x 172,5	113	23	SEI2420-V	8 750	1 003	806	SEGI2420-V	9 661	1 108	890
270 x 210	260 x 195	128	24	SEI2724-V	9 592	1 100	884	-	-	-	-
300 x 235	290 x 217,5	143	27	SEI3024-V	9 879	1 133	911	-	-	-	-
16:10 Format											
160 x 175	150 x 94	70	17	SEI1617-D	kr 7 342	€ 842	£ 677	SEGI1617-D	kr 8 014	€ 919	£ 739
180 x 175	170 x 106	79	18	SEI1817-D	7 465	856	688	SEGI1817-D	8 249	946	760
200 x 175	190 x 119	88	20	SEI2017-D	7 737	887	713	SEGI2017-D	8 462	970	780
220 x 170	210 x 131	97	21	SEI2217-D	8 158	936	752	SEGI2217-D	9 128	1 047	841
240 x 170	230 x 144	107	23	SEI2417-D	8 750	1 003	806	SEGI2417-D	9 661	1 108	890
270 x 205	260 x 162,5	121	24	SEI2724-D	9 592	1 100	884	-	-	-	-
300 x 205	290 x 181	135	27	SEI3024-D	9 879	1 133	911	-	-	-	-
16:9 Format											
160 x 175	150 x 84,5	68	17	SEI1617-W	kr 7 342	€ 842	£ 677	SEGI1617-W	kr 8 014	€ 919	£ 739
180 x 175	170 x 95,5	77	18	SEI1817-W	7 465	856	688	SEGI1817-W	8 249	946	760
200 x 175	190 x 107	86	20	SEI2017-W	7 737	887	713	SEGI2017-W	8 462	970	780
220 x 170	210 x 118	95	21	SEI2217-W	8 158	936	752	SEGI2217-W	9 128	1 047	841
240 x 170	230 x 129,5	104	23	SEI2417-W	8 750	1 003	806	SEGI2417-W	9 661	1 108	890
270 x 205	260 x 146	117	24	SEI2724-W	9 592	1 100	884	-	-	-	-
300 x 205	290 x 163	131	27	SEI3024-W	9 879	1 133	911	-	-	-	-

SESAME 2.1 Tab Tension



» FlexRear surface also available upon request

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 2.1				
				Part No. Inst. cable	SEK	EUR	GBP	Part No. Inst. cable	SEK	EUR	GBP
4:3 No Black Borders											
160 x 150	160 x 150		21	SETI1617	kr 9 096	€ 1 043	£ 838	SESTI1617	kr 11 369	€ 1 304	£ 1 048
180 x 165	180 x 165		22	SETI1817	9 244	1 060	852	SESTI1817	11 650	1 336	1 074
200 x 180	200 x 180		24	SETI2017	9 501	1 090	876	SESTI2017	12 826	1 471	1 182
220 x 195	220 x 195		25	SETI2217	10 503	1 205	968	SESTI2217	13 654	1 566	1 258
240 x 200	240 x 200		27	SETI2420	11 084	1 271	1 022	SESTI2420	15 517	1 780	1 430
4:3 Format											
160 x 150	150 x 112,5	74	21	SETI1617-V	kr 10 737	€ 1 231	£ 990	SESTI1617-V	kr 14 297	€ 1 640	£ 1 318
180 x 165	170 x 127,5	84	22	SETI1817-V	10 864	1 246	1 001	SESTI1817-V	14 696	1 685	1 354
200 x 180	190 x 142,5	94	24	SETI2017-V	11 153	1 279	1 028	SESTI2017-V	15 069	1 728	1 389
220 x 195	210 x 157,5	103	25	SETI2217-V	11 605	1 331	1 070	SESTI2217-V	16 109	1 847	1 485
240 x 200	230 x 172,5	113	27	SETI2420-V	12 239	1 404	1 128	SESTI2420-V	16 822	1 929	1 550
16:10 Format											
160 x 130	150 x 94	70	21	SETI1617-D	kr 10 737	€ 1 231	£ 990	SESTI1617-D	kr 14 297	€ 1 640	£ 1 318
180 x 140	170 x 106	79	22	SETI1817-D	10 864	1 246	1 001	SESTI1817-D	14 696	1 685	1 354
200 x 155	190 x 119	88	24	SETI2017-D	11 153	1 279	1 028	SESTI2017-D	15 069	1 728	1 389
220 x 165	210 x 131	97	25	SETI2217-D	11 605	1 331	1 070	SESTI2217-D	16 109	1 847	1 485
240 x 180	230 x 144	107	27	SETI2417-D	12 239	1 404	1 128	SESTI2417-D	16 822	1 929	1 550
16:9 Format											
160 x 120	150 x 84,5	68	21	SETI1617-W	kr 10 737	€ 1 231	£ 990	SESTI1617-W	kr 14 297	€ 1 640	£ 1 318
180 x 130	170 x 95,5	77	22	SETI1817-W	10 864	1 246	1 001	SESTI1817-W	14 696	1 685	1 354
200 x 140	190 x 107	86	24	SETI2017-W	11 153	1 279	1 028	SESTI2017-W	15 069	1 728	1 389
220 x 155	210 x 118	95	25	SETI2217-W	11 605	1 331	1 070	SESTI2217-W	16 109	1 847	1 485
240 x 165	230 x 129,5	104	27	SETI2417-W	12 239	1 404	1 128	SESTI2417-W	16 822	1 929	1 550

LINEA electric

The Linea model has a uniquely designed cassette with a classic, comprehensive shape. Its gently rounded aluminium case has no exposed mounting fixtures or fasteners, and all attachment points are completely invisible. The case is finished in white and the heavy weight bottom dowel retracts completely inside the case when the screen is not in use.

The Linea is delivered with Euroscreen® Control Box with Plug n' Play feature for a fast and easy installation. Choose optional transmitters; AutoLink RF, RF remote control, IR remote control or RF Wall Switch Transmitter.
NEW! Now also available as non-tensioned version with Xpert screen surface.

- » Uniquely designed, gently rounded aluminium cassette
- » Bottom dowel retracts completely into case
- » Heavy weight bottom dowel
- » Delivered with Euroscreen® Control Box as standard
- » Case size (W x H): 121 x 153 mm
- » Case length: screen width + 285 mm



Elegant case design with no exposed fasteners and retracted bottom bar.




Linea Tab Tension

The tensioning function provides Linea Tab Tension with superb flatness of the viewing surface, which even can be adjusted after time if needed.

- » Perfectly flat screen surface
- » Easy to adjust surface flatness when required
- » Heavy weight bottom dowel
- » Case size (W x H): 121 x 153 mm
- » Case length: screen width + 409 mm
- » 4:3, 16:10, 16:9 and 2.35:1 with black borders all have 30 cm black drop as standard





NEW!

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	XPERT		
					SEK	EUR	GBP
W x H (cm)	W x H (cm)	(")	(kg)	Inst. cable			
No Black Borders							
220 x 195	220 x 195	116	30	LEX2217	kr 10 609	€ 1 217	£ 978
240 x 195	240 x 195	122	32	LEX2417	11 079	1 271	1 021
270 x 195	270 x 195	131	36	LEX2717	12 274	1 408	1 131
4:3 Format							
180 x 165	170 x 127,5	84	24	LEX1817-V	kr 10 801	€ 1 239	£ 995
200 x 180	190 x 142,5	94	27	LEX2017-V	11 899	1 365	1 097
220 x 195	210 x 157,5	103	30	LEX2217-V	12 623	1 448	1 163
240 x 210	230 x 172,5	113	32	LEX2420-V	13 092	1 501	1 207
270 x 230	260 x 195	128	36	LEX2724-V	14 289	1 639	1 317
300 x 255	290 x 217,5	143	38	LEX3024-V	18 154	2 082	1 673
16:10 Format							
180 x 140	170 x 106	79	24	LEX1817-D	kr 10 801	€ 1 239	£ 995
200 x 155	190 x 119	88	27	LEX2017-D	11 899	1 365	1 097
220 x 165	210 x 131	97	30	LEX2217-D	12 623	1 448	1 163
240 x 180	230 x 143,5	107	32	LEX2417-D	13 092	1 501	1 207
270 x 195	260 x 162,5	121	36	LEX2724-D	14 289	1 639	1 317
300 x 195	290 x 181	135	38	LEX3024-D	18 154	2 082	1 673
16:9 Format							
180 x 130	170 x 95,5	77	24	LEX1817-W	kr 10 801	€ 1 239	£ 995
200 x 140	190 x 107	86	27	LEX2017-W	11 899	1 365	1 097
220 x 155	210 x 118	95	30	LEX2217-W	12 623	1 448	1 163
240 x 165	230 x 129,5	104	32	LEX2417-W	13 092	1 501	1 207
270 x 180	260 x 146	117	36	LEX2724-W	14 289	1 639	1 317
300 x 195	290 x 163	131	38	LEX3024-W	18 154	2 082	1 673
2.35:1 Format							
180 x 110	170 x 72,5	73	24	LEX1817-C	kr 10 801	€ 1 239	£ 995
200 x 115	190 x 81	81	27	LEX2017-C	11 899	1 365	1 097
220 x 125	210 x 89,5	90	30	LEX2217-C	12 623	1 448	1 163
240 x 135	230 x 98	98	32	LEX2417-C	13 092	1 501	1 207
270 x 145	260 x 110	111	36	LEX2724-C	14 289	1 639	1 317
300 x 160	290 x 123,5	124	38	LEX3024-C	18 154	2 082	1 673

LINEA Tab Tension

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 2.1			FLEXPERF					
				Part No. Inst. cable	SEK	EUR	GBP	Part No. Inst. cable	SEK	EUR	GBP	Part No. Inst. cable	SEK	EUR	GBP
No Black Borders															
220 x 195	220 x 195	116	30	LET2217	kr 13 178	€ 1 511	£ 1 215	LETS2217	kr 17 749	€ 2 035	£ 1 636	-	-	-	
240 x 195	240 x 195	122	32	LET2417	13 578	1 557	1 251	LETS2417	17 883	2 051	1 648	-	-	-	
270 x 195	270 x 195	131	36	LET2717	14 670	1 682	1 352	LETS2717	19 854	2 277	1 830	-	-	-	
4:3 Format															
180 x 165	170 x 127,5	84	24	LET1817-V	kr 13 508	€ 1 549	£ 1 245	LETS1817-V	kr 17 281	€ 1 982	£ 1 593	-	-	-	
200 x 180	190 x 142,5	94	27	LET2017-V	14 537	1 667	1 340	LETS2017-V	18 715	2 146	1 725	-	-	-	
220 x 195	210 x 157,5	103	30	LET2217-V	15 191	1 742	1 400	LETS2217-V	19 764	2 267	1 822	-	-	-	
240 x 210	230 x 172,5	113	32	LET2420-V	15 592	1 788	1 437	LETS2417-V	20 537	2 355	1 893	-	-	-	
270 x 230	260 x 195	128	36	LET2724-V	16 684	1 913	1 538	LETS2724-V	22 508	2 581	2 074	-	-	-	
300 x 255	290 x 217,5	143	38	LET3024-V	20 446	2 345	1 884	-	-	-	-	-	-	-	
16:10 Format															
180 x 140	170 x 106	79	24	LET1817-D	kr 13 508	€ 1 549	£ 1 245	LETS1817-D	kr 17 281	€ 1 982	£ 1 593	-	-	-	
200 x 155	190 x 119	88	27	LET2017-D	14 537	1 667	1 340	LETS2017-D	18 715	2 146	1 725	-	-	-	
220 x 165	210 x 131	97	30	LET2217-D	15 191	1 742	1 400	LETS2217-D	19 764	2 267	1 822	-	-	-	
240 x 180	230 x 143,5	107	32	LET2417-D	15 592	1 788	1 437	LETS2417-D	20 537	2 355	1 893	-	-	-	
270 x 195	260 x 162,5	121	36	LET2724-D	16 684	1 913	1 538	LETS2724-D	22 508	2 581	2 074	-	-	-	
300 x 195	290 x 181	135	38	LET3024-D	20 446	2 345	1 884	LETS3024-D	25 450	2 919	2 346	-	-	-	
16:9 Format															
180 x 130	170 x 95,5	77	24	LET1817-W	kr 13 508	€ 1 549	£ 1 245	LETS1817-W	kr 17 281	€ 1 982	£ 1 593	LETP1817-W	kr 17 281	€ 1 982	£ 1 593
200 x 140	190 x 107	86	27	LET2017-W	14 537	1 667	1 340	LETS2017-W	18 715	2 146	1 725	LETP2017-W	18 715	2 146	1 725
220 x 155	210 x 118	95	30	LET2217-W	15 191	1 742	1 400	LETS2217-W	19 764	2 267	1 822	LETP2217-W	19 764	2 267	1 822
240 x 165	230 x 129,5	104	32	LET2417-W	15 592	1 788	1 437	LETS2417-W	20 537	2 355	1 893	LETP2417-W	20 537	2 355	1 893
270 x 180	260 x 146	117	36	LET2724-W	16 684	1 913	1 538	LETS2724-W	22 508	2 581	2 074	LETP2724-W	22 508	2 581	2 074
300 x 195	290 x 163	131	38	LET3024-W	20 446	2 345	1 884	LETS3024-W	25 450	2 919	2 346	LETP3024-W	25 450	2 919	2 346
2.35:1 Format															
180 x 110	170 x 72,5	73	24	LET1817-C	kr 13 508	€ 1 549	£ 1 245	LETS1817-C	kr 17 281	€ 1 982	£ 1 593	LETP1817-C	kr 17 281	€ 982	£ 1 593
200 x 115	190 x 81	81	27	LET2017-C	14 537	1 667	1 340	LETS2017-C	18 715	2 146	1 725	LETP2017-C	18 715	2 146	1 725
220 x 125	210 x 89,5	90	30	LET2217-C	15 191	1 742	1 400	LETS2217-C	19 764	2 267	1 822	LETP2217-C	19 764	2 267	1 822
240 x 135	230 x 98	98	32	LET2417-C	15 592	1 788	1 437	LETS2417-C	20 537	2 355	1 893	LETP2417-C	20 537	2 355	1 893
270 x 145	260 x 110	111	36	LET2724-C	16 684	1 913	1 538	LETS2724-C	22 508	2 581	2 074	LETP2724-C	22 508	2 581	2 074
300 x 160	290 x 123,5	124	38	LET3024-C	20 446	2 345	1 884	LETS3024-C	25 450	2 919	2 346	LETP3024-C	25 450	2 919	2 346

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			
				Part No. Inst. cable	SEK	EUR	GBP
No Black Borders							
200 x 180		94	27	LETR2017	kr 15 534	€ 1 781	£ 1 432
220 x 195		103	30	LETR2217	16 211	1 859	1 494
240 x 210		113	32	LETR2420	16 699	1 915	1 539
270 x 210		128	36	LETR2720	19 066	2 186	1 757
300 x 225		148	42	LETR3024	21 261	2 438	1 960

DIPLOMAT electric

The Diplomat is one of Euroscreen's best-selling projection screens with white contemporary aluminium cassette and channel-fixed installation. The channel-fixed feature makes it one of the market's most flexible and easy screens to install. Thanks to its functional design the Diplomat is suitable for any application; especially popular in conference and education facilities, and home theatres.

- » White cylindrical shaped aluminium cassette
- » Channel-fixed and flexible installation
- » Case size (W x H): 101 x 105 mm
- » Case length: screen width +125 mm
- » Bottom dowel from wall: 48 mm

Diplomat Tab Tension

The tensioning function provides Diplomat with a flat viewing surface, and the surface flatness can be adjusted after time if needed. A heavy weight bottom dowel provides extra vertical tensioning. The model is very popular in conference rooms where high technology Short Throw projectors are common and among home theatre enthusiasts where full HD projectors are used.



- » Heavy weight bottom dowel
- » Case size (W x H): 101 x 105 mm
- » Case length: screen width + 285 mm
- » 4:3, 16:10 and 16:9 with black borders all have 30 cm black drop as standard



Tensioning function for flattest surface possible.





DIPLOMAT electric



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	XPERT				
				Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP
1:1 Format								
180 x 180	180 x 180		9	MDX180	MDXI180	kr 5 873	€ 673	£ 541
200 x 200	200 x 200		11	MDX200	MDXI200	6 389	733	589
220 x 220	220 x 220		13	MDX220	MDXI220	7 028	806	648
240 x 240	240 x 240		14	MDX240	MDXI240	7 460	856	688
No Black Borders								
270 x 225	270 x 225		16	MDX2725	MDXI2725	kr 8 417	€ 965	£ 776
300 x 250	300 x 250		17	MDX3025	MDXI3025	9 536	1 094	879
4:3 Format								
160 x 180	150 x 112,5	74	8	MDX1617-V	MDXI1617-V	kr 6 922	€ 794	£ 638
180 x 180	170 x 127,5	84	10	MDX1817-V	MDXI1817-V	7 023	805	647
200 x 180	190 x 142,5	94	11	MDX2017-V	MDXI2017-V	7 236	830	667
220 x 210	210 x 157,5	103	13	MDX2217-V	MDXI2217-V	8 185	939	754
240 x 210	230 x 172,5	113	14	MDX2420-V	MDXI2420-V	8 797	1 009	811
270 x 230	260 x 195	128	16	MDX2724-V	MDXI2724-V	9 773	1 121	901
300 x 255	290 x 217,5	143	18	MDX3024-V	MDXI3024-V	9 874	1 132	910
16:10 Format								
160 x 180	150 x 94	70	8	MDX1617-D	MDXI1617-D	kr 6 922	€ 794	£ 638
180 x 180	170 x 106	79	10	MDX1817-D	MDXI1817-D	7 023	805	647
200 x 180	190 x 119	88	11	MDX2017-D	MDXI2017-D	7 236	830	667
220 x 180	210 x 131	97	13	MDX2217-D	MDXI2217-D	8 185	939	754
240 x 180	230 x 144	107	13	MDX2417-D	MDXI2417-D	8 797	1 009	811
270 x 200	260 x 162,5	121	16	MDX2724-D	MDXI2724-D	9 773	1 121	901
300 x 220	290 x 181	135	17	MDX3024-D	MDXI3024-D	9 874	1 132	910
16:9 Format								
160 x 180	150 x 84,5	68	8	MDX1617-W	MDXI1617-W	kr 6 922	€ 794	£ 638
180 x 180	170 x 95,5	77	10	MDX1817-W	MDXI1817-W	7 023	805	647
200 x 180	190 x 107	86	11	MDX2017-W	MDXI2017-W	7 236	830	667
220 x 180	210 x 118	95	13	MDX2217-W	MDXI2217-W	8 185	939	754
240 x 180	230 x 129,5	104	14	MDX2417-W	MDXI2417-W	8 797	1 009	811
270 x 200	260 x 146	117	16	MDX2724-W	MDXI2724-W	9 773	1 121	901
300 x 220	290 x 163	131	18	MDX3024-W	MDXI3024-W	9 874	1 132	910





Euroscreen® Diplomat Xpert
award-winner 2012.




Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	ARCTIQ					GREYLIGHT								
				Part No.	Part No.	SEK	EUR	GBP	Part No.	Part No.	SEK	EUR	GBP				
				Switch	Inst. cable				Switch	Inst. cable							
W x H (cm)	W x H (cm)	(")															
Nordic																	
140 x 200	140 x 200		6	MD1420	MDI1420	kr 4 796	€ 550	£ 442	MG1420	MGI1420	kr 5 431	€ 623	£ 501				
150 x 200	150 x 200		7	MD1520	MDI1520	4 897	562	451	MG1520	MGI1520	5 525	634	509				
160 x 200	160 x 200		8	MD1620	MDI1620	4 950	568	456	MG1620	MGI1620	5 669	650	523				
180 x 200	180 x 200		9	MD1820	MDI1820	5 180	594	477	MG1820	MGI1820	5 873	673	541				
No Black Borders																	
270 x 210	270 x 210		16	MD2724	MDI2724	kr 7 891	€ 905	£ 727	-	-	-	-	-				
300 x 210	300 x 210		17	MD3024	MDI3024	7 993	917	737	-	-	-	-	-				
1:1 Format																	
125 x 125	125 x 125		5	MD125	MDI125	kr 4 621	€ 530	£ 426	MG125	MGI125	kr 5 387	€ 618	£ 496				
150 x 150	150 x 150		7	MD150	MDI150	4 785	549	441	MG150	MGI150	5 525	634	509				
180 x 180	180 x 180		9	MD180	MDI180	5 180	594	477	MG180	MGI180	6 011	689	554				
200 x 200	200 x 200		11	MD200	MDI200	5 482	629	505	MG200	MGI200	6 070	696	559				
220 x 220	220 x 220		13	MD220	MDI220	6 123	702	564	MG220	MGI220	6 666	764	614				
240 x 240	240 x 240		14	MD240	MDI240	6 555	752	604	MG240	MGI240	7 113	816	656				
4:3 Format																	
160 x 175	150 x 112,5	74	8	MD1617-V	MDI1617-V	kr 5 697	€ 653	£ 525	MG1617-V	MGI1617-V	kr 6 410	€ 735	£ 591				
180 x 175	170 x 127,5	84	10	MD1817-V	MDI1817-V	5 797	665	534	MG1817-V	MGI1817-V	6 607	758	609				
200 x 175	190 x 142,5	94	11	MD2017-V	MDI2017-V	6 011	689	554	MG2017-V	MGI2017-V	6 794	779	626				
220 x 170	210 x 157,5	103	13	MD2217-V	MDI2217-V	6 747	774	622	MG2217-V	MGI2217-V	7 417	851	684				
240 x 205	230 x 172,5	113	14	MD2420-V	MDI2420-V	7 359	844	678	MG2420-V	MGI2420-V	7 903	906	728				
270 x 210	260 x 195	128	16	MD2724-V	MDI2724-V	8 334	956	768	-	-	-	-	-				
300 x 235	290 x 217,5	143	18	MD3024-V	MDI3024-V	8 436	967	778	-	-	-	-	-				
16:10 Format																	
160 x 175	150 x 94	70	8	MD1617-D	MDI1617-D	kr 5 697	€ 653	£ 525	MG1617-D	MGI1617-D	kr 6 410	€ 735	£ 591				
180 x 175	170 x 106	79	10	MD1817-D	MDI1817-D	5 797	665	534	MG1817-D	MGI1817-D	6 607	758	609				
200 x 175	190 x 119	88	11	MD2017-D	MDI2017-D	6 011	689	554	MG2017-D	MGI2017-D	6 794	779	626				
220 x 170	210 x 131	97	13	MD2217-D	MDI2217-D	6 747	774	622	MG2217-D	MGI2217-D	7 417	851	684				
240 x 170	230 x 144	107	13	MD2417-D	MDI2417-D	7 359	844	678	MG2417-D	MGI2417-D	7 903	906	728				
270 x 210	260 x 162,5	121	16	MD2724-D	MDI2724-D	8 334	956	768	-	-	-	-	-				
300 x 210	290 x 181	135	17	MD3024-D	MDI3024-D	8 436	967	778	-	-	-	-	-				
16:9 Format																	
160 x 175	150 x 84,5	68	8	MD1617-W	MDI1617-W	kr 5 697	€ 653	£ 525	MG1617-W	MGI1617-W	kr 6 410	€ 735	£ 591				
180 x 175	170 x 95,5	77	10	MD1817-W	MDI1817-W	5 797	665	534	MG1817-W	MGI1817-W	6 607	758	609				
200 x 175	190 x 107	86	11	MD2017-W	MDI2017-W	6 011	689	554	MG2017-W	MGI2017-W	6 794	779	626				
220 x 170	210 x 118	95	13	MD2217-W	MDI2217-W	6 747	774	622	MG2217-W	MGI2217-W	7 417	851	684				
240 x 170	230 x 129,5	104	14	MD2417-W	MDI2417-W	7 359	844	678	MG2417-W	MGI2417-W	7 903	906	728				
270 x 205	260 x 146	117	16	MD2724-W	MDI2724-W	8 334	956	768	-	-	-	-	-				
300 x 205	290 x 163	131	18	MD3024-W	MDI3024-W	8 436	967	778	-	-	-	-	-				

DIPLOMAT electric with Quiet Motor



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. Wt /Inch (") (kg)	ARCTIQ					XPERT					
			Part No.	Part No.	SEK	EUR	GBP	Part No.	Part No.	SEK	EUR	GBP	
			Quiet Motor Switch	Quiet Motor Inst. cable				Quiet Motor Switch	Quiet Motor Inst. cable				
Nordic													
140 x 200	140 x 200	6	MDQ1420	MDQ1420	kr 5 436	€ 623	£ 501	-	-	-	-	-	
150 x 200	150 x 200	7	MDQ1520	MDQ1520	5 536	635	510	-	-	-	-	-	
160 x 200	160 x 200	8	MDQ1620	MDQ1620	5 589	641	515	-	-	-	-	-	
180 x 200	180 x 200	9	MDQ1820	MDQ1820	5 819	667	536	-	-	-	-	-	
1:1 Format													
125 x 125	125 x 125	5	MDQ125	MDQ125	kr 5 260	€ 603	£ 485	-	-	-	-	-	
150 x 150	150 x 150	7	MDQ150	MDQ150	5 425	622	500	-	-	-	-	-	
180 x 180	180 x 180	9	MDQ180	MDQ180	5 819	667	536	MDXQ180	MDXQ1180	kr 7 204	€ 826	£ 664	
200 x 200	200 x 200	11	MDQ200	MDQ1200	6 123	702	564	MDXQ200	MDXQ1200	7 935	910	731	
220 x 220	220 x 220	13	MDQ220	MDQ1220	6 762	775	623	MDXQ220	MDXQ1220	8 574	983	790	
240 x 240	240 x 240	14	MDQ240	MDQ1240	7 194	825	663	MDXQ240	MDXQ1240	9 005	1 033	830	
4:3 Format													
160 x 170	150 x 112,5	74	8	MDQ1617-V	MDQ1617-V	kr 6 335	€ 727	£ 584	-	-	-	-	
180 x 170	170 x 127,5	84	10	MDQ1817-V	MDQ1817-V	6 437	738	593	MDXQ1817-V	MDXQ11817-V	kr 8 888	€ 1 019	£ 819
200 x 170	190 x 142,5	94	11	MDQ2017-V	MDQ12017-V	6 650	763	613	MDXQ2017-V	MDXQ12017-V	9 101	1 044	839
220 x 170	210 x 157,5	103	13	MDQ2217-V	MDQ12217-V	7 385	847	681	MDXQ2217-V	MDXQ12217-V	10 264	1 177	946
240 x 205	230 x 172,5	113	14	MDQ2420-V	MDQ12420-V	7 999	917	737	MDXQ2420-V	MDXQ12420-V	10 875	1 247	1 002
270 x 210	260 x 195	128	16	MDQ2724-V	MDQ12724-V	8 973	1 029	827	MDXQ2724-V	MDXQ12724-V	11 851	1 359	1 092
300 x 235	290 x 217,5	143	18	MDQ3024-V	MDQ13024-V	9 074	1 041	836	MDXQ3024-V	MDXQ13024-V	11 953	1 371	1 102
16:10 Format													
160 x 170	150 x 94	70	8	MDQ1617-D	MDQ1617-D	kr 6 335	€ 727	£ 584	-	-	-	-	
180 x 170	170 x 106	79	10	MDQ1817-D	MDQ1817-D	6 437	738	593	MDXQ1817-D	MDXQ11817-D	kr 8 888	€ 1 019	£ 819
200 x 170	190 x 119	88	11	MDQ2017-D	MDQ12017-D	6 650	763	613	MDXQ2017-D	MDXQ12017-D	9 101	1 044	839
220 x 170	210 x 131	97	13	MDQ2217-D	MDQ12217-D	7 385	847	681	MDXQ2217-D	MDXQ12217-D	10 264	1 177	946
240 x 170	230 x 144	107	14	MDQ2417-D	MDQ12417-D	7 999	917	737	MDXQ2417-D	MDXQ12417-D	10 875	1 247	1 002
270 x 210	260 x 162,5	121	16	MDQ2724-D	MDQ12724-D	8 973	1 029	827	MDXQ2724-D	MDXQ12724-D	11 851	1 359	1 092
300 x 210	290 x 181	135	18	MDQ3024-D	MDQ13024-D	9 074	1 041	836	MDXQ3024-D	MDXQ13024-D	11 953	1 371	1 102
16:9 Format													
160 x 170	150 x 84,5	68	8	MDQ1617-W	MDQ1617-W	kr 6 335	€ 727	£ 584	-	-	-	-	
180 x 170	170 x 95,5	77	10	MDQ1817-W	MDQ1817-W	6 437	738	593	MDXQ1817-W	MDXQ11817-W	kr 8 888	€ 1 019	£ 819
200 x 170	190 x 107	86	11	MDQ2017-W	MDQ12017-W	6 650	763	613	MDXQ2017-W	MDXQ12017-W	9 101	1 044	839
220 x 170	210 x 118	95	13	MDQ2217-W	MDQ12217-W	7 385	847	681	MDXQ2217-W	MDXQ12217-W	10 264	1 177	946
240 x 170	230 x 129,5	104	13	MDQ2417-W	MDQ12417-W	7 999	917	737	MDXQ2417-W	MDXQ12417-W	10 875	1 247	1 002
270 x 210	260 x 146	117	16	MDQ2724-W	MDQ12724-W	8 973	1 029	827	MDXQ2724-W	MDXQ12724-W	11 851	1 359	1 092
300 x 210	290 x 163	131	17	MDQ3024-W	MDQ13024-W	9 074	1 041	836	MDXQ3024-W	MDXQ13024-W	11 953	1 371	1 102



DIPLOMAT Tab Tension



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE					REACT 2.1				
				Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP	Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP
4:3 No Black Borders													
160 x 150	160 x 150		11	MDT1617	MDTI1617	kr 7 380	€ 846	£ 680	MST1617	MSTI1617	kr 9 543	€ 1 094	£ 880
180 x 165	180 x 165		13	MDT1817	MDTI1817	7 641	876	704	MST1817	MSTI1817	9 730	1 116	897
200 x 180	200 x 180		15	MDT2017	MDTI2017	7 807	895	720	MST2017	MSTI2017	10 445	1 198	963
220 x 195	220 x 195		17	MDT2217	MDTI2217	8 387	962	773	MST2217	MSTI2217	11 025	1 264	1 016
240 x 200	240 x 200		19	MDT2420	MDTI2420	9 656	1 107	890	MST2420	MSTI2420	13 711	1 572	1 264
4:3 Format													
160 x 150	150 x 112,5	74	11	MDT1617-V	MDTI1617-V	kr 9 416	€ 1 080	£ 868	MST1617-V	MSTI1617-V	kr 13 060	€ 1 498	£ 1 204
180 x 165	170 x 127,5	84	13	MDT1817-V	MDTI1817-V	9 518	1 091	877	MST1817-V	MSTI1817-V	13 471	1 545	1 242
200 x 180	190 x 142,5	94	15	MDT2017-V	MDTI2017-V	9 773	1 121	901	MST2017-V	MSTI2017-V	13 855	1 589	1 277
220 x 195	210 x 157,5	103	17	MDT2217-V	MDTI2217-V	10 604	1 216	977	MST2217-V	MSTI2217-V	14 926	1 712	1 376
240 x 200	230 x 172,5	113	19	MDT2420-V	MDTI2420-V	11 301	1 296	1 042	MST2420-V	MSTI2420-V	15 661	1 796	1 443
16:10 Format													
160 x 130	150 x 94	70	11	MDT1617-D	MDTI1617-D	kr 9 416	€ 1 080	£ 868	MST1617-D	MSTI1617-D	kr 13 060	€ 1 498	£ 1 204
180 x 140	170 x 106	79	13	MDT1817-D	MDTI1817-D	9 518	1 091	877	MST1817-D	MSTI1817-D	13 471	1 545	1 242
200 x 155	190 x 119	88	15	MDT2017-D	MDTI2017-D	9 773	1 121	901	MST2017-D	MSTI2017-D	13 855	1 589	1 277
220 x 165	210 x 131	97	17	MDT2217-D	MDTI2217-D	10 604	1 216	977	MST2217-D	MSTI2217-D	14 926	1 712	1 376
240 x 180	230 x 144	107	19	MDT2417-D	MDTI2417-D	11 301	1 296	1 042	MST2417-D	MSTI2417-D	15 661	1 796	1 443
16:9 Format													
160 x 120	150 x 84,5	68	11	MDT1617-W	MDTI1617-W	kr 9 416	€ 1 080	£ 868	MST1617-W	MSTI1617-W	kr 13 060	€ 1 498	£ 1 204
180 x 130	170 x 95,5	77	13	MDT1817-W	MDTI1817-W	9 518	1 091	877	MST1817-W	MSTI1817-W	13 471	1 545	1 242
200 x 140	190 x 107	86	15	MDT2017-W	MDTI2017-W	9 773	1 121	901	MST2017-W	MSTI2017-W	13 855	1 589	1 277
220 x 155	210 x 118	95	17	MDT2217-W	MDTI2217-W	10 604	1 216	977	MST2217-W	MSTI2217-W	14 926	1 712	1 376
240 x 165	230 x 129,5	104	19	MDT2417-W	MDTI2417-W	11 301	1 296	1 042	MST2417-W	MSTI2417-W	15 661	1 796	1 443

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXPERF				
				Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP
16:9 Format								
160 x 120	150 x 84,5	68	11	MPT1617-W	MPTI1617-W	kr 13 060	€ 1 498	£ 1 204
180 x 130	170 x 95,5	77	13	MPT1817-W	MPTI1817-W	13 471	1 545	1 242
200 x 140	190 x 107	86	15	MPT2017-W	MPTI2017-W	13 855	1 589	1 277
220 x 155	210 x 118	95	17	MPT2217-W	MPTI2217-W	14 926	1 712	1 376
240 x 165	230 x 129,5	104	19	MPT2417-W	MPTI2417-W	15 661	1 796	1 443

DIPLOMAT Tab Tension with Quiet Motor



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE					REACT 2.1				
				Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable	SEK	EUR	GBP	Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable	SEK	EUR	GBP
4:3 No Black Borders													
160 x 150	160 x 150	11		MDTQ1617	MDTQ1617	kr 8 009	€ 918	£ 738	-	-	-	-	-
180 x 165	180 x 165	13		MDTQ1817	MDTQ1817	8 270	948	762	MSTQ1817	MSTQ1817	kr 10 369	€ 1 189	£ 956
200 x 180	200 x 180	15		MDTQ2017	MDTQ2017	8 436	967	778	MSTQ2017	MSTQ2017	11 084	1 271	1 022
220 x 195	220 x 195	17		MDTQ2217	MDTQ2217	9 016	1 034	831	MSTQ2217	MSTQ2217	11 664	1 338	1 075
240 x 200	240 x 200	19		MDTQ2420	MDTQ2420	10 284	1 179	948	MSTQ2420	MSTQ2420	14 351	1 646	1 323
4:3 Format													
160 x 150	150 x 112,5	74	11	MDTQ1617-V	MDTQ1617-V	kr 10 044	€ 1 152	£ 926	-	-	-	-	-
180 x 165	170 x 127,5	84	13	MDTQ1817-V	MDTQ1817-V	10 146	1 163	935	MSTQ1817-V	MSTQ1817-V	kr 14 110	€ 1 618	£ 1 300
200 x 180	190 x 142,5	94	15	MDTQ2017-V	MDTQ2017-V	10 402	1 193	959	MSTQ2017-V	MSTQ2017-V	14 494	1 662	1 336
220 x 195	210 x 157,5	103	17	MDTQ2217-V	MDTQ2217-V	11 232	1 288	1 035	MSTQ2217-V	MSTQ2217-V	15 564	1 785	1 434
240 x 200	230 x 172,5	113	19	MDTQ2420-V	MDTQ2420-V	11 931	1 368	1 100	MSTQ2420-V	MSTQ2420-V	16 300	1 869	1 502
16:10 Format													
160 x 130	150 x 94	70	11	MDTQ1617-D	MDTQ1617-D	kr 10 044	€ 1 152	£ 926	-	-	-	-	-
180 x 140	170 x 106	79	13	MDTQ1817-D	MDTQ1817-D	10 146	1 163	935	MSTQ1817-D	MSTQ1817-D	kr 14 110	€ 1 618	£ 1 300
200 x 155	190 x 119	88	15	MDTQ2017-D	MDTQ2017-D	10 402	1 193	959	MSTQ2017-D	MSTQ2017-D	14 494	1 662	1 336
220 x 165	210 x 131	97	17	MDTQ2217-D	MDTQ2217-D	11 232	1 288	1 035	MSTQ2217-D	MSTQ2217-D	15 564	1 785	1 434
240 x 180	230 x 144	107	19	MDTQ2417-D	MDTQ2417-D	11 931	1 368	1 100	MSTQ2417-D	MSTQ2417-D	16 300	1 869	1 502
16:9 Format													
160 x 120	150 x 84,5	68	11	MDTQ1617-W	MDTQ1617-W	kr 10 044	€ 1 152	£ 926	-	-	-	-	-
180 x 130	170 x 95,5	77	13	MDTQ1817-W	MDTQ1817-W	10 146	1 163	935	MSTQ1817-W	MSTQ1817-W	kr 14 110	€ 1 618	£ 1 300
200 x 140	190 x 107	86	15	MDTQ2017-W	MDTQ2017-W	10 402	1 193	959	MSTQ2017-W	MSTQ2017-W	14 494	1 662	1 336
220 x 155	210 x 118	95	17	MDTQ2217-W	MDTQ2217-W	11 232	1 288	1 035	MSTQ2217-W	MSTQ2217-W	15 564	1 785	1 434
240 x 165	230 x 129,5	104	19	MDTQ2417-W	MDTQ2417-W	11 931	1 368	1 100	MSTQ2417-W	MSTQ2417-W	16 300	1 869	1 502

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXPERF				
				Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP
16:9 Format								
180 x 130	170 x 95,5	77	13	MPTQ1817-W	MPTQ1817-W	kr 14 110	€ 1 618	£ 1 300
200 x 140	190 x 107	86	15	MPTQ2017-W	MPTQ2017-W	14 494	1 662	1 336
220 x 155	210 x 118	95	17	MPTQ2217-W	MPTQ2217-W	15 564	1 785	1 434
240 x 165	230 x 129,5	104	19	MPTQ2417-W	MPTQ2417-W	16 300	1 869	1 502

BLACKLINE electric

The Euroscreen® BlackLine electric offers a stylish projection screen with a black aluminium cassette, especially appreciated in home theatre environments. The black case together with the black framework of the screen surface works very well together and puts the focus on the projected image. The BlackLine is easy to install with its channel-fixed mounting feature, and it is suitable for both wall and ceiling installation.

- » Black cylindrical shaped aluminium cassette
- » Channel-fixed and flexible installation
- » Case size (W x H): 101 x 105 mm
- » Case length: screen width +125 mm
- » Bottom dowel from wall: 48 mm

BlackLine Tab Tension


The tensioning system and the extra heavy weight bottom dowel in black finish provides BlackLine with a perfect flat viewing surface. The surface flatness can easily be adjusted after time if needed. A perfect flat viewing surface is a must when high technology Short Throw projectors are used and also highly recommended for Full HD projectors.

- » Heavy weight bottom dowel in black finish
- » Case size (W x H): 101 x 105 mm
- » Case length: screen width + 285 mm
- » 16:9 and 2.35:1 with black borders
all have 30 cm black drop as standard




BlackLine also available as Tab Tension.



BLACKLINE electric


Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	ARCTIQ					GREYLIGHT				
				Part No.	Part No.	SEK	EUR	GBP	Part No.	Part No.	SEK	EUR	GBP
				Switch	Inst. cable				Switch	Inst. cable			
16:9 Format													
160 x 175	150 x 84,5	68	8	MB1617-W	MBI1617-W	kr 5 697	€ 653	£ 525	MBG1617-W	MBGI1617-W	kr 6 410	€ 735	£ 591
180 x 175	170 x 95,5	77	10	MB1817-W	MBI1817-W	5 797	665	534	MBG1817-W	MBGI1817-W	6 607	758	609
200 x 175	190 x 107	86	11	MB2017-W	MBI2017-W	6 011	689	554	MBG2017-W	MBGI2017-W	6 794	779	626
220 x 170	210 x 118	95	13	MB2217-W	MBI2217-W	6 747	774	622	MBG2217-W	MBGI2217-W	7 417	851	684
240 x 170	230 x 129,5	104	13	MB2417-W	MBI2417-W	7 359	844	678	MBG2417-W	MBGI2417-W	7 903	906	728
270 x 205	260 x 146	117	16	MB2724-W	MBI2724-W	8 334	956	768	-	-	-	-	-
300 x 205	290 x 163	131	17	MB3024-W	MBI3024-W	8 436	967	778	-	-	-	-	-
2.35:1 Format													
160 x 175	150 x 64	64	8	MB1617-C	MBI1617-C	kr 5 697	€ 653	£ 525	MBG1617-C	MBGI1617-C	kr 6 410	€ 735	£ 591
180 x 175	170 x 72,5	73	10	MB1817-C	MBI1817-C	5 797	665	534	MBG1817-C	MBGI1817-C	6 607	758	609
200 x 175	190 x 81	81	11	MB2017-C	MBI2017-C	6 011	689	554	MBG2017-C	MBGI2017-C	6 794	779	626
220 x 170	210 x 89,5	90	13	MB2217-C	MBI2217-C	6 747	774	622	MBG2217-C	MBGI2217-C	7 417	851	684
240 x 170	230 x 98	98	13	MB2417-C	MBI2417-C	7 359	844	678	MBG2417-C	MBGI2417-C	7 903	906	728
270 x 205	260 x 110,5	111	16	MB2724-C	MBI2724-C	8 334	956	768	-	-	-	-	-
300 x 205	290 x 123,5	124	17	MB3024-C	MBI3024-C	8 436	967	778	-	-	-	-	-

BLACKLINE electric with Quiet Motor



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ					GREYLIGHT				
				Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable	SEK	EUR	GBP	Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable	SEK	EUR	GBP
16:9 Format													
160 x 170	150 x 84,5	68	8	MBQ1617-W	MBQI1617-W	kr 6 527	€ 749	£ 602	MBGQ1617-W	MBGQI1617-W	kr 7 081	€ 812	£ 653
180 x 170	170 x 95,5	77	10	MBQ1817-W	MBQI1817-W	6 629	760	611	MBGQ1817-W	MBGQI1817-W	7 278	835	671
200 x 170	190 x 107	86	11	MBQ2017-W	MBQI2017-W	6 847	785	631	MBGQ2017-W	MBGQI2017-W	7 465	856	688
220 x 170	210 x 118	95	13	MBQ2217-W	MBQI2217-W	7 609	873	701	MBGQ2217-W	MBGQI2217-W	8 083	927	745
240 x 170	230 x 129,5	104	13	MBQ2417-W	MBQI2417-W	7 140	819	658	MBGQ2417-W	MBGQI2417-W	8 574	983	790
270 x 205	260 x 146	117	16	MBQ2724-W	MBQI2724-W	9 244	1 060	852	-	-	-	-	-
300 x 205	290 x 163	131	17	MBQ3024-W	MBQI3024-W	9 346	1 072	861	-	-	-	-	-
2.35:1 Format													
160 x 170	150 x 64	64	8	MBQ1617-C	MBQI1617-C	kr 6 527	€ 749	£ 602	MBGQ1617-C	MBGQI1617-C	kr 7 081	€ 812	£ 653
180 x 170	170 x 72,5	73	10	MBQ1817-C	MBQI1817-C	6 629	760	611	MBGQ1817-C	MBGQI1817-C	7 278	835	671
200 x 170	190 x 81	81	11	MBQ2017-C	MBQI2017-C	6 847	785	631	MBGQ2017-C	MBGQI2017-C	7 465	856	688
220 x 170	210 x 89,5	90	13	MBQ2217-C	MBQI2217-C	7 609	873	701	MBGQ2217-C	MBGQI2217-C	8 083	927	745
240 x 170	230 x 98	98	13	MBQ2417-C	MBQI2417-C	7 140	819	658	MBGQ2417-C	MBGQI2417-C	8 574	983	790
270 x 205	260 x 110,5	111	16	MBQ2724-C	MBQI2724-C	9 244	1 060	852	-	-	-	-	-
300 x 205	290 x 123,5	124	17	MBQ3024-C	MBQI3024-C	9 346	1 072	861	-	-	-	-	-



BLACKLINE Tab Tension



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE					REACT 2.1				
				Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP	Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP
16:9 Format													
160 x 120	150 x 84,5	68	11	MBT1617-W	MBTI1617-W	kr 9 416	€ 1 080	£ 868	MBST1617-W	MBSTI1617-W	kr 13 060	€ 1 498	£ 1 204
180 x 130	170 x 95,5	77	13	MBT1817-W	MBTI1817-W	9 518	1 091	877	MBST1817-W	MBSTI1817-W	13 471	1 545	1 242
200 x 140	190 x 107	86	15	MBT2017-W	MBTI2017-W	9 773	1 121	901	MBST2017-W	MBSTI2017-W	13 855	1 589	1 277
220 x 155	210 x 118	95	17	MBT2217-W	MBTI2217-W	10 604	1 216	977	MBST2217-W	MBSTI2217-W	14 926	1 712	1 376
240 x 165	230 x 129,5	104	19	MBT2417-W	MBTI2417-W	11 301	1 296	1 042	MBST2417-W	MBSTI2417-W	15 661	1 796	1 443
2.35:1 Format													
160 x 120	150 x 64	64	11	MBT1617-C	MBTI1617-C	kr 9 416	€ 1 080	£ 868	MBST1617-C	MBSTI1617-C	kr 13 060	€ 1 498	£ 1 204
180 x 130	170 x 72,5	73	13	MBT1817-C	MBTI1817-C	9 518	1 091	877	MBST1817-C	MBSTI1817-C	13 471	1 545	1 242
200 x 140	190 x 81	81	15	MBT2017-C	MBTI2017-C	9 773	1 121	901	MBST2017-C	MBSTI2017-C	13 855	1 589	1 277
220 x 155	210 x 89,5	90	17	MBT2217-C	MBTI2217-C	10 604	1 216	977	MBST2217-C	MBSTI2217-C	14 926	1 712	1 376
240 x 165	230 x 98	98	19	MBT2417-C	MBTI2417-C	11 301	1 296	1 042	MBST2417-C	MBSTI2417-C	15 661	1 796	1 443

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXPERF				
				Part No. Switch	Part No. Inst. cable	SEK	EUR	GBP
16:9 Format								
160 x 120	150 x 84,5	68	11	MBPT1617-W	MBPTI1617-W	kr 13 060	€ 1 498	£ 1 204
180 x 130	170 x 95,5	77	13	MBPT1817-W	MBPTI1817-W	13 471	1 545	1 242
200 x 140	190 x 107	86	15	MBPT2017-W	MBPTI2017-W	13 855	1 589	1 277
220 x 155	210 x 118	95	17	MBPT2217-W	MBPTI2217-W	14 926	1 712	1 376
240 x 165	230 x 129,5	104	19	MBPT2417-W	MBPTI2417-W	15 661	1 796	1 443
2.35:1 Format								
160 x 120	150 x 64	64	11	MBPT1617-C	MBPTI1617-C	kr 13 060	€ 1 498	£ 1 204
180 x 130	170 x 72,5	73	13	MBPT1817-C	MBPTI1817-C	13 471	1 545	1 242
200 x 140	190 x 81	81	15	MBPT2017-C	MBPTI2017-C	13 855	1 589	1 277
220 x 155	210 x 89,5	90	17	MBPT2217-C	MBPTI2217-C	14 926	1 712	1 376
240 x 165	230 x 98	98	19	MBPT2417-C	MBPTI2417-C	15 661	1 796	1 443

BLACKLINE Tab Tension with Quiet Motor



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	FLEXWHITE					REACT 2.1				
				Part No.	Part No.	SEK	EUR	GBP	Part No.	Part No.	SEK	EUR	GBP
W x H (cm)	W x H (cm)	(")		Quiet Motor Switch	Quiet Motor Inst. cable				Quiet Motor Switch	Quiet Motor Inst. cable			
16:9 Format													
160 x 120	150 x 84,5	68	11	MBTQ1617-W	MBTQI1617-W	kr 10 056	€ 1 153	£ 927	MBSTQ1617-W	MBSTQI1617-W	kr 13 700	€ 1 571	£ 1 263
180 x 130	170 x 95,5	77	13	MBTQ1817-W	MBTQI1817-W	10 158	1 165	936	MBSTQ1817-W	MBSTQI1817-W	14 110	1 618	1 300
200 x 140	190 x 107	86	15	MBTQ2017-W	MBTQI2017-W	10 413	1 194	960	MBSTQ2017-W	MBSTQI2017-W	14 494	1 662	1 336
220 x 155	210 x 118	95	17	MBTQ2217-W	MBTQI2217-W	11 244	1 289	1 036	MBSTQ2217-W	MBSTQI2217-W	15 564	1 785	1 434
240 x 165	230 x 129,5	104	19	MBTQ2417-W	MBTQI2417-W	11 941	1 369	1 101	MBSTQ2417-W	MBSTQI2417-W	16 300	1 869	1 502
2.35:1 Format													
160 x 120	150 x 64	64	11	MBTQ1617-C	MBTQI1617-C	kr 10 056	€ 1 153	£ 927	MBSTQ1617-C	MBSTQI1617-C	kr 13 700	€ 1 571	£ 1 263
180 x 130	170 x 72,5	73	13	MBTQ1817-C	MBTQI1817-C	10 158	1 165	936	MBSTQ1817-C	MBSTQI1817-C	14 110	1 618	1 300
200 x 140	190 x 81	81	15	MBTQ2017-C	MBTQI2017-C	10 413	1 194	960	MBSTQ2017-C	MBSTQI2017-C	14 494	1 662	1 336
220 x 155	210 x 89,5	90	17	MBTQ2217-C	MBTQI2217-C	11 244	1 289	1 036	MBSTQ2217-C	MBSTQI2217-C	15 564	1 785	1 434
240 x 165	230 x 98	98	19	MBTQ2417-C	MBTQI2417-C	11 941	1 369	1 101	MBSTQ2417-C	MBSTQI2417-C	16 300	1 869	1 502


CONNECT electric



The Connect electric projection screen is the longest established model within the Euroscreen® range. Its cassette has a square design with soft edges, and the white steel case is equipped with matching end caps which can be used for an easy mounting directly onto the wall or the ceiling.

- » White square shaped steel case
- » Matching white end caps for easy mounting directly onto wall or ceiling
- » Case size (W x H): 74 x 74 mm
- » Case length: screen width + 91 mm
- » Bottom dowel very close wall
- » Optional wall brackets allow keystone correction



Matching end caps for easy mounting and Plug n' Play feature for a quick installation.





Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ				
				Part No.	Part No.	SEK	EUR	GBP
				Switch	Inst. cable			
Nordic								
140 x 200	140 x 200		7	CEL1420	CEL1420	kr 3 736	€ 428	£ 344
150 x 200	150 x 200		7	CEL1520	CEL1520	3 821	438	352
160 x 200	160 x 200		8	CEL1620	CEL1620	3 863	443	356
180 x 200	180 x 200		8	CEL1820	CEL1820	4 050	464	373
1:1 Format								
125 x 125	125 x 125		6	CEL125	CEL125	kr 3 474	€ 398	£ 320
150 x 150	150 x 150		7	CEL150	CEL150	3 629	416	334
180 x 180	180 x 180		8	CEL180	CEL180	3 858	442	356
200 x 200	200 x 200		10	CEL200	CEL200	4 087	469	377
220 x 220	220 x 220		11	CEL220	CEL220	4 529	519	417
240 x 240	240 x 240		12	CEL240	CEL240	4 779	548	440
4:3 No Black Borders								
180 x 135	180 x 135		9	CEL1814	CEL1814	kr 3 672	€ 421	£ 338
200 x 150	200 x 150		10	CEL2015	CEL2015	3 852	442	355
220 x 165	220 x 165		11	CEL2217	CEL2217	4 273	490	394
240 x 180	240 x 180		11	CEL2418	CEL2418	4 508	517	415
4:3 Format								
160 x 165	150 x 112,5	74	8	CEL1617-V	CEL1617-V	kr 3 875	€ 444	£ 357
180 x 165	170 x 127,5	84	9	CEL1817-V	CEL1817-V	3 980	456	367
200 x 165	190 x 142,5	94	10	CEL2017-V	CEL2017-V	4 178	479	385
220 x 165	210 x 157,5	103	11	CEL2217-V	CEL2217-V	4 529	519	417
240 x 180	230 x 172,5	113	11	CEL2417-V	CEL2417-V	4 892	561	451
16:10 Format								
160 x 165	150 x 94	70	8	CEL1617-D	CEL1617-D	kr 3 875	€ 444	£ 357
180 x 165	170 x 106	79	9	CEL1817-D	CEL1817-D	3 980	456	367
200 x 165	190 x 119	88	10	CEL2017-D	CEL2017-D	4 178	479	385
220 x 165	210 x 131	97	11	CEL2217-D	CEL2217-D	4 529	519	417
240 x 180	230 x 144	107	11	CEL2417-D	CEL2417-D	4 892	561	451
16:9 Format								
160 x 165	150 x 84,5	68	8	CEL1617-W	CEL1617-W	kr 3 875	€ 444	£ 357
180 x 165	170 x 95,5	77	9	CEL1817-W	CEL1817-W	3 980	456	367
200 x 165	190 x 107	86	10	CEL2017-W	CEL2017-W	4 178	479	385
220 x 165	210 x 118	95	11	CEL2217-W	CEL2217-W	4 529	519	417
240 x 165	230 x 129,5	104	11	CEL2417-W	CEL2417-W	4 892	561	451

ACCESS electric

For concealed, large venue installations we offer the Access models with new possibilities for recessed ceilings. Seen before in the Euroscreen® range the Access projection screen concept is completely modified and the recessed ceiling case is now available in a large range of standard sizes and screen surfaces, even as Tab Tension versions.

As a key feature the screen is entirely hidden when not in use with both screen and bottom dowel retracted in the recessed case. Moreover, the Access models offer the possibility to install the case first and the screen any time later, therefore the screen surface is not at risk of damage during construction work. Sliding brackets on top of case allow easy and unlimited adjustment when installing. On selected sizes of Access FlexWhite the surface is welded either horizontally or vertically to match desired formats and sizes, leaving an almost invisible weld.

- » Projection screen for recessed ceiling installations
- » Possibility to install the case first and screen later
- » Sliding brackets on top of case allow unlimited adjustment for mounting
- » Bottom of case is removable without tools for screen installation or maintenance
- » Delivered with 3 m hard wire cable
- » Case size (W x H): 203 x 178 mm
- » Case length: screen width + 280 mm
- » Cut-out case size (W x H): 160 x 178 mm
- » Cut-out length: screen width + 230 mm
- » Recommended control options: Control Box, AutoLink RF or RF remote control


Access Tab Tension

The tensioning system and the extra heavy weight bottom dowel provides Access Tab Tension with a perfectly flat viewing surface. The surface flatness can easily be adjusted after time if needed.

- » Heavy weight bottom dowel
- » Case size (W x H): 203 x 178 mm
- » Case length: screen width + 500 mm
- » Cut-out case size (W x H): 160 x 178 mm
- » Cut-out length: screen width + 550 mm
- » 4:3, 16:10, 16:9 and 2.35:1 with black borders all have 30 cm black drop as standard





The recessed ceiling Access case open for service (1) and case closed (2). Sliding brackets on top of case allow adjustment for mounting (3).



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	XPERT			ARCTIQ				
				Part No. Inst. cable	SEK	EUR	GBP	Part No. Inst. cable	SEK	EUR	GBP
1:1 Format											
250 x 250	250 x 250		37	ACXE250	kr 21 171	€ 2 428	£ 1 951	ACDE250	kr 19 933	€ 2 286	£ 1 837
275 x 275	275 x 275		39	ACXE275	22 016	2 525	2 029	ACDE275	20 624	2 365	1 901
300 x 300	300 x 300		41	ACXE300	22 435	2 573	2 068	ACDE300	21 043	2 413	1 939
4:3 No Black Borders											
250 x 187,5	250 x 187,5		36	ACXE2522	kr 20 066	€ 2 301	£ 1 849	ACDE2522	kr 19 123	€ 2 193	£ 1 762
275 x 206	275 x 206		37	ACXE2822	20 825	2 388	1 919	ACDE2822	19 444	2 230	1 792
300 x 225	300 x 225		38	ACXE3024	21 244	2 436	1 958	ACDE3024	19 863	2 278	1 831
325 x 244	325 x 244		39	ACXE3326	22 002	2 523	2 028	ACDE3326	20 404	2 340	1 881
350 x 265	350 x 265		39	ACXE3530	22 994	2 637	2 119	ACDE3530	21 602	2 477	1 991
375 x 281	375 x 281		44	ACXE3830	23 393	2 683	2 156	-	-	-	-
4:3 Format											
250 x 210	240 x 180	118	37	ACXE2522-V	kr 21 606	€ 2 478	£ 1 991	ACDE2522-V	kr 20 225	€ 2 319	£ 1 864
275 x 230	265 x 199	130	38	ACXE2822-V	22 790	2 614	2 100	ACDE2822-V	21 552	2 472	1 986
300 x 250	290 x 217,5	143	40	ACXE3024-V	23 209	2 662	2 139	ACDE3024-V	21 971	2 520	2 025
325 x 270	315 x 236	155	42	ACXE3326-V	24 054	2 758	2 217	ACDE3326-V	22 662	2 599	2 089
350 x 285	340 x 255	167	45	ACXE3530-V	24 194	2 775	2 230	ACDE3530-V	22 802	2 615	2 102
16:10 Format											
250 x 180	240 x 150	111	36	ACXE2522-D	kr 21 606	€ 2 478	£ 1 991	ACDE2522-D	kr 20 225	€ 2 319	£ 1 864
275 x 195	265 x 165,5	123	38	ACXE2822-D	22 790	2 614	2 100	ACDE2822-D	21 552	2 472	1 986
300 x 210	290 x 181	135	38	ACXE3024-D	23 209	2 662	2 139	ACDE3024-D	21 971	2 520	2 025
325 x 230	315 x 197	146	39	ACXE3326-D	24 054	2 758	2 217	ACDE3326-D	22 662	2 599	2 089
350 x 245	340 x 212,5	158	40	ACXE3530-D	24 194	2 775	2 230	ACDE3530-D	22 802	2 615	2 102
375 x 260	365 x 228	170	42	ACXE3830-D	24 593	2 820	2 267	ACDE3830-D	22 902	2 626	2 111
400 x 275	390 x 244	181	46	ACXE4033-D	24 992	2 866	2 303	ACDE4033-D	23 282	2 670	2 146
16:9 Format											
250 x 165	240 x 135	108	36	ACXE2522-W	kr 21 606	€ 2 478	£ 1 991	ACDE2522-W	kr 20 225	€ 2 319	£ 1 864
275 x 180	265 x 149	120	37	ACXE2822-W	22 790	2 614	2 100	ACDE2822-W	21 552	2 472	1 986
300 x 195	290 x 163	131	37	ACXE3024-W	23 209	2 662	2 139	ACDE3024-W	21 971	2 520	2 025
325 x 210	315 x 177	142	38	ACXE3326-W	24 054	2 758	2 217	ACDE3326-W	22 662	2 599	2 089
350 x 225	340 x 191	154	39	ACXE3530-W	24 194	2 775	2 230	ACDE3530-W	22 802	2 615	2 102
375 x 235	365 x 205	165	41	ACXE3830-W	24 593	2 820	2 267	ACDE3830-W	22 902	2 626	2 111
400 x 250	390 x 219,5	176	43	ACXE4033-W	24 992	2 866	2 303	ACDE4033-W	23 282	2 670	2 146
425 x 265	415 x 233,5	188	48	ACXE4333-W	25 391	2 912	2 340	ACDE4333-W	23 661	2 713	2 181
450 x 280	440 x 247,5	199	55	ACXE4535-W	25 791	2 958	2 377	ACDE4535-W	24 040	2 757	2 216

MORE SIZES!

ACCESS electric




Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			
				Part No. Inst. cable	SEK	EUR	GBP
1:1 Format							
250 x 250	250 x 250		37	ACFE250 *	kr 20 219	€ 2 319	£ 1 864
275 x 275	275 x 275		39	ACFE275 *	20 792	2 384	1 916
300 x 300	300 x 300		41	ACFE300 *	21 013	2 410	1 937
325 x 325	325 x 325		46	ACFE325 *	21 500	2 466	1 982
350 x 350	350 x 350		40	ACFE350 *	21 641	2 482	1 995
375 x 375	375 x 375		45	ACFE375 *	22 353	2 563	2 060
400 x 400	400 x 400		51	ACFE400 *	22 752	2 609	2 097
425 x 425	425 x 425		56	ACFE425 *	23 464	2 691	2 163
4:3 No Black Borders							
250 x 187,5	250 x 187,5		36	ACFE2522	kr 19 593	€ 2 247	£ 1 806
275 x 206	275 x 206		37	ACFE2822	20 166	2 313	1 859
300 x 225	300 x 225		38	ACFE3024 *	20 387	2 338	1 879
325 x 244	325 x 244		39	ACFE3326 *	20 874	2 394	1 924
350 x 265	350 x 265		39	ACFE3530 *	21 328	2 446	1 966
375 x 281	375 x 281		44	ACFE3830 *	21 727	2 492	2 002
400 x 300	400 x 300		49	ACFE4033 *	22 126	2 537	2 039
425 x 319	425 x 319		54	ACFE4333 *	22 838	2 619	2 105
450 x 337,5	450 x 337,5		59	ACFE4535 *	24 183	2 773	2 229
4:3 Format							
250 x 210	240 x 180	118	37	ACFE2522-V	kr 21 356	€ 2 449	£ 1 968
275 x 230	265 x 199	130	38	ACFE2822-V *	21 929	2 515	2 021
300 x 250	290 x 217,5	143	40	ACFE3024-V *	22 150	2 540	2 041
325 x 270	315 x 236	155	42	ACFE3326-V *	22 637	2 596	2 086
350 x 285	340 x 255	167	45	ACFE3530-V *	22 778	2 612	2 099
375 x 305	365 x 274	180	48	ACFE3830-V *	23 490	2 694	2 165
400 x 325	390 x 292,5	192	51	ACFE4033-V *	23 889	2 740	2 202
425 x 345	415 x 311	204	54	ACFE4333-V *	24 288	2 785	2 239
440 x 360	430 x 322,5	212	57	ACFE4435-V *	26 081	2 991	2 404
16:10 Format							
250 x 180	240 x 150	111	36	ACFE2522-D	kr 21 356	€ 2 449	£ 1 968
275 x 195	265 x 165,5	123	38	ACFE2822-D	21 929	2 515	2 021
300 x 210	290 x 181	135	38	ACFE3024-D	22 150	2 540	2 041
325 x 230	315 x 197	146	39	ACFE3326-D *	22 637	2 596	2 086
350 x 245	340 x 212,5	158	40	ACFE3530-D *	22 778	2 612	2 099
375 x 260	365 x 228	170	42	ACFE3830-D *	23 490	2 694	2 165
400 x 275	390 x 244	181	46	ACFE4033-D *	23 889	2 740	2 202
425 x 290	415 x 259	193	51	ACFE4333-D *	24 288	2 785	2 239
440 x 305	430 x 269	200	56	ACFE4435-D *	26 081	2 991	2 404
16:9 Format							
250 x 165	240 x 135	108	36	ACFE2522-W	kr 21 356	€ 2 449	£ 1 968
275 x 180	265 x 149	120	37	ACFE2822-W	21 929	2 515	2 021
300 x 195	290 x 163	131	37	ACFE3024-W	22 150	2 540	2 041
325 x 210	315 x 177	142	38	ACFE3326-W	22 637	2 596	2 086
350 x 225	340 x 191	154	39	ACFE3530-W *	22 778	2 612	2 099
375 x 235	365 x 205	165	41	ACFE3830-W *	23 490	2 694	2 165
400 x 250	390 x 219,5	176	43	ACFE4033-W *	23 889	2 740	2 202
425 x 265	415 x 233,5	188	48	ACFE4333-W *	24 288	2 785	2 239
440 x 280	430 x 242	194	54	ACFE4435-W *	26 081	2 991	2 404



* Surface welded with almost invisible weld, either horizontally or vertically.

NEW!

ACCESS Tab Tension




Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	REACT 2.1			FLEXREAR				
				Part No. Inst. cable	SEK	EUR	GBP	Part No. Inst. cable	SEK	EUR	GBP
1:1 Format											
250 x 187,5	250 x 187,5		38	ACST2522	kr 24 051	€ 2 758	£ 2 217	ACRT2522	kr 23 188	€ 2 659	£ 2 137
275 x 206	275 x 206		40	-	-	-	-	ACRT2822	24 557	2 816	2 263
300 x 225	300 x 225		41	-	-	-	-	ACRT3024	24 976	2 864	2 302
4:3 Format											
250 x 210	240 x 180	118	38	ACST2522-V	kr 27 398	€ 3 142	£ 2 525	ACRT2522-V	kr 26 578	€ 3 048	£ 2 450
275 x 230	265 x 199	130	41	ACST2822-V	28 722	3 294	2 647	ACRT2822-V	27 947	3 205	2 576
300 x 250	290 x 217,5	143	42	-	-	-	-	ACRT3024-V	28 366	3 253	2 614
325 x 270	315 x 236	155	44	-	-	-	-	ACRT3326-V	29 735	3 410	2 741
16:10 Format											
250 x 180	240 x 150	111	38	ACST2522-D	kr 27 398	€ 3 142	£ 2 525	ACRT2522-D	kr 26 578	€ 3 048	£ 2 450
275 x 195	265 x 165,5	123	40	ACST2822-D	28 722	3 294	2 647	ACRT2822-D	27 947	3 205	2 576
300 x 210	290 x 181	135	41	ACST3024-D	29 141	3 342	2 686	ACRT3024-D	28 366	3 253	2 614
325 x 230	315 x 197	146	42	ACST3326-D	30 468	3 494	2 808	ACRT3326-D	29 735	3 410	2 741
350 x 245	340 x 212,5	158	43	-	-	-	-	ACRT3530-D	30 153	3 458	2 779
375 x 260	365 x 228	170	46	-	-	-	-	ACRT3830-D	30 572	3 506	2 818
16:9 Format											
250 x 165	240 x 135	108	38	ACST2522-W	kr 27 398	€ 3 142	£ 2 525	ACRT2522-W	kr 26 578	€ 3 048	£ 2 450
275 x 180	265 x 149	120	39	ACST2822-W	28 722	3 294	2 647	ACRT2822-W	27 947	3 205	2 576
300 x 195	290 x 163	131	39	ACST3024-W	29 141	3 342	2 686	ACRT3024-W	28 366	3 253	2 614
325 x 210	315 x 177	142	40	ACST3326-W	30 468	3 494	2 808	ACRT3326-W	29 735	3 410	2 741
350 x 225	340 x 191	154	42	ACST3530-W	30 887	3 542	2 847	ACRT3530-W	30 153	3 458	2 779
375 x 235	365 x 205	165	43	ACST3830-W	31 306	3 590	2 885	ACRT3830-W	30 572	3 506	2 818
400 x 250	390 x 219,5	176	54	-	-	-	-	ACRT4033-W	31 317	3 591	2 886
2.35:1 Format											
250 x 135	240 x 102	103	37	ACST2522-C	kr 27 398	€ 3 142	£ 2 525	-	-	-	-
275 x 145	265 x 112,5	113	39	ACST2822-C	28 722	3 294	2 647	-	-	-	-
300 x 155	290 x 123,5	124	41	ACST3024-C	29 141	3 342	2 686	-	-	-	-
325 x 165	315 x 134	135	43	ACST3326-C	30 468	3 494	2 808	-	-	-	-
350 x 175	340 x 144,5	145	46	ACST3530-C	30 887	3 542	2 847	-	-	-	-
375 x 185	365 x 155	156	48	ACST3830-C	31 306	3 590	2 885	-	-	-	-
400 x 200	390 x 166	166	52	ACST4033-C	32 958	3 780	3 038	-	-	-	-
425 x 210	415 x 176,5	178	55	ACST4333-C	33 736	3 869	3 109	-	-	-	-

NEW!**ACCESS** Tab Tension

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			
				Part No. Inst. cable	SEK	EUR	GBP
4:3 No Black Borders							
250 x 187,5	250 x 187,5		38	ACFT2522	kr 21 878	€ 2 509	£ 2 016
275 x 206	275 x 206		40	ACFT2822	21 511	2 467	1 983
300 x 225	300 x 225		41	ACFT3024 *	22 672	2 600	2 090
325 x 244	325 x 244		43	ACFT3326 *	23 159	2 656	2 134
350 x 265	350 x 265		43	ACFT3530 *	23 613	2 708	2 176
375 x 281	375 x 281		46	ACFT3830 *	24 012	2 754	2 213
400 x 300	400 x 300		55	ACFT4033 *	24 411	2 799	2 250
425 x 319	425 x 319		60	ACFT4333 *	25 123	2 881	2 315
4:3 Format							
250 x 210	240 x 180	118	38	ACFT2522-V	kr 24 631	€ 2 825	£ 2 270
275 x 230	265 x 199	130	41	ACFT2822-V *	25 204	2 890	2 323
300 x 250	290 x 217,5	143	42	ACFT3024-V *	25 425	2 916	2 343
325 x 270	315 x 236	155	44	ACFT3326-V *	25 912	2 972	2 388
350 x 285	340 x 255	167	45	ACFT3530-V *	26 053	2 988	2 401
375 x 305	365 x 274	180	47	ACFT3830-V *	26 765	3 069	2 467
400 x 325	390 x 292,5	192	55	ACFT4033-V *	27 164	3 115	2 504
425 x 345	415 x 311	204	60	ACFT4333-V *	27 563	3 161	2 540
16:10 Format							
250 x 180	240 x 150	111	38	ACFT2522-D	kr 24 631	€ 2 825	£ 2 270
275 x 195	265 x 165,5	123	39	ACFT2822-D	25 204	2 890	2 323
300 x 210	290 x 181	135	41	ACFT3024-D	25 425	2 916	2 343
325 x 230	315 x 197	146	41	ACFT3326-D *	25 912	2 972	2 388
350 x 245	340 x 212,5	158	43	ACFT3530-D *	26 053	2 988	2 401
375 x 260	365 x 228	170	46	ACFT3830-D *	26 765	3 069	2 467
400 x 275	390 x 244	181	55	ACFT4033-D *	27 164	3 115	2 504
425 x 290	415 x 259	193	59	ACFT4333-D *	27 563	3 161	2 540
16:9 Format							
250 x 165	240 x 135	108	38	ACFT2522-W	kr 24 631	€ 2 825	£ 2 270
275 x 180	265 x 149	120	39	ACFT2822-W	25 204	2 890	2 323
300 x 195	290 x 163	131	39	ACFT3024-W	25 425	2 916	2 343
325 x 210	315 x 177	142	40	ACFT3326-W	25 912	2 972	2 388
350 x 225	340 x 191	154	42	ACFT3530-W *	26 053	2 988	2 401
375 x 235	365 x 205	165	43	ACFT3830-W *	26 765	3 069	2 467
400 x 250	390 x 219,5	176	54	ACFT4033-W *	27 164	3 115	2 504
425 x 265	415 x 233,5	188	58	ACFT4333-W *	27 563	3 161	2 540
2.35:1 Format							
250 x 135	240 x 102	103	37	ACFT2522-C	kr 24 631	€ 2 825	£ 2 270
275 x 145	265 x 112,5	113	39	ACFT2822-C	25 204	2 890	2 323
300 x 155	290 x 123,5	124	41	ACFT3024-C	25 425	2 916	2 343
325 x 165	315 x 134	135	43	ACFT3326-C	25 912	2 972	2 388
350 x 175	340 x 144,5	145	46	ACFT3530-C	26 053	2 988	2 401
375 x 185	365 x 155	156	48	ACFT3830-C	26 765	3 069	2 467
400 x 200	390 x 166	166	52	ACFT4033-C	27 164	3 115	2 504
425 x 210	415 x 176,5	178	55	ACFT4333-C	27 563	3 161	2 540

* Surface welded with almost invisible weld, either horizontally or vertically.

DIPLOMAT XL electric



Diplomat XL is an large electric projection screen available in several projection formats. The model has a white cylindrical shaped aluminium case, equipped with sturdy brackets for a rigid installation. Surface areas are seamed together with a fine lined seam to match desired screen size. The bottom dowel has extra weight to obtain the flattest viewing surface possible.



- » White cylindrical shaped aluminium case
- » Heavy weight bottom dowel for flat surface
- » Delivered with 3 m hard wire cable
- » Case size (W x H): 165 x 170 mm
- » Case length: screen width +121 mm
- » Bottom dowel from wall: 30 mm
- » Recommended control options:
Control Box, AutoLink RF or RF remote control



White aluminium case with sturdy brackets.

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			ARCTIQ				
				Part No. Inst. cable	SEK	EUR	GBP	Part No. Inst. cable	SEK	EUR	GBP
1:1 Format											
350 x 350	350 x 350		55	MF350	kr 14 351	€ 1 646	£ 1 323	-	-	-	
400 x 400	400 x 400		65	MF400	16 065	1 842	1 481	-	-	-	
No Black Borders											
450 x 410	450 x 410		75	MF450	19 279	2 211	1 777	-	-	-	
500 x 460	500 x 460		135	MF500	44 888	5 148	4 137	-	-	-	
550 x 510	550 x 510		150	MF550	49 205	5 643	4 535	-	-	-	
4:3 No Black Borders											
350 x 265	350 x 265		54	MF3530	kr 13 514	€ 1 550	£ 1 246	MD3530	kr 13 514	€ 1 550	£ 1 246
400 x 300	400 x 300		62	MF4030	14 381	1 649	1 325	-	-	-	
450 x 350	450 x 350		67	MF4535	17 552	2 013	1 618	-	-	-	
500 x 375	500 x 375		130	MF5040	36 603	4 198	3 374	-	-	-	
550 x 415	550 x 415		148	MF5545	40 204	4 611	3 705	-	-	-	
600 x 450	600 x 450		162	MF6050	44 473	5 100	4 099	-	-	-	
4:3 Format											
350 x 265	340 x 255	167	55	MF3530-V	kr 14 606	€ 1 675	£ 1 346	MD3530-V	kr 14 606	€ 1 675	£ 1 346
400 x 310	390 x 292,5	192	65	MF4030-V	15 453	1 772	1 424	-	-	-	
450 x 360	440 x 330	217	67	MF4535-V	18 544	2 127	1 709	-	-	-	
16:10 Format											
350 x 235	340 x 212,5	158	55	MF3530-D	kr 14 606	€ 1 675	£ 1 346	MD3530-D	kr 14 606	€ 1 675	£ 1 346
400 x 265	390 x 244	181	65	MF4030-D	15 453	1 772	1 424	MD4030-D	15 453	1 772	1 424
450 x 295	440 x 275	204	67	MF4535-D	18 544	2 127	1 709	MD4535-D	18 544	2 127	1 709
16:9 Format											
350 x 210	340 x 191	154	55	MF3530-W	kr 14 606	€ 1 675	£ 1 346	MD3530-W	kr 14 606	€ 1 675	£ 1 346
400 x 240	390 x 219,5	176	62	MF4030-W	15 453	1 772	1 424	MD4030-W	15 453	1 772	1 424
450 x 265	440 x 247,5	199	67	MF4535-W	18 544	2 127	1 709	MD4535-W	18 544	2 127	1 709

ROYAL electric



The Royal electric by Euroscreen® is an alternative for large venue installations. Royal is delivered with the Euroscreen® Astranova screen surface which has a white front projection surface and black backing. The Royal is available in sizes up to 600 cm in width. A cylindrical shaped aluminium cassette in white finish characterizes the Royal projection screens up to 450 cm wide, while larger sizes are delivered with a square shaped wooden case finished in white. Sturdy brackets for wall or ceiling installation are included as standard. The bottom dowel has extra weight to obtain the flattest viewing surface possible.

- » Available in sizes up to 600 cm width
- » Astranova surface (one piece fabric, no seams)
- » Heavy weight bottom dowel
- » White aluminium case for width up to 450 cm
- » White wooden case for sizes over 450 cm (*)
- » Delivered with 3 m hard wire cable
- » Case size (W x H): 165 x 170 mm (\leq 450 cm)
- » Case size (W x H): 220 x 220 mm ($>$ 500 cm)
- » Recommended control options:
Control Box, AutoLink RF or RF remote control



White aluminium case up to 450 cm width (1) and white wooden case in sizes above 450 cm (2).

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	ASTRANOVA		
					SEK	EUR	GBP
W x H (cm)	W x H (cm)	(")		Inst. cable			
1:1 Format							
300 x 300	300 x 300		36	MD300U	kr 22 983	€ 2 636	£ 2 118
350 x 350	350 x 350		42	MD350U	25 460	2 920	2 347
400 x 400	400 x 400		48	MD400U	28 492	3 267	2 626
4:3 No Black Borders							
300 x 225	300 x 225		33	MD3025U	kr 21 447	€ 2 460	£ 1 977
350 x 265	350 x 265		38	MD3530U	23 958	2 747	2 208
400 x 300	400 x 300		42	MD4030U	25 497	2 924	2 350
450 x 350	450 x 350		65	MD4535U	31 113	3 568	2 868
16:10 No Black Borders							
500 x 350	500 x 350		125	MD5040U *	kr 43 220	€ 4 956	£ 3 983
16:9 No Black Borders							
600 x 350	600 x 350		145	MD6040U *	kr 44 036	€ 5 050	£ 4 059

LODO electric



For the absolute largest electric screen option the LODO is offered, available in sizes up to 700 cm width. LODO is a large sized professional electric screen with a strong square shaped aluminium cassette in matt white finish. The screen is supplied with safety chains which provide an upper-grade of safety. The screen surface is a white flexible front projection surface with a gain of 1.1.

- » Available in sizes up to 700 cm width
- » Square shaped white aluminium case
- » Supplied with extra safety chains
- » Case size (W x H): 210 x 204 mm
- » White flexible screen surface



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	WHITE SURFACE			
				Part No.	SEK	EUR	GBP
W x H (cm)	W x H (cm)	(")		Inst. cable			
1:1 Format							
450x450	450x450		100	LODO450	kr 43 822	€ 5 025	£ 4 039
500x500	500x500		111	LODO500	49 685	5 698	4 579
550x550	550x550		115	LODO550	53 999	6 193	4 977
4:3 No Black Borders							
500x375	500x375		111	LODO5040	kr 41 398	€ 4 747	£ 3 815
550x412	550x412		115	LODO5545	45 000	5 161	4 147
600x450	600x450		119	LODO6050	49 268	5 650	4 541
650x487	650x487		123	LODO6550	55 545	6 370	5 119
700x525	700x525		127	LODO7055	60 015	6 882	5 531

CONTROL BOX & other Control Options

The Control Box is a multifunctional unit for easy and trouble-free operation of electrical projection screens. The device features the most usual versions of operations such as RF, IR, Dry Contact/Contact Closure, 12V trigger and RS232. Euroscreen® offers optional transmitters for communication with the box; RF AutoLink trigger, RF or IR remote control, and RF wall switch transmitter. The Control Box is equipped with a 300cm cord to power outlet, a 150cm screen cord, and a 30cm Dry Contact/RS232 cable is included as standard.

- » 1 single box provides no less than 5 possible control options
- » Compatible with RF, IR, Dry Contact/Contact Closure, 12V trigger and RS232
- » Built-in IR eye
- » Dry Contact/RS232 cable (30cm) included
- » 300cm power cord
- » 150cm screen cord
- » The Control Box is also available in complete kits

Automatic RF AutoLink

The Euroscreen® Control Box is beneficially supplemented with the RF AutoLink trigger. These two units create Euroscreen's uniquely developed control device AutoLink – now also RF operated. The automatic AutoLink is a clever control solution for a trouble-free projection screen operation. It does the job for you - just turn the projector on and the AutoLink triggers the screen to roll down, and when the projector is turned off the screen automatically retracts.

Transmitters

Several transmitter options available such as the hand remote controls, RF or IR, which have three buttons for up – stop – down. The IR remote control needs a clear path from the projection screen's IR receiver and the IR transmitter on the remote control. The RF remote control on the other hand can be used from a long distance, up to 30 m, and disregards obstacles since the RF does not need a visible connection between transmitter and receiver. Same function on the new RF wall switch transmitter.

Switches

The most basic control option is the InLine switch with the up – stop – down positions. The switch is integrated with the cable, whose total length is 300 cm. Ready to use when screen is delivered. The external wall switch has up – stop positions and must be installed by electrician. The key switch is an external switch controlled with a removable key. Up – stop – down positions. Must be installed by electrician.



SCREEN ACCESSORIES Electric Screens

	Part No.	SEK	EUR	GBP
Euroscreen® Control Box Kits				
RF remote control kit (incl. 210 730 + 210 727)	210 760	kr 1 428	€ 164	£ 132
RF AutoLink kit (incl. 210 730 + 210 722-2)	210 750-2	1 551	178	143
IR remote control kit (incl. 210 730 + 210 704)	210 740	1 420	163	131
Control Options for Electric Screens				
Control Box (RF, IR, Contact Closure, RS232, trigger)	210 730	kr 953	€ 109	£ 88
RF remote control, 3-positions (up - stop - down)	210 727	475	54	44
AutoLink trigger (RF)	210 722-2	598	69	55
RF wall switch transmitter	210 724	475	54	44
IR remote control, 3-positions (up - stop - down)	210 704	467	54	42
External Switch, 2-positions (up - down)	210 603	421	48	39
Key switch, 3-positions (up - stop - down)	210 604	1 114	128	103
Cables				
IR Eye Extender (for AutoLink IR (210 700) & IR remote control (210 695))	210 705	kr 300	€ 35	£ 28 NEW LOW PRICE!
IR Eye, 1m	210 734	518	59	48
12 V trigger, 15m	210 733	409	47	38
Dry Contact/RS232, 15 m	210 930	362	41	33
Dry Contact/RS232, 30cm	210 933	304	35	28
Serial Adaptor (DB9 to RJ11)	DRC103.042	257	29	24
Wall / Ceiling Brackets				
15 cm wall brackets, pair	485 015	kr 347	€ 40	£ 32
30 cm wall brackets, pair	485 030	383	44	35
50 cm wall brackets, pair	485 050	427	49	39
75 cm wall brackets, pair	485 075	506	58	47
Recessed ceiling bracket for Sesame 2.1, pair	930 200	598	69	54



Part No. 210 727.



Part No. 210 704.



Part No. 210 603.



Part No. 210 724.



Part No. 930 200.



Wall brackets: 75, 50, 30 and 15 cm.

SCREEN ACCESSORIES Manual Screens

Wall Brackets

Euroscreen® wall brackets in white finish are available in four lengths; 15 cm, 30 cm, 50 cm and 75 cm. The brackets are easily adjusted and delivered as pair.

Magnets

The magnet strip is permanently attached on the back of the bottom bar to attach to a white board for example. The removable super magnet hook is mobile and has the same functionality as the magnet strip.

Draw Sticks

Draw sticks for manual projection screens in two lengths; 100 cm and 140 cm.

Pulling Cord

Black pulling cord for manual projection screens, 75 cm. Often a suitable complement to super magnet hook and draw sticks.



Wall brackets: 75, 50, 30 and 15 cm.



Drawstick, 2 lengths.

	Part No.	SEK	EUR	GBP
Wall / Ceiling Brackets				
15 cm wall brackets, pair	485 015	kr 347	€ 40	£ 32
30 cm wall brackets, pair	485 030	383	44	35
50 cm wall brackets, pair	485 050	427	49	39
75 cm wall brackets, pair	485 075	506	58	47
Accessories Manual Screens				
Magnetic strip 60 cm	340 000	kr 192	€ 22	£ 18
Super magnet with hook	340 004	154	18	14
Draw stick 100 cm	400 100	212	24	20
Draw stick 140 cm	400 140	235	27	22
Pulling cord 75 cm	410 285	69	8	6

DIPLOMAT manual

The Diplomat is a popular projection screen with its white aluminium cassette and channel-fixed installation. This makes it one of the market's most flexible and easy screens to install. Thanks to its functional and comprehensive design the Diplomat is suitable for any environment; conference rooms, education facilities and home theatres.

- » White cylindrical shaped aluminium cassette
- » Channel-fixed and flexible installation
- » Case size (W x H): 89 x 105 mm
- » Case length: screen width + 86 mm (\leq 200 cm width)
- » Case length: screen width + 94 mm ($>$ 200 cm width)
- » Bottom dowel from wall: 48 mm

Soft&Quiet

Get the best functionality out of the manual projection screen and at the same time preserve the mechanism and function for years and years by upgrading to the Soft&Quiet feature.



The Soft&Quiet feature is a reliable and strong roller mechanism that slowly and smoothly retracts the screen surface into the case, slowing even more as it approaches its upper limit. Just a simple tug on the handle or the pull cord is all that is needed. The Soft&Quiet feature prolongs the life of a manual screen since it prevents potential damage to the case and its mechanism, and screen surface.

- » Reliable and strong roller mechanism
- » Slowly retracts the screen surface into the case
- » Slowing as it approaches its upper limit
- » Prolongs the life of the screen





Channel-fixed installation for maximum flexibility.





Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			GREYLIGHT				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
Nordic											
140 x 200	140 x 200		6	DD1420	kr 1 316	€ 151	£ 121	DG1420	kr 2 084	€ 239	£ 192
150 x 200	150 x 200		7	DD1520	1 364	156	126	DG1520	2 153	247	198
160 x 200	160 x 200		7	DD1620	1 433	164	132	DG1620	2 329	267	215
180 x 200	180 x 200		8	DD1820	1 566	180	144	DG1820	2 430	279	224
No Black Borders											
270 x 210	270 x 210		15	DD2724	kr 4 215	€ 483	£ 388	-	-	-	-
300 x 210	300 x 210		17	DD3024	4 342	498	400	-	-	-	-
1:1 Format											
125 x 125	125 x 125		6	DD125	kr 1 173	€ 135	£ 108	DG125	kr 2 047	€ 235	£ 189
150 x 150	150 x 150		7	DD150	1 226	141	113	DG150	2 153	247	198
180 x 180	180 x 180		8	DD180	1 396	160	129	DG180	2 425	278	224
200 x 200	200 x 200		9	DD200	2 020	232	186	DG200	2 830	325	261
220 x 220	220 x 220		12	DD220	2 584	296	238	DG220	3 576	410	330
240 x 240	240 x 240		13	DD240	3 191	366	294	DG240	4 305	494	397
4:3 Format											
160 x 175	150 x 112,5	74	7	DD1617-V	kr 1 966	€ 225	£ 181	DG1617-V	kr 2 862	€ 328	£ 264
180 x 175	170 x 127,5	84	8	DD1817-V	2 057	236	190	DG1817-V	2 936	337	271
200 x 175	190 x 142,5	94	10	DD2017-V	2 366	271	218	DG2017-V	3 000	344	277
220 x 170	210 x 157,5	103	12	DD2217-V	2 781	319	256	DG2217-V	3 757	431	346
240 x 205	230 x 172,5	113	13	DD2420-V	3 186	365	294	DG2420-V	4 322	496	398
270 x 210	260 x 195	128	15	DD2724-V	4 342	498	400	-	-	-	-
300 x 235	290 x 217,5	143	17	DD3024-V	4 508	517	415	-	-	-	-
16:10 Format											
160 x 175	150 x 94	70	7	DD1617-D	kr 1 966	€ 225	£ 181	DG1617-D	kr 2 862	€ 328	£ 264
180 x 175	170 x 106	79	8	DD1817-D	2 057	236	190	DG1817-D	2 936	337	271
200 x 175	190 x 119	88	10	DD2017-D	2 366	271	218	DG2017-D	3 000	344	277
220 x 170	210 x 131	97	12	DD2217-D	2 781	319	256	DG2217-D	3 757	431	346
240 x 170	230 x 144	107	13	DD2417-D	3 186	365	294	DG2417-D	4 322	496	398
270 x 205	260 x 162,5	121	15	DD2724-D	4 342	498	400	-	-	-	-
300 x 205	290 x 181	135	17	DD3024-D	4 508	517	415	-	-	-	-
16:9 Format											
160 x 175	150 x 84,5	68	7	DD1617-W	kr 1 966	€ 225	£ 181	DG1617-W	kr 2 862	€ 328	£ 264
180 x 175	170 x 95,5	77	8	DD1817-W	2 057	236	190	DG1817-W	2 936	337	271
200 x 175	190 x 107	86	10	DD2017-W	2 366	271	218	DG2017-W	3 000	344	277
220 x 170	210 x 118	95	12	DD2217-W	2 781	319	256	DG2217-W	3 757	431	346
240 x 170	230 x 129,5	104	13	DD2417-W	3 186	365	294	DG2417-W	4 322	496	398
270 x 205	260 x 146	117	15	DD2724-W	4 342	498	400	-	-	-	-
300 x 205	290 x 163	131	17	DD3024-W	4 508	517	415	-	-	-	-



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			GREYLIGHT				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
				Soft & Quiet			Soft & Quiet				
Nordic											
140 x 200	140 x 200		6	DDQ1420	kr 1 956	€ 224	£ 180	DGQ1420	kr 2 723	€ 312	£ 251
150 x 200	150 x 200		7	DDQ1520	2 003	230	185	DGQ1520	2 793	320	257
160 x 200	160 x 200		7	DDQ1620	2 072	238	191	DGQ1620	2 968	340	274
180 x 200	180 x 200		8	DDQ1820	2 206	253	203	DGQ1820	3 070	352	283
No Black Borders											
270 x 210	270 x 210		15	DDQ2724	kr 4854	€ 557	£ 447	-	-	-	-
300 x 210	300 x 210		17	DDQ3024	4 981	571	459	-	-	-	-
1:1 Format											
125 x 125	125 x 125		6	DDQ125	kr 1 812	€ 208	£ 167	DGQ125	kr 2 685	€ 308	£ 247
150 x 150	150 x 150		7	DDQ150	1 865	214	172	DGQ150	2 793	320	257
180 x 180	180 x 180		8	DDQ180	2 035	233	188	DGQ180	3 064	351	282
200 x 200	200 x 200		9	DDQ200	2 659	305	245	DGQ200	3 469	398	320
220 x 220	220 x 220		13	DDQ220	3 223	370	297	DGQ220	4 215	483	388
240 x 240	240 x 240		14	DDQ240	3 831	439	353	DGQ240	4 945	567	456
4:3 Format											
160 x 175	150 x 112,5	74	7	DDQ1617-V	kr 2 606	€ 299	£ 240	DGQ1617-V	kr 3 501	€ 402	£ 323
180 x 175	170 x 127,5	84	8	DDQ1817-V	2 697	309	249	DGQ1817-V	3 576	410	330
200 x 175	190 x 142,5	94	10	DDQ2017-V	3 005	345	277	DGQ2017-V	3 640	417	335
220 x 170	210 x 157,5	103	13	DDQ2217-V	3 421	392	315	DGQ2217-V	4 396	504	405
240 x 205	230 x 172,5	113	14	DDQ2420-V	3 826	439	353	DGQ2420-V	4 961	569	457
270 x 210	260 x 195	128	16	DDQ2724-V	4 981	571	459	-	-	-	-
300 x 235	290 x 217,5	143	18	DDQ3024-V	5 147	590	474	-	-	-	-
16:10 Format											
160 x 175	150 x 94	70	7	DDQ1617-D	kr 2 606	€ 299	£ 240	DGQ1617-D	kr 3 501	€ 402	£ 323
180 x 175	170 x 106	79	8	DDQ1817-D	2 697	309	249	DGQ1817-D	3 576	410	330
200 x 175	190 x 119	88	10	DDQ2017-D	3 005	345	277	DGQ2017-D	3 640	417	335
220 x 170	210 x 131	97	13	DDQ2217-D	3 421	392	315	DGQ2217-D	4 396	504	405
240 x 170	230 x 144	107	14	DDQ2417-D	3 826	439	353	DGQ2417-D	4 961	569	457
270 x 205	260 x 162,5	121	16	DDQ2724-D	4 981	571	459	-	-	-	-
300 x 205	290 x 181	135	18	DDQ3024-D	5 147	590	474	-	-	-	-
16:9 Format											
160 x 175	150 x 84,5	68	7	DDQ1617-W	kr 2 606	€ 299	£ 240	DGQ1617-W	kr 3 501	€ 402	£ 323
180 x 175	170 x 95,5	77	8	DDQ1817-W	2 697	309	249	DGQ1817-W	3 576	410	330
200 x 175	190 x 107	86	10	DDQ2017-W	3 005	345	277	DGQ2017-W	3 640	417	335
220 x 170	210 x 118	95	13	DDQ2217-W	3 421	392	315	DGQ2217-W	4 396	504	405
240 x 170	230 x 129,5	104	14	DDQ2417-W	3 826	439	353	DGQ2417-W	4 961	569	457
270 x 205	260 x 146	117	16	DDQ2724-W	4 981	571	459	-	-	-	-
300 x 205	290 x 163	131	18	DDQ3024-W	5 147	590	474	-	-	-	-

BLACKLINE manual

The Euroscreen® BlackLine model offers a stylish projection screen in a black aluminium cassette, especially appreciated in home theatre environments. The black case together with the black framework of the screen surface works very well together and puts the focus on the projected image. The BlackLine cassette is easy to install with its channel-fixed mounting feature, and it is suitable for both wall and ceiling installation.

- » Popular manual screen for home theatre applications
- » Black cylindrical shaped aluminium case
- » Channel-fixed and flexible installation
- » Case size (W x H): 89 x 105 mm
- » Case length: screen width + 86 mm (\leq 200 cm width)
- » Case length: screen width + 94 mm ($>$ 200 cm width)
- » Bottom dowel from wall: 48 mm

Soft&Quiet

Get the best functionality out of the manual projection screen and at the same time preserve the mechanism and function for years and years by upgrading to the Soft&Quiet feature.


The Soft&Quiet feature is a reliable and strong roller mechanism that slowly and smoothly retracts the screen surface into the case, slowing even more as it approaches its upper limit. Just a simple tug on the handle or the pull cord is all that is needed. The Soft&Quiet feature prolongs the life of a manual screen since it prevents potential damage to the case and its mechanism, and screen surface.

- » Reliable and strong roller mechanism
- » Slowly retracts the screen surface into the case
- » Slowing as it approaches its upper limit
- » Prolongs the life of the screen





Black case with channel-fixed installation.





Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			GREYLIGHT				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
160 x 175	150 x 112,5	74	7	BL1617-V	kr 1 966	€ 225	£ 181	BLG1617-V	kr 2 862	€ 328	£ 264
180 x 175	170 x 127,5	84	8	BL1817-V	2 057	236	190	BLG1817-V	2 936	337	271
200 x 175	190 x 142,5	94	10	BL2017-V	2 366	271	218	BLG2017-V	3 000	344	277
220 x 170	210 x 157,5	103	12	BL2217-V	2 781	319	256	BLG2217-V	3 757	431	346
240 x 205	230 x 172,5	113	13	BL2420-V	3 186	365	294	BLG2420-V	4 322	496	398
270 x 210	260 x 195	128	15	BL2724-V	4 342	498	400	-	-	-	-
300 x 235	290 x 217,5	143	17	BL3024-V	4 508	517	415	-	-	-	-
16:9 Format											
160 x 175	150 x 84,5	68	7	BL1617-W	kr 1 966	€ 225	£ 181	BLG1617-W	kr 2 862	€ 328	£ 264
180 x 175	170 x 95,5	77	8	BL1817-W	2 057	236	190	BLG1817-W	2 936	337	271
200 x 175	190 x 107	86	10	BL2017-W	2 366	271	218	BLG2017-W	3 000	344	277
220 x 170	210 x 118	95	12	BL2217-W	2 781	319	256	BLG2217-W	3 757	431	346
240 x 170	230 x 129,5	104	13	BL2417-W	3 186	365	294	BLG2417-W	4 322	496	398
270 x 205	260 x 146	117	15	BL2724-W	4 342	498	400	-	-	-	-
300 x 205	290 x 163	131	17	BL3024-W	4 508	517	415	-	-	-	-
2.35:1 Format											
160 x 175	150 x 64	64	7	BL1617-C	kr 1 966	€ 225	£ 181	BLG1617-C	kr 2 862	€ 328	£ 264
180 x 175	170 x 72,5	73	8	BL1817-C	2 057	236	190	BLG1817-C	2 936	337	271
200 x 175	190 x 81	81	10	BL2017-C	2 366	271	218	BLG2017-C	3 000	344	277
220 x 170	210 x 89,5	90	12	BL2217-C	2 781	319	256	BLG2217-C	3 757	431	346
240 x 170	230 x 98	98	13	BL2417-C	3 186	365	294	BLG2417-C	4 322	496	398
270 x 205	260 x 110,5	111	15	BL2724-C	4 342	498	400	-	-	-	-
300 x 205	290 x 123,5	124	17	BL3024-C	4 508	517	415	-	-	-	-

CONNECT manual



The Connect projection screen is the longest established model within the Euroscreen® range. Its cassette has a square design with soft edges, and the white steel case is equipped with matching end caps which are used for an easy installation directly onto the wall or the ceiling. This economical screen is available in a large selection of projection formats. The Connect is often used for educational applications and is therefore recommended together with optional mounting brackets which allow keystone correction if required.


- » White square shaped steel case
- » Matching white end caps
- » Use end caps for easy installation directly onto wall or ceiling
- » Case size (W x H): 74 x 74 mm
- » Case length: screen width + 91 mm
- » Bottom dowel very close to wall
- » Optional wall brackets allow keystone correction



Use end caps for fast installation directly onto wall.

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			
				Part No.	SEK	EUR	GBP
Nordic							
140 x 200	140 x 200		5	C1420	kr 1 178	€ 135	£ 109
150 x 200	150 x 200		6	C1520	1 231	141	113
160 x 200	160 x 200		6	C1620	1 274	146	117
180 x 200	180 x 200		7	C1820	1 375	158	127
1:1 Format							
125 x 125	125 x 125		4	C125	kr 970	€ 111	£ 89
150 x 150	150 x 150		5	C150	1 017	117	94
180 x 180	180 x 180		7	C180	1 124	129	104
200 x 200	200 x 200		8	C200	1 630	187	150
220 x 220	220 x 220		10	C220	2 089	240	193
240 x 240	240 x 240		11	C240	2 590	297	239
4:3 No Black Borders							
180 x 135	180 x 135		7	C1814	kr 1 071	€ 123	£ 99
200 x 150	200 x 150		7	C2015	1 349	155	124
220 x 165	220 x 165		10	C2217	1 924	221	177
240 x 180	240 x 180		10	C2418	2 292	263	211
4:3 Format							
160 x 165	150 x 112,5	74	6	C1617-V	kr 1 460	€ 167	£ 135
180 x 165	170 x 127,5	84	7	C1817-V	1 561	179	144
200 x 165	190 x 142,5	94	8	C2017-V	1 875	215	173
220 x 165	210 x 157,5	103	10	C2217-V	2 259	259	208
240 x 180	230 x 172,5	113	10	C2417-V	2 616	300	241
16:10 Format							
160 x 165	150 x 94	70	6	C1617-D	kr 1 460	€ 167	£ 135
180 x 165	170 x 106	79	7	C1817-D	1 561	179	144
200 x 165	190 x 119	88	8	C2017-D	1 875	215	173
220 x 165	210 x 131	97	10	C2217-D	2 259	259	208
240 x 180	230 x 144	107	10	C2417-D	2 616	300	241
16:9 Format							
160 x 165	150 x 84,5	68	6	C1617-W	kr 1 460	€ 167	£ 135
180 x 165	170 x 95,5	77	7	C1817-W	1 561	179	144
200 x 165	190 x 107	86	8	C2017-W	1 875	215	173
220 x 165	210 x 118	95	10	C2217-W	2 259	259	208
240 x 165	230 x 129,5	104	10	C2417-W	2 616	300	241

EXCELLO 2000 manual



The Euroscreen® Excello 2000 is a rail system designed to use wall space most efficiently. Projection screen and other visual resources such as maps and posters are integrated with the rail system for a most mobile and flexible use. Compatible Euroscreen® projection screens are offered up to 240 cm width within the Excello 2000 system.

- » Efficient rail system
- » Easy to install
- » Use of projection screens, maps and posters in a very flexible way



Map carriers and case carriers, sold as pair.



		Wt (kg)	Part No.	SEK	EUR	GBP
No Black Borders						
180 x 190	180 x 190	4	SDF1820	kr 1 449	€ 166	£ 134
200 x 190	200 x 190	5	SDF2020	1 604	184	148
200 x 230	200 x 230	5	SDF2024	1 907	219	176
Accessories Excello 2000						
Magnetic strip 60 cm			340 000	kr 192	€ 22	£ 18
Super magnet with hook			340 004	154	18	14
Drawstick 100 cm			400 100	212	24	20
Drawstick 140 cm			400 140	235	27	22
Adjustable fixing with carriers			420 250	1 635	188	151
Carriers, for Excello 2000 rail system			421 020	138	16	13
Map carriers, pair			421 102	192	22	18
Joining piece, for rail system			450 001	43	5	4
Rail 300 cm			450 300	309	35	28
Rail 400 cm			450 400	383	44	35
Rail 500 cm			450 500	475	54	44
Rail 600 cm			450 600	549	63	51
Ceiling mounting bracket, 5 cm for 1 rail			460 005	59	7	5
Ceiling mounting bracket, 45 cm for 5 rails			460 050	107	12	10
Map holder with carriers for rail system			K100	981	112	90

FRAME VISION LIGHT

Frame Vision Light is a permanently tensioned projection screen that achieves an optimal flat viewing surface. The Frame Vision Light has a clever construction that makes it easy to assemble the 5 cm wide frame profiles and attach the screen surface. Easy-mounted wall brackets to hang the complete screen onto are included. The frame design puts equal tension on each part of the viewing surface, making it perfectly smooth. The light-weight black aluminium border frames the projected image nicely. For a even more fantastic viewing experience, the Vel-Tex® option is highly recommended.

- » 5 cm wide black aluminium frame
- » Perfectly flat viewing surface
- » Easy to assemble frame parts
- » Screen surface attaches to the frame without snaps or tools
- » Easily mounted wall brackets included

Vel-Tex®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Not only does the Vel-Tex® give the screen a more luxurious impression and conceals all trace of joints in the frame; it is also more forgiving to any incorrect adjustment of the projected image since every small edge of the images beyond the inner frames are visually absorbed by the Vel-Tex®. At the same time it helps to cut reflection from surroundings lights.


- » Black, velvety textile covering
- » Provides a luxurious impression
- » Conceals all trace of joints in the frame
- » Incorrect adjustment visually absorbed
- » Cuts reflection from surroundings lights



Assemble the 5 cm wide aluminium frame profiles - Vel-Tex® is a recommended option!




FRAME VISION LIGHT




Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 2.1				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
170 x 130	160 x 120	79	7	VL160-V	kr 4 710	€ 540	£ 434	VLS160-V	kr 7 407	€ 849	£ 683
180 x 137,5	170 x 127,5	84	8	VL170-V	4 769	547	440	VLS170-V	7 636	876	704
190 x 145	180 x 135	89	9	VL180-V	4 807	551	443	VLS180-V	7 844	899	723
200 x 152,5	190 x 142,5	94	10	VL190-V	4 860	557	448	VLS190-V	8 063	925	743
210 x 160	200 x 150	98	11	VL200-V	4 897	562	451	VLS200-V	8 270	948	762
220 x 167,5	210 x 157,5	103	12	VL210-V	4 935	566	455	VLS210-V	8 478	972	781
230 x 175	220 x 165	108	13	VL220-V	4 988	572	460	VLS220-V	8 696	997	802
240 x 182,5	230 x 172,5	113	14	VL230-V	5 035	577	464	VLS230-V	8 915	1 022	822
16:10 Format											
170 x 110	160 x 100	74	7	VL160-D	kr 4 710	€ 540	£ 434	VLS160-D	kr 7 407	€ 849	£ 683
180 x 116	170 x 106	79	8	VL170-D	4 769	547	440	VLS170-D	7 636	876	704
190 x 122,5	180 x 112,5	84	9	VL180-D	4 807	551	443	VLS180-D	7 844	899	723
200 x 129	190 x 119	88	10	VL190-D	4 860	557	448	VLS190-D	8 063	925	743
210 x 135	200 x 125	93	11	VL200-D	4 897	562	451	VLS200-D	8 270	948	762
220 x 141	210 x 131	97	12	VL210-D	4 935	566	455	VLS210-D	8 478	972	781
230 x 147,5	220 x 137,5	102	13	VL220-D	4 988	572	460	VLS220-D	8 696	997	802
240 x 154	230 x 144	107	14	VL230-D	5 035	577	464	VLS230-D	8 915	1 022	822
16:9 Format											
170 x 100	160 x 90	72	7	VL160-W	kr 4 710	€ 540	£ 434	VLS160-W	kr 7 407	€ 849	£ 683
180 x 105,5	170 x 95,5	77	8	VL170-W	4 769	547	440	VLS170-W	7 636	876	704
190 x 111	180 x 101	81	9	VL180-W	4 807	551	443	VLS180-W	7 844	899	723
200 x 117	190 x 107	86	10	VL190-W	4 860	557	448	VLS190-W	8 063	925	743
210 x 122,5	200 x 112,5	90	11	VL200-W	4 897	562	451	VLS200-W	8 270	948	762
220 x 128	210 x 118	95	12	VL210-W	4 935	566	455	VLS210-W	8 478	972	781
230 x 133,5	220 x 123,5	99	13	VL220-W	4 988	572	460	VLS220-W	8 696	997	802
240 x 139,5	230 x 129,5	104	14	VL230-W	5 035	577	464	VLS230-W	8 915	1 022	822
2.35:1 Format											
170 x 78	160 x 68	68	7	VL160-C	kr 4 710	€ 540	£ 434	VLS160-C	kr 7 407	€ 849	£ 683
180 x 82,5	170 x 72,5	73	8	VL170-C	4 769	547	440	VLS170-C	7 636	876	704
190 x 86,5	180 x 76,5	77	9	VL180-C	4 807	551	443	VLS180-C	7 844	899	723
200 x 91	190 x 81	81	10	VL190-C	4 860	557	448	VLS190-C	8 063	925	743
210 x 95	200 x 85	85	11	VL200-C	4 897	562	451	VLS200-C	8 270	948	762
220 x 99,5	210 x 89,5	90	12	VL210-C	4 935	566	455	VLS210-C	8 478	972	781
230 x 103,5	220 x 93,5	94	13	VL220-C	4 988	572	460	VLS220-C	8 696	997	802
240 x 108	230 x 98	98	14	VL230-C	5 035	577	464	VLS230-C	8 915	1 022	822

FRAME VISION LIGHT



Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			FLEXPERF				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
170 x 130	160 x 120	79	7	VLR160-V	kr 5 968	€ 684	£ 550	-	-	-	-
180 x 137,5	170 x 127,5	84	8	VLR170-V	6 042	693	557	-	-	-	-
190 x 145	180 x 135	89	9	VLR180-V	6 100	700	562	-	-	-	-
200 x 152,5	190 x 142,5	94	10	VLR190-V	6 177	708	569	-	-	-	-
210 x 160	200 x 150	98	11	VLR200-V	6 241	716	575	-	-	-	-
220 x 167,5	210 x 157,5	103	12	VLR210-V	6 293	722	580	-	-	-	-
230 x 175	220 x 165	108	13	VLR220-V	6 368	730	587	-	-	-	-
240 x 182,5	230 x 172,5	113	14	VLR230-V	6 432	738	593	-	-	-	-
16:10 Format											
170 x 110	160 x 100	74	7	VLR160-D	kr 5 968	€ 684	£ 550	-	-	-	-
180 x 116	170 x 106	79	8	VLR170-D	6 042	693	557	-	-	-	-
190 x 122,5	180 x 112,5	84	9	VLR180-D	6 100	700	562	-	-	-	-
200 x 129	190 x 119	88	10	VLR190-D	6 177	708	569	-	-	-	-
210 x 135	200 x 125	93	11	VLR200-D	6 241	716	575	-	-	-	-
220 x 141	210 x 131	97	12	VLR210-D	6 293	722	580	-	-	-	-
230 x 147,5	220 x 137,5	102	13	VLR220-D	6 368	730	587	-	-	-	-
240 x 154	230 x 144	107	14	VLR230-D	6 432	738	593	-	-	-	-
16:9 Format											
170 x 100	160 x 90	72	7	VLR160-W	kr 5 968	€ 684	£ 550	VLP160-W	kr 7 407	€ 849	£ 683
180 x 105,5	170 x 95,5	77	8	VLR170-W	6 042	693	557	VLP170-W	7 636	876	704
190 x 111	180 x 101	81	9	VLR180-W	6 100	700	562	VLP180-W	7 844	899	723
200 x 117	190 x 107	86	10	VLR190-W	6 177	708	569	VLP190-W	8 063	925	743
210 x 122,5	200 x 112,5	90	11	VLR200-W	6 241	716	575	VLP200-W	8 270	948	762
220 x 128	210 x 118	95	12	VLR210-W	6 293	722	580	VLP210-W	8 478	972	781
230 x 133,5	220 x 123,5	99	13	VLR220-W	6 368	730	587	VLP220-W	8 696	997	802
240 x 139,5	230 x 129,5	104	14	VLR230-W	6 432	738	593	VLP230-W	8 915	1 022	822
2.35:1 Format											
170 x 78	160 x 68	68	7	VLR160-C	kr 5 968	€ 684	£ 550	VLP160-C	kr 7 407	€ 849	£ 683
180 x 82,5	170 x 72,5	73	8	VLR170-C	6 042	693	557	VLP170-C	7 636	876	704
190 x 86,5	180 x 76,5	77	9	VLR180-C	6 100	700	562	VLP180-C	7 844	899	723
200 x 91	190 x 81	81	10	VLR190-C	6 177	708	569	VLP190-C	8 063	925	743
210 x 95	200 x 85	85	11	VLR200-C	6 241	716	575	VLP200-C	8 270	948	762
220 x 99,5	210 x 89,5	90	12	VLR210-C	6 293	722	580	VLP210-C	8 478	972	781
230 x 103,5	220 x 93,5	94	13	VLR220-C	6 368	730	587	VLP220-C	8 696	997	802
240 x 108	230 x 98	98	14	VLR230-C	6 432	738	593	VLP230-C	8 915	1 022	822




FRAME VISION LIGHT with Vel-Tex

Vel-Tex®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Provides a luxurious impression and cuts reflection from surroundings lights. Incorrect adjustment is visually absorbed.

Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 2.1				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
170 x 130	160 x 120	79	7	VLD160-V	kr 5 722	656	£ 527	VLSD160-V	kr 8 456	€ 970	£ 779
180 x 137,5	170 x 127,5	84	8	VLD170-V	5 791	664	534	VLSD170-V	8 686	996	801
190 x 145	180 x 135	89	9	VLD180-V	5 824	668	537	VLSD180-V	8 888	1 019	819
200 x 152,5	190 x 142,5	94	10	VLD190-V	5 873	673	541	VLSD190-V	9 106	1 044	839
210 x 160	200 x 150	98	11	VLD200-V	5 909	678	545	VLSD200-V	9 315	1 068	859
220 x 167,5	210 x 157,5	103	12	VLD210-V	5 957	683	549	VLSD210-V	9 523	1 092	878
230 x 175	220 x 165	108	13	VLD220-V	6 006	689	554	VLSD220-V	9 745	1 118	898
240 x 182,5	230 x 172,5	113	14	VLD230-V	6 048	694	557	VLSD230-V	9 960	1 142	918
16:10 Format											
170 x 110	160 x 100	74	7	VLD160-D	kr 5 722	656	£ 527	VLSD160-D	kr 8 456	€ 970	£ 779
180 x 116	170 x 106	79	8	VLD170-D	5 791	664	534	VLSD170-D	8 686	996	801
190 x 122,5	180 x 112,5	84	9	VLD180-D	5 824	668	537	VLSD180-D	8 888	1 019	819
200 x 129	190 x 119	88	10	VLD190-D	5 873	673	541	VLSD190-D	9 106	1 044	839
210 x 135	200 x 125	93	11	VLD200-D	5 909	678	545	VLSD200-D	9 315	1 068	859
220 x 141	210 x 131	97	12	VLD210-D	5 957	683	549	VLSD210-D	9 523	1 092	878
230 x 147,5	220 x 137,5	102	13	VLD220-D	6 006	689	554	VLSD220-D	9 745	1 118	898
240 x 154	230 x 144	107	14	VLD230-D	6 048	694	557	VLSD230-D	9 960	1 142	918
16:9 Format											
170 x 100	160 x 90	72	7	VLD160-W	kr 5 722	656	£ 527	VLSD160-W	kr 8 456	€ 970	£ 779
180 x 105,5	170 x 95,5	77	8	VLD170-W	5 791	664	534	VLSD170-W	8 686	996	801
190 x 111	180 x 101	81	9	VLD180-W	5 824	668	537	VLSD180-W	8 888	1 019	819
200 x 117	190 x 107	86	10	VLD190-W	5 873	673	541	VLSD190-W	9 106	1 044	839
210 x 122,5	200 x 112,5	90	11	VLD200-W	5 909	678	545	VLSD200-W	9 315	1 068	859
220 x 128	210 x 118	95	12	VLD210-W	5 957	683	549	VLSD210-W	9 523	1 092	878
230 x 133,5	220 x 123,5	99	13	VLD220-W	6 006	689	554	VLSD220-W	9 745	1 118	898
240 x 139,5	230 x 129,5	104	14	VLD230-W	6 048	694	557	VLSD230-W	9 960	1 142	918
2.35:1 Format											
170 x 78	160 x 68	68	7	VLD160-C	kr 5 722	656	£ 527	VLSD160-C	kr 8 456	€ 970	£ 779
180 x 82,5	170 x 72,5	73	8	VLD170-C	5 791	664	534	VLSD170-C	8 686	996	801
190 x 86,5	180 x 76,5	77	9	VLD180-C	5 824	668	537	VLSD180-C	8 888	1 019	819
200 x 91	190 x 81	81	10	VLD190-C	5 873	673	541	VLSD190-C	9 106	1 044	839
210 x 95	200 x 85	85	11	VLD200-C	5 909	678	545	VLSD200-C	9 315	1 068	859
220 x 99,5	210 x 89,5	90	12	VLD210-C	5 957	683	549	VLSD210-C	9 523	1 092	878
230 x 103,5	220 x 93,5	94	13	VLD220-C	6 006	689	554	VLSD220-C	9 745	1 118	898
240 x 108	230 x 98	98	14	VLD230-C	6 048	694	557	VLSD230-C	9 960	1 142	918

FRAME VISION LIGHT with Vel-Tex



Vel-Tex®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Provides a luxurious impression and cuts reflection from surroundings lights. Incorrect adjustment is visually absorbed.

Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			FLEXPERF				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
170 x 130	160 x 120	79	7	VLRD160-V	kr 6 992	€ 802	£ 644	-	-	-	-
180 x 137,5	170 x 127,5	84	8	VLRD170-V	7 081	812	653	-	-	-	-
190 x 145	180 x 135	89	9	VLRD180-V	7 140	819	658	-	-	-	-
200 x 152,5	190 x 142,5	94	10	VLRD190-V	7 209	827	664	-	-	-	-
210 x 160	200 x 150	98	11	VLRD200-V	7 278	835	671	-	-	-	-
220 x 167,5	210 x 157,5	103	12	VLRD210-V	7 327	840	675	-	-	-	-
230 x 175	220 x 165	108	13	VLRD220-V	7 412	850	683	-	-	-	-
240 x 182,5	230 x 172,5	113	14	VLRD230-V	7 471	857	689	-	-	-	-
16:10 Format											
170 x 110	160 x 100	74	7	VLRD160-D	kr 6 992	€ 802	£ 644	-	-	-	-
180 x 116	170 x 106	79	8	VLRD170-D	7 081	812	653	-	-	-	-
190 x 122,5	180 x 112,5	84	9	VLRD180-D	7 140	819	658	-	-	-	-
200 x 129	190 x 119	88	10	VLRD190-D	7 209	827	664	-	-	-	-
210 x 135	200 x 125	93	11	VLRD200-D	7 278	835	671	-	-	-	-
220 x 141	210 x 131	97	12	VLRD210-D	7 327	840	675	-	-	-	-
230 x 147,5	220 x 137,5	102	13	VLRD220-D	7 412	850	683	-	-	-	-
240 x 154	230 x 144	107	14	VLRD230-D	7 471	857	689	-	-	-	-
16:9 Format											
170 x 100	160 x 90	72	7	VLRD160-W	kr 6 992	€ 802	£ 644	VLPD160-W	kr 8 456	€ 970	£ 779
180 x 105,5	170 x 95,5	77	8	VLRD170-W	7 081	812	653	VLPD170-W	8 686	996	801
190 x 111	180 x 101	81	9	VLRD180-W	7 140	819	658	VLPD180-W	8 888	1 019	819
200 x 117	190 x 107	86	10	VLRD190-W	7 209	827	664	VLPD190-W	9 106	1 044	839
210 x 122,5	200 x 112,5	90	11	VLRD200-W	7 278	835	671	VLPD200-W	9 315	1 068	859
220 x 128	210 x 118	95	12	VLRD210-W	7 327	840	675	VLPD210-W	9 523	1 092	878
230 x 133,5	220 x 123,5	99	13	VLRD220-W	7 412	850	683	VLPD220-W	9 745	1 118	898
240 x 139,5	230 x 129,5	104	14	VLRD230-W	7 471	857	689	VLPD230-W	9 960	1 142	918
2.35:1 Format											
170 x 78	160 x 68	68	7	VLRD160-C	kr 6 992	€ 802	£ 644	VLPD160-C	kr 8 456	€ 970	£ 779
180 x 82,5	170 x 72,5	73	8	VLRD170-C	7 081	812	653	VLPD170-C	8 686	996	801
190 x 86,5	180 x 76,5	77	9	VLRD180-C	7 140	819	658	VLPD180-C	8 888	1 019	819
200 x 91	190 x 81	81	10	VLRD190-C	7 209	827	664	VLPD190-C	9 106	1 044	839
210 x 95	200 x 85	85	11	VLRD200-C	7 278	835	671	VLPD200-C	9 315	1 068	859
220 x 99,5	210 x 89,5	90	12	VLRD210-C	7 327	840	675	VLPD210-C	9 523	1 092	878
230 x 103,5	220 x 93,5	94	13	VLRD220-C	7 412	850	683	VLPD220-C	9 745	1 118	898
240 x 108	230 x 98	98	14	VLRD230-C	7 471	857	689	VLPD230-C	9 960	1 142	918

FRAME VISION

The Frame Vision is Euroscreen's largest permanently tensioned projection screen; available up to 420 cm width. The surface is stretched on the reverse of the 10 cm wide black aluminium frame which provides an attractive and powerful black framework to the projected image. The Vel-Tex® option is highly recommended to obtain an even greater viewing experience. The frame puts equal tension on each part of the viewing surface and the flexible screen surface can be adjusted into three different channels to ensure optimal flatness. The frame profiles are easily assembled and easy-mounted wall brackets are included for a trouble-free installation onto the wall.

- » 10 cm wide black aluminium frame
- » Perfectly flat viewing surface
- » Easy to assemble frame parts
- » Screen surface attaches to the frame without snaps or tools
- » Easily mounted wall brackets included

Vel-Tex®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Not only does the Vel-Tex® give the screen a more luxurious impression and conceals all trace of joints in the frame; it is also more forgiving to any incorrect adjustment of the projected image since every small edge of the images beyond the inner frames are visually absorbed by the Vel-Tex®. At the same time it helps to cut reflection from surroundings lights.


- » Black, velvety textile covering
- » Provides a luxurious impression
- » Conceals all trace of joints in the frame
- » Incorrect adjustment visually absorbed
- » Cuts reflection from surroundings lights



Frame Vision: 10cm wide aluminium frame.





FRAME VISION



Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 2.1				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
180 x 140	160 x 120	79	15	V160-V	kr 5 686	€ 652	£ 524	VS160-V	kr 8 302	€ 952	£ 765
200 x 155	180 x 135	89	17	V180-V	6 026	691	555	VS180-V	8 968	1 028	827
220 x 170	200 x 150	98	19	V200-V	6 346	728	585	VS200-V	9 629	1 104	887
240 x 185	220 x 165	108	20	V220-V	7 332	841	676	VS220-V	10 946	1 255	1 009
270 x 210	250 x 190	123	24	V250-V	8 328	955	768	VS250-V	12 427	1 425	1 145
295 x 226	275 x 206	135	25	V275-V	9 949	1 141	917	VS275-V	14 366	1 647	1 324
320 x 245	300 x 225	148	28	V300-V	10 823	1 241	997	-	-	-	-
370 x 282,5	350 x 262,5	172	32	V350-V	12 224	1 402	1 127	-	-	-	-
405 x 309	385 x 289	190	36	V400-V	13 636	1 564	1 257	-	-	-	-
16:10 Format											
180 x 120	160 x 100	74	13	V160-D	kr 5 686	€ 652	£ 524	VS160-D	kr 8 302	€ 952	£ 765
200 x 132,5	180 x 112,5	84	15	V180-D	6 026	691	555	VS180-D	8 968	1 028	827
220 x 145	200 x 125	93	16	V200-D	6 346	728	585	VS200-D	9 629	1 104	887
240 x 157,5	220 x 137,5	102	18	V220-D	7 332	841	676	VS220-D	10 946	1 255	1 009
270 x 176	250 x 156	116	21	V250-D	8 328	955	768	VS250-D	12 427	1 425	1 145
295 x 192	275 x 172	128	23	V275-D	9 949	1 141	917	VS275-D	14 366	1 647	1 324
320 x 207,5	300 x 187,5	139	25	V300-D	10 823	1 241	997	VS300-D	15 725	1 803	1 449
370 x 239	350 x 219	163	30	V350-D	12 224	1 402	1 127	-	-	-	-
420 x 270	400 x 250	179	34	V400-D	13 636	1 564	1 257	-	-	-	-
16:9 Format											
180 x 110	160 x 90	72	13	V160-W	kr 5 686	€ 652	£ 524	VS160-W	kr 8 302	€ 952	£ 765
200 x 121	180 x 101	81	15	V180-W	6 026	691	555	VS180-W	8 968	1 028	827
220 x 132,5	200 x 112,5	90	16	V200-W	6 346	728	585	VS200-W	9 629	1 104	887
240 x 143,5	220 x 123,5	99	18	V220-W	7 332	841	676	VS220-W	10 946	1 255	1 009
270 x 160,5	250 x 140,5	113	21	V250-W	8 328	955	768	VS250-W	12 427	1 425	1 145
295 x 174,5	275 x 154,5	124	23	V275-W	9 949	1 141	917	VS275-W	14 366	1 647	1 324
320 x 189	300 x 169	135	25	V300-W	10 823	1 241	997	VS300-W	15 725	1 803	1 449
370 x 217	350 x 197	158	30	V350-W	12 224	1 402	1 127	VS350-W	17 090	1 960	1 575
420 x 245	400 x 225	181	34	V400-W	13 636	1 564	1 257	-	-	-	-
2.35:1 Format											
180 x 88	160 x 68	68	13	V160-C	kr 5 686	€ 652	£ 524	VS160-C	kr 8 302	€ 952	£ 765
200 x 96,5	180 x 76,5	77	15	V180-C	6 026	691	555	VS180-C	8 968	1 028	827
220 x 105	200 x 85	85	16	V200-C	6 346	728	585	VS200-C	9 629	1 104	887
240 x 113,5	220 x 93,5	94	18	V220-C	7 332	841	676	VS220-C	10 946	1 255	1 009
270 x 126,5	250 x 106,5	107	21	V250-C	8 328	955	768	VS250-C	12 427	1 425	1 145
295 x 137	275 x 117	117	23	V275-C	9 949	1 141	917	VS275-C	14 366	1 647	1 324
320 x 147,5	300 x 127,5	128	25	V300-C	10 823	1 241	997	VS300-C	15 725	1 803	1 449
370 x 169	350 x 149	149	30	V350-C	12 224	1 402	1 127	VS350-C	17 090	1 960	1 575
420 x 190	400 x 170	170	34	V400-C	13 636	1 564	1 257	VS400-C	20 180	2 314	1 860

Sizes ≥ 300cm width includes additional frame stag/s.


FRAME VISION



Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			FLEXPERF				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
180 x 140	160 x 120	79	15	VR160-V	kr 7 177	€ 823	£ 661	-	-	-	-
200 x 155	180 x 135	89	17	VR180-V	7 764	890	716	-	-	-	-
220 x 170	200 x 150	98	19	VR200-V	8 365	959	771	-	-	-	-
240 x 185	220 x 165	108	20	VR220-V	9 799	1 124	903	-	-	-	-
270 x 210	250 x 190	123	24	VR250-V	11 232	1 288	1 035	-	-	-	-
295 x 226	275 x 206	135	25	VR275-V	11 813	1 355	1 089	-	-	-	-
320 x 245	300 x 225	148	28	VR300-V	12 378	1 419	1 141	-	-	-	-
16:10 Format											
180 x 120	160 x 100	74	13	VR160-D	kr 7 177	€ 823	£ 661	-	-	-	-
200 x 132,5	180 x 112,5	84	15	VR180-D	7 764	890	716	-	-	-	-
220 x 145	200 x 125	93	16	VR200-D	8 365	959	771	-	-	-	-
240 x 157,5	220 x 137,5	102	18	VR220-D	9 799	1 124	903	-	-	-	-
270 x 176	250 x 156	116	21	VR250-D	11 232	1 288	1 035	-	-	-	-
295 x 196	275 x 172	128	23	VR275-D	11 813	1 355	1 089	-	-	-	-
320 x 207,5	300 x 187,5	139	25	VR300-D	12 378	1 419	1 141	-	-	-	-
370 x 239	350 x 219	163	30	VR350-D	13 407	1 538	1 236	-	-	-	-
16:9 Format											
180 x 110	160 x 90	72	13	VR160-W	kr 7 177	€ 823	£ 661	VP160-W	kr 8 302	€ 952	£ 765
200 x 121	180 x 101	81	15	VR180-W	7 764	890	716	VP180-W	8 968	1 028	827
220 x 132,5	200 x 112,5	90	16	VR200-W	8 365	959	771	VP200-W	9 629	1 104	887
240 x 143,5	220 x 123,5	99	18	VR220-W	9 799	1 124	903	VP220-W	10 946	1 255	1 009
270 x 160,5	250 x 140,5	113	21	VR250-W	11 232	1 288	1 035	VP250-W	12 427	1 425	1 145
295 x 174,5	275 x 154,5	124	23	VR275-W	11 813	1 355	1 089	VP275-W	14 366	1 647	1 324
320 x 189	300 x 169	135	25	VR300-W	12 378	1 419	1 141	VP300-W	15 725	1 803	1 449
370 x 217	350 x 197	158	30	VR350-W	13 407	1 538	1 236	VP350-W	17 090	1 960	1 575
420 x 245	400 x 225	181	34	VR400-W	17 494	2 006	1 612	-	-	-	-
2.35:1 Format											
180 x 88	160 x 68	68	13	VR160-C	kr 7 177	€ 823	£ 661	VP160-C	kr 8 302	€ 952	£ 765
200 x 96,5	180 x 76,5	77	15	VR180-C	7 764	890	716	VP180-C	8 968	1 028	827
220 x 105	200 x 85	85	16	VR200-C	8 365	959	771	VP200-C	9 629	1 104	887
240 x 113,5	220 x 93,5	94	18	VR220-C	9 799	1 124	903	VP220-C	10 946	1 255	1 009
270 x 126,5	250 x 106,5	107	21	VR250-C	11 232	1 288	1 035	VP250-C	12 427	1 425	1 145
295 x 137	275 x 117	117	23	VR275-C	11 813	1 355	1 089	VP275-C	14 366	1 647	1 324
320 x 147,5	300 x 127,5	128	25	VR300-C	12 378	1 419	1 141	VP300-C	15 725	1 803	1 449
370 x 169	350 x 149	149	30	VR350-C	13 407	1 538	1 236	VP350-C	17 090	1 960	1 575
420 x 190	400 x 170	170	34	VR400-C	17 494	2 006	1 612	VP400-C	20 180	2 314	1 860

Sizes ≥ 300cm width includes additional frame stagls.

FRAME VISION with Vel-Tex




Vel-Tex®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Provides a luxurious impression and cuts reflection from surroundings lights. Incorrect adjustment is visually absorbed.

Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 2.1				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
180 x 140	160 x 120	79	15	VD160-V	kr 6 719	€ 771	£ 619	VSD160-V	kr 9 346	€ 1 072	£ 861
200 x 155	180 x 135	89	17	VD180-V	7 066	810	651	VSD180-V	10 018	1 149	923
220 x 170	200 x 150	98	19	VD200-V	7 380	846	680	VSD200-V	10 673	1 224	984
240 x 185	220 x 165	108	20	VD220-V	8 377	961	772	VSD220-V	11 989	1 375	1 105
270 x 210	250 x 190	123	24	VD250-V	9 362	1 074	863	VSD250-V	13 476	1 545	1 242
295 x 226	275 x 206	135	25	VD275-V	10 987	1 260	1 013	VSD275-V	15 416	1 768	1 421
320 x 245	300 x 225	148	28	VD300-V	11 856	1 360	1 093	-	-	-	-
370 x 282,5	350 x 262,5	172	32	VD350-V	13 252	1 520	1 221	-	-	-	-
405 X 309	385 x 289	190	36	VD400-V	14 670	1 682	1 352	-	-	-	-
16:10 Format											
180 x 120	160 x 100	74	13	VD160-D	kr 6 719	€ 771	£ 619	VSD160-D	kr 9 346	€ 1 072	£ 861
200 x 132,5	180 x 112,5	84	15	VD180-D	7 066	810	651	VSD180-D	10 018	1 149	923
220 x 145	200 x 125	93	16	VD200-D	7 380	846	680	VSD200-D	10 673	1 224	984
240 x 157,5	220 x 137,5	102	18	VD220-D	8 377	961	772	VSD220-D	11 989	1 375	1 105
270 x 176	250 x 156	116	21	VD250-D	9 362	1 074	863	VSD250-D	13 476	1 545	1 242
295 x 192	275 x 172	128	23	VD275-D	10 987	1 260	1 013	VSD275-D	15 416	1 768	1 421
320 x 207,5	300 x 187,5	139	25	VD300-D	11 856	1 360	1 093	VSD300-D	16 775	1 924	1 546
370 x 239	350 x 219	163	30	VD350-D	13 252	1 520	1 221	-	-	-	-
420 x 270	400 x 250	179	34	VD400-D	14 670	1 682	1 352	-	-	-	-
16:9 Format											
180 x 110	160 x 90	72	13	VD160-W	kr 6 719	€ 771	£ 619	VSD160-W	kr 9 346	€ 1 072	£ 861
200 x 121	180 x 101	81	15	VD180-W	7 066	810	651	VSD180-W	10 018	1 149	923
220 x 132,5	200 x 112,5	90	16	VD200-W	7 380	846	680	VSD200-W	10 673	1 224	984
240 x 143,5	220 x 123,5	99	18	VD220-W	8 377	961	772	VSD220-W	11 989	1 375	1 105
270 x 160,5	250 x 140,5	113	21	VD250-W	9 362	1 074	863	VSD250-W	13 476	1 545	1 242
295 x 174,5	275 x 154,5	124	23	VD275-W	10 987	1 260	1 013	VSD275-W	15 416	1 768	1 421
320 x 189	300 x 169	135	25	VD300-W	11 856	1 360	1 093	VSD300-W	16 775	1 924	1 546
370 x 217	350 x 197	158	30	VD350-W	13 252	1 520	1 221	VSD350-W	18 139	2 080	1 672
420 x 245	400 x 225	181	34	VD400-W	14 670	1 682	1 352	-	-	-	-
2.35:1 Format											
180 x 88	160 x 68	68	13	VD160-C	kr 6 719	€ 771	£ 619	VSD160-C	kr 9 346	€ 1 072	£ 861
200 x 96,5	180 x 76,5	77	15	VD180-C	7 066	810	651	VSD180-C	10 018	1 149	923
220 x 105	200 x 85	85	16	VD200-C	7 380	846	680	VSD200-C	10 673	1 224	984
240 x 113,5	220 x 93,5	94	18	VD220-C	8 377	961	772	VSD220-C	11 989	1 375	1 105
270 x 126,5	250 x 106,5	107	21	VD250-C	9 362	1 074	863	VSD250-C	13 476	1 545	1 242
295 x 137	275 x 117	117	23	VD275-C	10 987	1 260	1 013	VSD275-C	15 416	1 768	1 421
320 x 147,5	300 x 127,5	128	25	VD300-C	11 856	1 360	1 093	VSD300-C	16 775	1 924	1 546
370 x 169	350 x 149	149	30	VD350-C	13 252	1 520	1 221	VSD350-C	18 139	2 080	1 672
420 x 190	400 x 170	170	34	VD400-C	14 670	1 682	1 352	VSD400-C	21 235	2 435	1 957

Sizes ≥ 300cm width includes additional frame stag/s.



FRAME VISION with Vel-Tex


Vel-Tex®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Provides a luxurious impression and cuts reflection from surroundings lights. Incorrect adjustment is visually absorbed.

Total Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			FLEXPERF				
				Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format											
180 x 140	160 x 120	79	15	VRD160-V	kr 8 211	€ 942	£ 757	-	-	-	-
200 x 155	180 x 135	89	17	VRD180-V	8 585	984	791	-	-	-	-
220 x 170	200 x 150	98	19	VRD200-V	9 395	1 077	866	-	-	-	-
240 x 185	220 x 165	108	20	VRD220-V	10 833	1 242	998	-	-	-	-
270 x 210	250 x 190	123	24	VRD250-V	12 262	1 406	1 130	-	-	-	-
295 x 226	275 x 206	135	25	VRD275-V	12 842	1 473	1 184	-	-	-	-
320 x 245	300 x 225	148	28	VRD300-V	13 407	1 538	1 236	-	-	-	-
16:10 Format											
180 x 120	160 x 100	74	13	VRD160-D	kr 8 211	€ 942	£ 757	-	-	-	-
200 x 132,5	180 x 112,5	84	15	VRD180-D	8 585	984	791	-	-	-	-
220 x 145	200 x 125	93	16	VRD200-D	9 395	1 077	866	-	-	-	-
240 x 157,5	220 x 137,5	102	18	VRD220-D	10 833	1 242	998	-	-	-	-
270 x 176	250 x 156	116	21	VRD250-D	12 262	1 406	1 130	-	-	-	-
295 x 196	275 x 172	128	23	VRD275-D	12 842	1 473	1 184	-	-	-	-
320 x 207,5	300 x 187,5	139	25	VRD300-D	13 407	1 538	1 236	-	-	-	-
16:9 Format											
180 x 110	160 x 90	72	13	VRD160-W	kr 8 211	€ 942	£ 757	VPD160-W	kr 9 346	€ 1 072	£ 861
200 x 121	180 x 101	81	15	VRD180-W	8 585	984	791	VPD180-W	10 018	1 149	923
220 x 132,5	200 x 112,5	90	16	VRD200-W	9 395	1 077	866	VPD200-W	10 673	1 224	984
240 x 143,5	220 x 123,5	99	18	VRD220-W	10 833	1 242	998	VPD220-W	11 989	1 375	1 105
270 x 160,5	250 x 140,5	113	21	VRD250-W	12 262	1 406	1 130	VPD250-W	13 476	1 545	1 242
295 x 174,5	275 x 154,5	124	23	VRD275-W	12 842	1 473	1 184	VPD275-W	15 416	1 768	1 421
320 x 189	300 x 169	135	25	VRD300-W	13 407	1 538	1 236	VPD300-W	16 775	1 924	1 546
370 x 217	350 x 197	158	30	VRD350-W	18 112	2 077	1 669	VPD350-W	18 139	2 080	1 672
420 x 245	400 x 225	181	34	VRD400-W	18 528	2 125	1 708	-	-	-	-
2.35:1 Format											
180 x 88	160 x 68	68	13	VRD160-C	kr 8 211	€ 942	£ 757	VPD160-C	kr 9 346	€ 1 072	£ 861
200 x 96,5	180 x 76,5	77	15	VRD180-C	8 585	984	791	VPD180-C	10 018	1 149	923
220 x 105	200 x 85	85	16	VRD200-C	9 395	1 077	866	VPD200-C	10 673	1 224	984
240 x 113,5	220 x 93,5	94	18	VRD220-C	10 833	1 242	998	VPD220-C	11 989	1 375	1 105
270 x 126,5	250 x 106,5	107	21	VRD250-C	12 262	1 406	1 130	VPD250-C	13 476	1 545	1 242
295 x 137	275 x 117	117	23	VRD275-C	12 842	1 473	1 184	VPD275-C	15 416	1 768	1 421
320 x 147,5	300 x 127,5	128	25	VRD300-C	13 407	1 538	1 236	VPD300-C	16 775	1 924	1 546
370 x 169	350 x 149	149	30	VRD350-C	18 112	2 077	1 669	VPD350-C	18 139	2 080	1 672
420 x 190	400 x 170	170	34	VRD400-C	18 528	2 125	1 708	VPD400-C	21 235	2 435	1 957

Sizes ≥ 300cm width includes additional frame stag/s.

DIFFUSION SCREENS




Diffusion screens are an excellent choice for rear projection installations and especially suitable for window displays or indoor usage in controlled lighting areas. With a rear projection solution, there is no need to have the actual valuable product on display but instead commercial movies and multimedia experiences can be displayed on the screen to attract the viewer. The diffusion screen is an acrylic rigid surface which provides an attractive mix of light output and contrast.

DIFFUSION CONTRAST


- » Acrylic rigid surface for rear projection
- » Attractive mix of light output and contrast
- » Gain 2.2
- » Delivered with standard frame, wire and brackets for mount
- » Other screen sizes available upon request

DIFFUSION WHITE


- » Acrylic rigid surface for rear projection
- » Extremely high gain 8.0
- » Viewing cone 120°
- » Optimized for window display
- » Delivered with standard frame, wire and brackets for mount
- » Other screen sizes available upon request



Suitable for window displays or indoor usage.



Screen Size W x H (cm)	Diag. /Inch (")	Wt (kg)	DIFFUSION CONTRAST				DIFFUSION WHITE			
			Part No.	SEK	EUR	GBP	Part No.	SEK	EUR	GBP
4:3 Format							4:3 Format			
100 x 75	49	3	DIFF49-V	kr 10 417	€ 1 195	£ 960	DIW49-V	kr 11 429	€ 1 311	£ 1 053
133,3 x 100	65	5	DIFF65-V	13 306	1 526	1 226	DIW65-V	14 579	1 672	1 344
152 x 114	75	6	DIFF75-V	15 166	1 739	1 398	DIW75-V	16 599	1 904	1 530
195 x 146	96	10	DIFF96-V	23 004	2 638	2 120	DIW96-V	25 279	2 899	2 330
225 x 169	111	14	DIFF111-V	34 044	3 904	3 138	-	-	-	-
265 x 199	130	19	DIFF130-V	42 139	4 832	3 884	-	-	-	-
16:9 Format										
100 x 56	45	2	DIFF45-W	kr 9 874	€ 1 132	£ 910				
133,3 x 75	60	4	DIFF60-W	11 889	1 363	1 096				
152 x 87	70	5	DIFF70-W	16 211	1 859	1 494				
195 x 110	88	8	DIFF88-W	20 531	2 355	1 892				
225 x 127	102	10	DIFF102-W	28 253	3 240	2 604				
300 x 169	135	18	DIFF135-W	42 282	4 849	3 897				



CONNECT FLOOR

The portable Connect Floor is one of the best-selling Euroscreen® products and is a favourite with many customers. Compared to other portable screens the Connect Floor is sturdier, often more practical, and contains fewer parts than a tripod screen. The steel cassette rests steadily on the floor supported by a “foot” and provides an available viewing area from the cassette to the top of the raised viewing surface. The model is very easy to set up, light-weight and integrated handle makes it easy to carry along. Connect Floor is also perfect to display custom printed messages for a large audience.

- » Mobile projection screen suitable for presentations on the road
- » Perfect screen model to display custom printed messages
- » Light-weight steel case in white finish
- » Easy to set up
- » Very slim when not in use
- » Case size (W x H): 110 x 130 mm
- » Case length: screen width + 72 mm
- » Padded protective carrying case available



The light-weight Connect Floor is easy to store away when not in use.



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	ARCTIQ			
				Part No.	SEK	EUR	GBP
W x H (cm)	W x H (cm)	(")					
1:1 Format							
125 x 180	125 x 180	86	7	CFW125	kr 1 699	€ 195	£ 157
150 x 210	150 x 210	102	7	CFW150	1 844	211	170
160 x 210	160 x 210	104	8	CFW160	1 897	218	175
180 x 210	180 x 210	109	10	CFW180	2 020	232	186
200 x 210	200 x 210	114	11	CFW200	2 243	257	207
4:3 Format							
125 x 180	115 x 86	57	7	CFW125-V	kr 2 030	€ 233	£ 187
150 x 210	140 x 105	59	7	CFW150-V	2 174	249	200
160 x 210	150 x 112,5	74	8	CFW160-V	2 228	255	205
180 x 210	170 x 127,5	84	10	CFW180-V	2 350	269	217
200 x 210	190 x 142,5	94	11	CFW200-V	2 574	295	237
16:10 Format							
125 x 180	115 x 72	53	7	CFW125-D	kr 2 030	€ 233	£ 187
150 x 210	140 x 87,5	65	7	CFW150-D	2 174	249	200
160 x 210	150 x 94	70	8	CFW160-D	2 228	255	205
180 x 210	170 x 106	79	10	CFW180-D	2 350	269	217
200 x 210	190 x 119	88	11	CFW200-D	2 574	295	237


CARRYING CASE

- » Protective padded black carrying case
- » Supplied with zipper and handle
- » Suitable for Euroscreen® Connect Floor



Carrying case for screen model:	Part No.	SEK	EUR	GBP
CFW125	540 000	kr 442	€ 51	£ 41
CFW150	540 001	491	56	45
CFW160/CFW180	540 002	534	61	49
CFW200	540 003	575	66	53

AV CABINET



Store all valuable AV equipment safely in this high quality Euroscreen® AV Cabinet in stylish Scandinavian design. The AV cabinet has three shelves; the two bottom ones have adjustable heights. The cabinet is equipped with two solid lockable doors, both front and back for easy installation access. Other features are integrated cable management for ease of installation and a clean appearance, two sturdy cable-tidies to wrap cables around, and large ventilation grills to keep the inside cool.


- » Store all your AV equipment in one place
- » Designed for ease of use, blends in well in most modern environments
- » 3 shelves: the two bottom ones have adjustable heights
- » Top shelf slides out up to 26 cm
- » Two solid lockable doors front and back
- » Integrated cable management throughout cabinet for ease of installation
- » Two sturdy cable-tidies to wrap cables around
- » Ventilation grills assist airflow to cool equipment inside
- » Other finishes available upon request
- » Overall size (W x L x H): 55 x 60 x 91 cm
- » Optional 19" rack available



Optional 19" rack for a secure storage of all electrical equipment.

	Wt (kg)	Part No.	SEK	EUR	GBP
AV Cabinet, Beech	42	962 100	kr 6 011	€ 689	£ 554
AV Cabinet, Grey	42	962 101	6 011	689	554
AV Cabinet, Birch	42	962 102	6 613	758	609
AV Cabinet, White	42	962 103	6 613	758	609
19" rack, pair	1,5	930 210	kr 309	€ 35	£ 28





LECTERN TOP for AV Cabinet

Transform the AV cabinet in just a few seconds to a professional lectern with the clever solution of a Lectern Top. The light weight top is easy to place onto the cabinet and no mounting is required. For ease of installation the Lectern Top has an integrated cable management throughout the unit which provides the opportunity to place a computer either on the very top or out of sight in the void below.

As an extra professional detail and appreciated feature a “mini screen” can be ordered to complete the AV unit. The mini screen is a perfect choice for company logos or message exposure in 4-colour print, and at the same time hide ventilation grills and cable-tidies from the audience.

Lectern Top

- » Mobile lectern top for a flexible use of the AV Cabinet
- » Robust and stable top
- » No mounting is needed - just lift top on/off the AV Cabinet
- » Integrated cable management for ability to place laptop on top area
- » Fold down top board for support of notes or hiding of objects
- » Total size (W x H x D): 57 x 66 x 17 cm

Mini Screen

- » Perfect for logo or message exposure
- » Hides ventilation grills and cable-tidies
- » 4-colour print
- » Printing area (W x H): 51 x 80 cm



Fold down top board for support of notes or hiding of objects.

	Wt (kg)	Part No.	SEK	EUR	GBP
Lectern top for AV Cabinet, Beech	10	962 110	kr 1 529	€ 175	£ 141
Lectern top for AV Cabinet, Grey	10	962 111	1 529	175	141
Lectern top for AV Cabinet, Birch	10	962 112	1 684	193	155
Lectern top for AV Cabinet, White	10	962 113	1 684	193	155
Mini Screen (incl. layout + print)		962 200	kr 1 092	€ 125	£ 101



ABOUT



Euroscreen® stands for high quality and customised AV products manufactured in Sweden. Within the brand you find a large choice of products with the heart set on complete solutions of projection screens in public environments, business areas and home installations. We fine-tune our products to fit your needs, while maintaining short lead times, high quality and competitive prices.

Euroscreen® products are developed and manufactured by Draper Europe AB. Our aim is serve you in the best way possible. If you have any questions or just want to share your views with us, please feel free to contact us.

Euroscreen® offices with sales representatives are located in:

- » Halmstad, Sweden
- » Stockholm, Sweden
- » Haarlem, the Netherlands
- » Corby, United Kingdom
- » Spiceland, IN, USA

Contact

Products within the trademark Euroscreen® are manufactured and/or distributed by Draper Europe AB.

Draper Europe AB	Tel: +46 35 14 42 90
Västervallvägen 6	Fax: +46 35 14 42 91
SE-302 41 Halmstad	info@drapereurope.se
Sweden	www.drapereurope.se

TERMS OF SALE

Ordering and delivery

Orders in writing, by fax or by e-mail are accepted and deliveries are made Ex Works, Draper Europe AB, Halmstad, Sweden, in accordance with Incoterms® 2010.

Price

All invoices are based on the current price list of Draper Europe AB in SEK, EUR or GBP currency. The prices are Ex Works, Draper Europe AB, Halmstad, Sweden, in accordance with Incoterms® 2010, and does not include export packaging. The prices are excluding VAT.

Payment

Prepayment or confirmed irrevocable letter of credit as indicated by Draper Europe AB unless otherwise agreed. All payments are to be made without deduction and with all charges paid.

Swift: DABASESX; Danske Bank Sverige
SEK: Iban 12000000012091601810
Account 1209-16-01810
EURO: Iban SE1912000000012093601206
Account 1209-36-01206

Danske Bank, Sweden Branch
P.O. Box 7523
SE-103 92 Stockholm

VAT number: SE556630280701

Should payment not be effected in accordance with terms of the payment, interest according to the Swedish Law of Interest shall be charged for delays.

Delivery

Delivery will be made within approximately 14 days after receipt of order and payment or approved L/C.

Freight damage

All deliveries should be inspected immediately upon receipt. It is always the recipient's responsibility to file a freight claim within 7 days upon receipt of goods.

Warranty

All products are warranted for two years against defects in material and workmanship in accordance with Draper Europe AB's special warranty conditions.

Returns

In case of any returns, the customer must contact Draper Europe AB before returning any products. Note that we do not accept returns from third party dealers or the end user. Products may be returned only by the original dealer after contacting Draper Europe AB.

Electric Projection Screens	Page
» Access electric	38
» Access Tab Tension	41
» BlackLine electric	31
» BlackLine w./ Quiet Motor	33
» BlackLine Tab Tension	34
» BlackLine Tab Tension w./ Quiet Motor ...	35
» Connect electric	36
» Diplomat electric	25
» Diplomat w./ Quiet Motor	28
» Diplomat Tab Tension	29
» Diplomat Tab Tension w./ Quiet Motor ...	30
» Diplomat XL	43
» Linea	22
» Linea Tab Tension	24
» LODO	45
» Royal	44
» Sesame 2.1	18
» Sesame 2.1 Tab Tension	21
» Thor	12
» Thor Tab Tension	16

Manual Projection Screens

» BlackLine manual	52
» Connect manual	54
» Diplomat manual	49
» Diplomat Soft&Quiet	51
» Excello 2000	55

Fixed Frame Screens	Page
» Frame Vision	61
» Frame Vision w./ Vel-Tex®	64
» Frame Vision Light	56
» Frame Vision Light w./ Vel-Tex®	59

Portable Projection Screens

» Carrying Case	67
» Connect Floor	67

AV Furniture

» AV Cabinet	68
» Lectern Top for AV Cabinet	69

Screen Surfaces

» Arctiq	8
» Astranova	8
» FlexPerf	9
» FlexRear	9
» FlexWhite	9
» GreyLight	8
» ReAct 2.1	9
» Xpert	8

Custom Graphic Prints	6
------------------------------------	----------

Diffusion Screens	66
--------------------------------	-----------

Screen Accessories	46
---------------------------------	-----------

