

PRICE BOOK



euroscreen®

Business – Education – Home Entertainment

Contents

Screen Selection	4
Custom Graphic Prints	6
Screen Surfaces	7
Frequently Asked Questions	10

ELECTRIC PROJECTION SCREENS

Thor	12
Sesame 2.1	18
Linea	22
Diplomat electric	25
Diplomat XL	31
BlackLine electric	32
Connect electric	37
Access	39
Royal	44
LODO	45

MANUAL PROJECTION SCREENS

Diplomat manual	46
BlackLine manual	49
Connect manual	51
Excello 2000	52


FIXED FRAME SCREENS

Frame Vision Light	53
Frame Vision	58

PORTABLE CONNECT FLOOR

ACCESSORIES

Control Box & Screen Accessories	64
AV Cabinet	67
Lectern Top for AV Cabinet	68
About	69
Terms of Sale	70
Index	71



REACT 3.0 NEW!

Coloured slightly darker than its predecessor, ReAct 3.0 is Full HD and 4K compatible, and the flexible fabric ensures an excellent, flat viewing surface for fixed frame and Tab Tension screens. With a gain of 1.0 and a viewing area of 76°, ReAct 3.0 offers universal benefits, and is an excellent choice for many AV installations.

THOR UPDATED!

The Thor motorised projection screen ranges from 250 cm and up in width and comes equipped with several popular features; an integrated multifunctional Euroscreen® Control Box, an adjustable inner bracket for easy levelling of the screen, and stylish aluminium case. Read more on pages 12-17.



TECHNICAL INFO

More detailed information and updated technical data sheets are always available on our website www.euroscreens.se



PORTABLE TRIPODS

Are you in search for tripod projection screens? Let us help you with that! Though not in our standard range, contact our sales office and find out what we can offer.



PROJECTOR LIFTS

We offer you projector lifts to go with your projection screen. We have a selection of different types of models; scissor lifts, ceiling concealed, and mirror based. Contact our sales office for more detailed information.



Not only does Euroscreen® offer a broad range of projection screens in standard sizes with high quality and clever designs. In addition, custom made projection screens are our signature. Choose custom height, width, screen surface, or even custom printed graphics for unparalleled options in selecting your projection screens.

Screen Size

One of the most important decisions in projection screen selection is determining the size of screen based upon the dimensions of the audience area.

WIDTH

The general rule to be applied is that the screen should be of a width that is $\frac{2}{3}$ the distance between the screen itself and the front row of the audience. To put it in another way, the closest people should be placed at a distance of what is 1.5 times the width of the screen. If the audience

is large in number the rule is that the screen width should be the total distance divided by five.


VIEWING HEIGHT

The bottom of the screen should be approximately 100-120 cm above the floor in a room with a level floor and several rows of seats. In rooms with theatre seating or only one or two rows, such as a home theatre, the bottom of the screen should usually be 60-90 cm above the floor. Try to make sure that the lower part of the screen will be visible from all seats. Extra

drop may be required to position the screen at a comfortable viewing level in a room with a high ceiling.

HEIGHT

Screen height is generally determined by the width of the screen and the projection formats to be used. The height should not be exaggerated, but correctly estimated. Extra unused screen surface can cause issues with the screens mechanism and surface flatness, which will not fall under any manufacture faults clause.



DOES IT REALLY MATTER?

Each Euroscreen® screen leaving our factory is crafted and mechanically optimized for the given settings during the time of the order. Therefore, we cannot stress enough how important it is to order the correct screen size and projection format from the beginning. This is even more crucial when it comes to Tab Tension models. To make sure we deliver the

flattest screen surface possible, the screen limits are individually set on each roller screen and optimized for usage with full height stretched. With pre-set screen limits end-customers should not find it necessary to tamper mechanically with the limits. If screen limits are tampered with anyway this will not fall under any manufacture faults clause.



Audience area




The audience area can help you identify what type of projection screen is right for your unique installation.

In determining the correct screen size in relation to the audience area, the goal is to make the screen large enough so those in the rear of the audience area can read the subject matter easily, but not so large that those in the front of the audience area have a problem seeing the full width of the projected image. Euroscreen® has a wide range of products and offers the following projection screen types:

- Roller projection screens, manual or electric where the latter is most popular, and Tab Tension, for installation either in the ceiling or the wall

- Fixed frame screens for a permanent installation on wall

- Portable projection screens for installations that will be transported, or built up and taken down frequently



Part No. -V

Part No. -D

Part No. -W

Part No. -C

PROJECTION FORMAT

Once you have determined the correct size of screen for the audience area, that size may be modified based on the type(s) of projection equipment to be used. If the screen will only be used with one type of projector,

it is easy to determine exact screen dimensions based on the projection format of that projector. Projection formats are expressed in terms of aspect ratio, which is the relationship of the width of the projected image

to its height. Euroscreen® also offers several projection screen models in Nordic projection format, where the format is taller than it's wide.

PROJECTOR PERFORMANCE

The projector's performance is also a highly significant factor to consider when determining what type of screen and screen surface should be used. For a Full HD or a Short Throw projector it is extremely important with a perfectly flat viewing area in order for it to perform as intended. Therefore these high technology projectors are used with a fixed frame screens with a permanently tensioned viewing surface, or Tab Tension screens where the adjustable tensioning system provides a flat surface.



Custom graphic prints

We print logos, backgrounds or promotional messages onto the screen surface!

No matter if it's a manual, electric or portable projection screen, the details of the print will be at the focal point of the audience's attention. Both the Diplomat

electric and manual screens, and the Connect Floor model, are suitable for graphic prints. Standard surface used is our matt white Arctiq. We also offer the environmentally friendly surface Xpert for graphic prints for Diplomat.

- Maximum exposure of message and or logo
- Electric, manual or portable screen
- Xpert screen surface available 4-colour print
- Layout included in print charge
- Preferred format for logo/artwork: eps

	SEK	EUR
Printing charge for custom print, incl. layout	kr 1 568	€ 180



Dried up on ideas? No worries, we can help you with the artwork!

Screen surfaces

The projector makes the image, but it is the screen surface that shows it. We can not stress enough how important it is to have the correct screen surface in every unique application for you to get the best and most out of your money.

Your selection of screen surfaces is essentially based on what type of projection screen you have concluded would be the best option for your application. Please note that in general, projection screen surfaces are sensitive to heat and are not suitable as black-out, or sun protection. Do not install the projection screen close to heat sources like radiators, amplifiers or turned on TV-sets.

Basically there are two types of screen surfaces: the unsupported vinyl which is characterised by its flexible qualities, and the textile backed with its reflective front surface laminated to a woven textile base.

The tensioned unsupported vinyl screen surfaces, whether for front or rear projection, need to be correctly tensioned to achieve sufficient flatness for optimal performance. These

surfaces are used on fixed frame and Tab Tension screens, which provide the necessary support.

The non-tensioned textile backed screen surfaces are used on spring-roller operated and motorized projection screens. The screen hangs flat by virtue of the dimensional stability of the material and the weight of the dowel in the bottom of the screen. As a general rule, a white screen surface is used when most of the surrounding lights can be blocked out. The white areas of the projected image are shown as truly white, and the colours are authentically reflected on the screen surface.

However, in many cases blocking out all surrounding light is a difficult (if not impossible) task, and therefore a grey screen surface might be a better choice. A grey screen surface

enhances the darker image areas even when ambient light sources tend to make it brighter, and a better contrast between colours and black/white is perceived. Euroscreen® ReAct 3.0 is the superior high contrast surface and is an outstanding choice for projection in ambient or even brightly lit environments. ReAct 3.0 is a tensioned screen surface and available in fixed frame and Tab Tension screens. It is suitable for installations such as home theatres and business applications.



SCREEN MODEL - SCREEN SURFACE CHART

	NON-TENSIONED SURFACES				TENSIONED SURFACES			
	XPERT	ARCTIQ	GREYLIGHT	ASTRANOVA	FLEXPERF	REACT 3.0	FLEXWHITE	FLEXREAR
Thor	•	•					•	
Sesame 2.1	•	•	•			•	•	•
Linea	•							
Diplomat	•	•	•					
BlackLine	•	•	•					
Connect		•						
Access	•	•					•	
Diplomat XL		•					•	
Royal				•				
Connect Floor		•	•					
Do-It-Yourself		•	•					
Thor								
Thor Tab Tension						•	•	•
Sesame 2.1 Tab Tension					•	•	•	•
Linea Tab Tension					•	•	•	•
Diplomat Tab Tension					•	•	•	•
BlackLine Tab Tension					•	•	•	•
Access							•	
Access Tab Tension					•	•	•	•
Diplomat XL							•	
Frame Vision Light					•	•	•	•
Frame Vision					•	•	•	•
Do-It-Yourself							•	•

SCREEN SURFACES Non-tensioned



XPERT

Euroscreen® Xpert surface is 100% PVC free, and is manufactured without using hazardous substances. While it is a more environmentally friendly viewing surface, Xpert does not sacrifice quality and effectiveness. Xpert provides excellent viewing flatness and colour rendition (colour temp. 6430 K). It is supplied with a white black-out backing for superior blocking of incoming light from behind. Gain 1.0. Flame retardancy B1.



ARCTIQ

Euroscreen's standard matt white surface has got fibreglass support and is black-backed. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0. Requires control of ambient light in the audience area. Suitable for "wear & tear" installations, such as restaurants and pubs. Washable. Flame and mildew resistant.



GREYLIGHT

Matt light grey front projection surface, fibreglass supported and black-backed. It diffuses projected light in all directions, so the image can be seen from any angle. Performs well in ambient light condition. Gain 0.75. Same base construction as Arctiq, with the same toughness against "wear & tear". Washable. Flame and mildew resistant.



ASTRANOVA

A white, black-backed front projection surface. For use with some of Euroscreen's larger projection screens. Thickness 0.57 mm. Provides a flat viewing surface. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0.



GREENGUARD Children and SchoolsSM certified, meeting the strictest standards and contribute to healthier indoor air quality for school age children.



REACH controls the registration, evaluation, authorisation and limitation of chemicals. All Euroscreen® screen surfaces are approved by the REACH regulation.



European Chemicals Agency (ECHA) gathers information on chemical substances. All Euroscreen® projection screens are printed with colours approved by ECHA.

SCREEN SURFACES Tensioned



REACT 3.0

Euroscreen® happily introduces the 3.0 version of ReAct. ReAct is a superior screen surface that presents an excellent viewing experience even with bright light in the audience area. The structure and finish of the silver grey material boost colour contrast and black levels in the projected image (colour temp. 6508 K). ReAct 3.0 ensures an excellent flat viewing surface. Full HD and 4K compliant. Gain 1.0.



FLEXWHITE

Pliable matt white surface which provides excellent flat viewing area and superb colour rendition (colour temp. 6565 K). Full HD compliant. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0.



The black-backed FlexWhite M1 presents same high quality features, and in addition to its M1 fire resistant rating it also allows less light to pass through from behind the screen.




FLEXPERF

The new FlexPerf surface is a vinyl reflective fabric with microscopic perforations which create a sound transparent projection surface. Home theatre enthusiasts find a new best friend in the FlexPerf surface since speakers can be placed behind the screen without any compromising with the audio quality. The picture quality isn't compromised with either, since FlexPerf's white front projection surface provides a complete viewing experience with full contrast and accurate colour rendition. Gain 0.8.



FLEXREAR

Neutral grey rear projection diffusing surface allows placement of projector behind the screen. FlexRear provides high resolution and excellent contrast even in ambient light. Gain 2.5.



DO IT YOURSELF

Euroscreen® gives you the opportunity to do-it-yourself, by getting the screen fabric only! The fabric is cut to desired size and delivered on a roll. See chart on page 7 for surfaces available as Do-It-Yourself.



Please note! Unsupported vinyl screen surfaces are extra sensitive to heat and are not suitable as black-out, or sun protection. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets.

Frequently Asked Questions

WHERE CAN I BUY A EUROSCREEN® PRODUCT?

Euroscreen® products are only sold by qualified AV dealers. Contact our sales office to find your closest dealer (see the last page of this catalogue for contact information).

ARE EUROSCREEN® PRODUCTS KEPT IN STOCK?

Euroscreen® products are manufactured only by orders. The normal lead time is 1-2 weeks.

ARE EUROSCREEN® PRODUCTS CE APPROVED?

Yes.

ARE THE SCREEN LIMITS SET IN THE FACTORY?

Yes, please note that the projection screen is set at its outer limits when delivered. Incorrect adjustment of the screen limits may damage the product and eliminate the warranty. Make sure to always order correct screen size for each specific installation to avoid tampering with the screen limits afterwards and therefore jeopardise the functionality of the screen.

ON WHICH SIDE ARE THE MOTOR AND CABLE ATTACHED ON PROJECTION SCREENS?

By default, the motor and cable are mounted on the left side of Euroscreen® projection screens. Sesame 2.1 is an exception, where motor and cable are mounted on the right side (facing the front of the screen).

I NEED A PROJECTOR LIFT – CAN YOU HELP?

We have a selection of different types of projector lift models; scissor lifts, ceiling concealed and mirror based. Contact our sales office for more information.

WHAT IS A TAB TENSION SCREEN?

A projection screen type that has connections on all sides of the screen material, which pull it taut in order to achieve a flat screen surface. Please note that the surfaces used in Tab Tension screens are sensitive to heat and are not suitable as black-out, or sun protection. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets.

WHAT IS GAIN?

As it applies to projectors, gain is the measurement of a projection screen's light reflectance with unity gain being one. A high gain screen will reflect more light along a narrower path than lower gain screen. Screen gains under one use a grey screen to absorb ambient light to help maintain contrast ratios.

HOW DO I MAINTAIN AND CLEAN A PROJECTION SCREEN?

To protect the screen when not in use, store it in the fully retracted position. Do not install the screen close to a heat sources like radiators, amplifiers or turned on TV-sets. To clean the screen surface, carefully use only neutral cleaning such as water and soap. Stains like paint or ink might be impossible to remove, but contact sales office should you need advice. Projection screens are generally not suitable as black-out or sun protection, contact sales office for more information about window shades.

DO EUROSCREEN® PRODUCTS HAVE ANY WARRANTY?

Euroscreen® products are covered by 2 year warranty from invoice date. The warranty is valid for any damage caused by wrong manufacturing. Please note that any incorrect tampering with the screen limit may discontinue the warranty of the product. The warranty does not cover any damages for transport; please contact the company responsible for the transportation.

WHERE SHOULD I TO TURN TO WITH ANY COMPLAINT?

Any complaints are directed to the dealer where you made your purchase. We reserve the right to check a returned product before replacing it.



Icons



MADE IN SWEDEN

Products with this symbol are designed and manufactured in Sweden.



QUIET MOTOR - ELECTRIC

Optional professional feature for electric screens that are equipped with high quality tubular Quiet Motor which reduces the motor noise by approx. 20%. It makes a huge difference compared to standard motors.

SOFT&QUIET - MANUAL

A feature that retracts the surface slowly and smoothly into the case, slowing down even more as it approaches its upper limit. Prevents potential damages to the screen/screen surface through repeated impact with the case.



PORTABLE

PORTABLE

The screen is portable and no permanent installation is needed.



INSTALLATION

The screen is supplied with a hard wire cable only and the screen needs to be installed by an authorized installer.



PLUG N' PLAY

The product is available with Plug n' Play function; quick and easy installation where no authorized electrician is needed.



WALL or CEILING

WALL/CEILING INSTALLATION

The symbol indicates the installation required for the screen model.



CEILING

The products are installed on the wall, on the ceiling or on either wall or ceiling.



WALL



1:1 SQUARE

Height > width. Extra height gives additional flexibility, often suitable for educational applications. No black borders.




1:1 SQUARE

The projection width and height is in the aspect ratio of 1:1. No black borders.




4:3 VIDEO

The projection width and height is in the aspect ratio of 4:3. A part number followed by "-V" indicates the screen has black borders.



16:10 DATA

The projection width and height is in the aspect ratio of 16:10. Often suitable for business projectors. A part number followed by "-D" indicates the screen has black borders.



16:9 WIDE

The projection width and height is in the aspect ratio of 16:9, a commonly used format in movies. A part number followed by "-W" indicates the screen has black borders.



2.35:1 CINEMASCOPE

The projection width and height is in the aspect ratio of 2.35:1. Often suitable for home cinema applications. A part number followed by "-C" indicates the screen has black borders.

THOR

PATENT
PENDING



Inspired by the powerful Norse gods who had their home based at Valhalla, the Euroscreen® Valhalla is an exciting projection screen development project.

The idea of a completely new series of projection screen models was developed to fill a gap. The Euroscreen® line lacked screen sizes in the 300-400 cm width range. After more than a year's work, and countless hours of design and engineering, we proudly present Thor: the first projection screen released within this project.

The Euroscreen® Thor gets the name from the hammer-wielding god associated with thunder, lightning and strength in the Norse mythology.



INTEGRATED EUROSREEN® CONTROL BOX

The multifunctional Control Box is built into the case, which includes a receiver with no less than five control options in one box: RF, IR, Dry Contact/Contact Closure, 12V trigger and RS232 function.



AVAILABLE AS TAB TENSION

The tensioned version is offered with or without black borders. The black border is neatly welded onto the screen surface to create a powerful framework.



QUICK INSTALLATION

Suitable for both wall and ceiling installation and convenient channel-fixed fitting that reduces expensive installation time.

The Thor motorised projection screen ranges from 250 cm and up in width and comes equipped with several popular features: an integrated multifunctional Euroscreen® Control Box, an adjustable inner bracket for easy levelling of the screen*, and a sleek, stylish aluminium case. For convenient use, the programmable multifunctional Euroscreen® Control Box is built into the case, which includes a receiver with no less than five control options in one box: RF, IR, Dry Contact/Contact Closure, 12V trigger and RS232 function. Choose and connect your favourite control trigger. See page 64 for options.

installation are included. Optional recessed ceiling brackets are also available (see page xx). The Thor case, finished in a contemporary white colour with matching aluminium bottom dowel, has a convenient wall channel-fixed fitting that reduces expensive installation time. When black borders are required, a true black border with a matt finish is welded onto the screen surface. This creates a powerful framework for the projected image.

A convenient inner bracket makes it easy to level the screen, keeping the surface flat and the bottom dowel even. By default, wall brackets and flexible mounting brackets for ceiling

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

DETAILS

- Case size (W x H): 160 x 160 mm
- Case length: screen width +290 mm
- Bottom dowel from wall: 5-10 mm

THOR TAB TENSION

This model features all of the benefits mentioned above, and an additional selection of tensioned screen surfaces. The tensioning function makes it possible to adjust the flatness of the surface and therefore provide a perfectly flat viewing surface for years to come.

DETAILS

- Case size (W x H): 160 x 160 mm
- Case length: screen width +440 mm
- Bottom dowel from wall: 5-10 mm 4:3, 16:10, 16:9 and 2.35:1 with black borders – all have 30 cm black drop as standard



Dowel completely retracted when not in use.



Available also in Tab Tension version.



* Adjustable inner bracket not available on all sizes.



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE		
				Part No. Inst. cable	SEK	EUR
1:1 Format						
250 x 250	250 x 250		33	TFE250	kr 12 015	€ 1 378
275 x 275	275 x 275		35	TFE275	12 609	1 446
300 x 300	300 x 300		38	TFE300	12 837	1 472
325 x 325	325 x 325		42	TFE325	13 342	1 530
350 x 350	350 x 350		46	TFE350 *	13 487	1 547
375 x 375	375 x 375		50	TFE375 *	14 225	1 631
400 x 400	400 x 400		57	TFE400 *	14 638	1 679
425 x 425	425 x 425		63	TFE425 *	15 376	1 763
4:3 No Black Borders						
250 x 187,5	250 x 187,5		33	TFE2522	kr 11 366	€ 1 303
275 x 206	275 x 206		35	TFE2822	11 960	1 372
300 x 225	300 x 225		38	TFE3024	12 188	1 398
325 x 244	325 x 244		42	TFE3326	12 693	1 456
350 x 265	350 x 265		46	TFE3530 *	13 163	1 510
375 x 281	375 x 281		50	TFE3830 *	13 576	1 557
400 x 300	400 x 300		57	TFE4033 *	13 990	1 604
425 x 319	425 x 319		63	TFE4333 *	14 728	1 689
4:3 Format						
250 x 210	240 x 180	118	33	TFE2522-V	kr 13 192	€ 1 513
275 x 230	265 x 199	130	35	TFE2822-V	13 786	1 581
300 x 250	290 x 217,5	143	38	TFE3024-V	14 015	1 607
325 x 270	315 x 236	155	42	TFE3326-V	14 520	1 665
350 x 285	340 x 255	167	46	TFE3530-V *	14 666	1 682
375 x 305	365 x 274	180	50	TFE3830-V *	15 403	1 766
400 x 325	390 x 292,5	192	57	TFE4033-V *	15 817	1 814
425 x 345	415 x 311	204	63	TFE4333-V *	16 230	1 861
440 x 360	430 x 322,5	212	68	TFE4435-V *	18 088	2 074
16:10 Format						
250 x 180	240 x 150	111	33	TFE2522-D	kr 13 192	€ 1 513
275 x 195	265 x 165,5	123	35	TFE2822-D	13 786	1 581
300 x 210	290 x 181	135	38	TFE3024-D	14 015	1 607
325 x 230	315 x 197	146	42	TFE3326-D	14 520	1 665
350 x 245	340 x 212,5	158	46	TFE3530-D *	14 666	1 682
375 x 260	365 x 228	170	50	TFE3830-D *	15 403	1 766
400 x 275	390 x 244	181	57	TFE4033-D *	15 817	1 814
425 x 290	415 x 259	193	63	TFE4333-D *	16 230	1 861
440 x 305	430 x 269	200	68	TFE4435-D *	18 088	2 074
16:9 Format						
250 x 165	240 x 135	108	33	TFE2522-W	kr 13 192	€ 1 513
275 x 180	265 x 149	120	35	TFE2822-W	13 786	1 581
300 x 195	290 x 163	131	38	TFE3024-W	14 015	1 607
325 x 210	315 x 177	142	42	TFE3326-W	14 520	1 665
350 x 225	340 x 191	154	46	TFE3530-W *	14 666	1 682
375 x 235	365 x 205	165	50	TFE3830-W *	15 403	1 766
400 x 250	390 x 219,5	176	57	TFE4033-W *	15 817	1 814
425 x 265	415 x 233,5	188	63	TFE4333-W *	16 230	1 861
440 x 280	430 x 242	194	68	TFE4435-W *	18 088	2 074

* Adjustable inner bracket not available.



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	XPERT			ARCTIQ		
				Part No. Inst. cable	SEK	EUR	Part No. Inst. cable	SEK	EUR
1:1 Format									
250 x 250	250 x 250		32	TXE250	kr 12 919	€ 1 482	TDE250	kr 11 820	€ 1 356
275 x 275	275 x 275		33	TXE275	13 789	1 581	TDE275	12 542	1 438
300 x 300	300 x 300		38	TXE300	14 220	1 631	TDE300	12 980	1 489
4:3 No Black Borders									
250 x 187,5	250 x 187,5		33	TXE2522	kr 11 781	€ 1 351	TDE2522	kr 10 974	€ 1 258
275 x 206	275 x 206		35	TXE2822	12 563	1 441	TDE2822	11 309	1 297
300 x 225	300 x 225		38	TXE3024	12 995	1 490	TDE3024	11 747	1 347
325 x 244	325 x 244		42	TXE3326	13 775	1 580	TDE3326	12 312	1 412
350 x 265	350 x 265		46	TXE3530	14 796	1 697	TDE3530	13 564	1 556
375x281	375x281		50	TXE3830	15 207	1 744			
4:3 Format									
250 x 210	240 x 180	118	33	TXE2522-V	kr 13 367	€ 1 533	TDE2522-V	kr 12 125	€ 1 390
275 x 230	265 x 199	130	35	TXE2822-V	14 586	1 673	TDE2822-V	13 512	1 550
300 x 250	290 x 217,5	143	38	TXE3024-V	15 017	1 722	TDE3024-V	13 950	1 600
325 x 270	315 x 236	155	42	TXE3326-V	15 887	1 822	TDE3326-V	14 672	1 683
350 x 285	340 x 255	167	46	TXE3530-V	16 031	1 838	TDE3530-V	14 818	1 699
16:10 Format									
250 x 180	240 x 150	111	33	TXE2522-D	kr 13 367	€ 1 533	TDE2522-D	kr 12 125	€ 1 390
275 x 195	265 x 165,5	123	35	TXE2822-D	14 586	1 673	TDE2822-D	13 512	1 550
300 x 210	290 x 181	135	38	TXE3024-D	15 017	1 722	TDE3024-D	13 950	1 600
325 x 230	315 x 197	146	42	TXE3326-D	15 887	1 822	TDE3326-D	14 672	1 683
350 x 245	340 x 212,5	158	46	TXE3530-D	16 031	1 838	TDE3530-D	14 818	1 699
375 x 260	365 x 228	170	50	TXE3830-D	16 442	1 886	TDE3830-D	14 923	1 711
400 x 275	390 x 244	181	57	TXE4033-D *	16 853	1 933	TDE4033-D *	15 320	1 757
16:9 Format									
250 x 165	240 x 135	108	33	TXE2522-W	kr 13 367	€ 1 533	TDE2522-W	kr 12 125	€ 1 390
275 x 180	265 x 149	120	35	TXE2822-W	14 586	1 673	TDE2822-W	13 512	1 550
300 x 195	290 x 163	131	38	TXE3024-W	15 017	1 722	TDE3024-W	13 950	1 600
325 x 210	315 x 177	142	42	TXE3326-W	15 887	1 822	TDE3326-W	14 672	1 683
350 x 225	340 x 191	154	46	TXE3530-W	16 031	1 838	TDE3530-W	14 818	1 699
375 x 235	365 x 205	165	50	TXE3830-W	16 442	1 886	TDE3830-W	14 923	1 711
400 x 250	390 x 219,5	176	57	TXE4033-W *	16 853	1 933	TDE4033-W *	15 320	1 757

* Adjustable inner bracket not available.



				FLEXWHITE		
Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Inst. cable		
4:3 No Black Borders						
250 x 187,5	250 x 187,5		35	TFT2522	kr 13 720	€ 1 573
275 x 206	275 x 206		37	TFT2822	14 375	1 649
300 x 225	300 x 225		41	TFT3024	14 542	1 668
325 x 244	325 x 244		43	TFT3326	15 046	1 725
350 x 265	350 x 265		48	TFT3530 *	15 516	1 779
375 x 281	375 x 281		54	TFT3830 *	15 929	1 827
400 x 300	400 x 300		61	TFT4033 *	16 342	1 874
425 x 319	425 x 319		65	TFT4333 *	17 079	1 959
4:3 Format						
250 x 210	240 x 180	118	35	TFT2522-V	kr 16 569	€ 1 900
275 x 230	265 x 199	130	37	TFT2822-V	17 162	1 968
300 x 250	290 x 217,5	143	41	TFT3024-V	17 391	1 994
325 x 270	315 x 236	155	43	TFT3326-V	17 895	2 052
350 x 285	340 x 255	167	48	TFT3530-V *	18 041	2 069
375 x 305	365 x 274	180	54	TFT3830-V *	18 778	2 153
400 x 325	390 x 292,5	192	61	TFT4033-V *	19 191	2 201
425 x 345	415 x 311	204	65	TFT4333-V *	19 604	2 248
440 x 360	430 x 322,5	212	71	TFT4435-V *	21 460	2 461
16:10 Format						
250 x 180	240 x 150	111	35	TFT2522-D	kr 16 569	€ 1 900
275 x 195	265 x 165,5	123	37	TFT2822-D	17 162	1 968
300 x 210	290 x 181	135	41	TFT3024-D	17 391	1 994
325 x 230	315 x 197	146	43	TFT3326-D	17 895	2 052
350 x 245	340 x 212,5	158	48	TFT3530-D *	18 041	2 069
375 x 260	365 x 228	170	54	TFT3830-D *	18 778	2 153
400 x 275	390 x 244	181	61	TFT4033-D *	19 191	2 201
425 x 290	415 x 259	193	65	TFT4333-D *	19 604	2 248
440 x 305	430 x 269	200	71	TFT4435-D *	21 460	2 461
16:9 Format						
250 x 165	240 x 135	108	35	TFT2522-W	kr 16 569	€ 1 900
275 x 180	265 x 149	120	37	TFT2822-W	17 162	1 968
300 x 195	290 x 163	131	41	TFT3024-W	17 391	1 994
325 x 210	315 x 177	142	43	TFT3326-W	17 895	2 052
350 x 225	340 x 191	154	48	TFT3530-W *	18 041	2 069
375 x 235	365 x 205	165	54	TFT3830-W *	18 778	2 153
400 x 250	390 x 219,5	176	61	TFT4033-W *	19 191	2 201
425 x 265	415 x 233,5	188	65	TFT4333-W *	19 604	2 248
440 x 280	430 x 242	194	71	TFT4435-W *	21 460	2 461
2.35:1 Format						
250 x 135	240 x 102	103	35	TFT2522-C	kr 16 569	€ 1 900
275 x 145	265 x 112,5	113	37	TFT2822-C	17 162	1 968
300 x 155	290 x 123,5	124	41	TFT3024-C	17 391	1 994
325 x 165	315 x 134	135	43	TFT3326-C	17 895	2 052
350 x 175	340 x 144,5	145	47	TFT3530-C *	18 041	2 069
375 x 185	365 x 155	156	53	TFT3830-C *	18 778	2 153
400 x 200	390 x 166	166	60	TFT4033-C *	19 191	2 201
425 x 210	415 x 176,5	178	64	TFT4333-C *	19 604	2 248
440 x 220	430 x 183	184	70	TFT4435-C *	21 460	2 461

* Adjustable inner bracket not available.



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	REACT 3.0			FLEXREAR		
				Part No. Inst. cable	SEK	EUR	Part No. Inst. cable	SEK	EUR
4:3 No Black Borders									
250 x 187,5	250 x 187,5		35	TST2522	kr 15 969	€ 1 831	TRT2522	kr 15 076	€ 1 729
275 x 206	275 x 206		37	-	-	-	TRT2822	16 493	1 891
300 x 225	300 x 225		41	-	-	-	TRT3024	16 926	1 941
4:3 Format									
250 x 210	240 x 180	118	35	TST2522-V	kr 19 433	€ 2 229	TRT2522-V	kr 18 584	€ 2 131
275 x 230	265 x 199	130	37	TST2822-V	20 804	2 386	TRT2822-V	20 001	2 294
300 x 250	290 x 217,5	143	41	-	-	-	TRT3024-V	20 435	2 343
325 x 270	315 x 236	155	43	-	-	-	TRT3326-V	21 852	2 506
16:10 Format									
250 x 180	240 x 150	111	35	TST2522-D	kr 19 433	€ 2 229	TRT2522-D	kr 18 584	€ 2 131
275 x 195	265 x 165,5	123	37	TST2822-D	20 804	2 386	TRT2822-D	20 001	2 294
300 x 210	290 x 181	135	41	TST3024-D	21 237	2 435	TRT3024-D	20 435	2 343
325 x 230	315 x 197	146	43	TST3326-D	22 611	2 593	TRT3326-D	21 852	2 506
350 x 245	340 x 212,5	158	48	-	-	-	TRT3530-D *	22 285	2 556
375 x 260	365 x 228	170	54	-	-	-	TRT3830-D *	22 718	2 605
16:9 Format									
250 x 165	240 x 135	108	35	TST2522-W	kr 19 433	€ 2 229	TRT2522-W	kr 18 584	€ 2 131
275 x 180	265 x 149	120	37	TST2822-W	20 804	2 386	TRT2822-W	20 001	2 294
300 x 195	290 x 163	131	41	TST3024-W	21 237	2 435	TRT3024-W	20 435	2 343
325 x 210	315 x 177	142	43	TST3326-W	22 611	2 593	TRT3326-W	21 852	2 506
350 x 225	340 x 191	154	48	TST3530-W *	23 044	2 643	TRT3530-W *	22 285	2 556
375 x 235	365 x 205	165	54	TST3830-W *	23 478	2 692	TRT3830-W *	22 718	2 605
400 x 250	390 x 219,5	176	61	-	-	-	TRT4033-W *	23 489	2 694
425 x 265	415 x 233,5	188	65	-	-	-	TRT4333-W *	24 295	2 786
2.35:1 Format									
250 x 135	240 x 102	103	35	TST2522-C	kr 19 433	€ 2 229	-	-	-
275 x 145	265 x 112,5	113	37	TST2822-C	20 804	2 386	-	-	-
300 x 155	290 x 123,5	124	41	TST3024-C	21 237	2 435	-	-	-
325 x 165	315 x 134	135	43	TST3326-C	22 611	2 593	-	-	-
350 x 175	340 x 144,5	145	47	TST3530-C *	23 044	2 643	-	-	-
375 x 185	365 x 155	156	53	TST3830-C *	23 478	2 692	-	-	-
400 x 200	390 x 166	166	60	TST4033-C *	25 188	2 889	-	-	-
425 x 210	415 x 176,5	178	64	TST4333-C *	25 993	2 981	-	-	-
450 x 220	440 x 187	188	71	TST4535-C *	30 215	3 465	-	-	-

* Adjustable inner bracket not available.

SESAME 2.1

The Sesame 2.1 is Euroscreen's award winning model with an innovative recessed ceiling case design for installation within a ceiling void. It is very suitable for installation in suspended or plastered ceilings.

It has been upgraded to complete the innovative screen design with adjustable inner brackets which allow for fine-tuning of the bottom dowel for perfect flush closure when retracted up into case. The white aluminium case itself has a

stylish appearance, and unique removable integrated external flange profiles for easy and quick service access. The case also features a concealed drop function of the complete screen section, which enables easy access and the possibility to install case first and screen later. Brackets especially designed for Sesame 2.1 provide a trouble-free installation of the case in a prepared ceiling cut-out up to a 100 cm ceiling void (see next page).

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

DETAILS


- Case size (W x H): 161 x 100 mm
- Case length: screen width + 345 mm
- Cut-out case size (W x H): 140 x 102 mm
- Cut-out length: screen width + 325 mm

SESAME 2.1 TAB TENSION

The tensioning function provides Sesame 2.1 with a flat viewing surface, and the surface flatness can be adjusted even after installation if needed. This feature, together with the concealing design of the model, makes it very popular in conference rooms where high technology Short Throw projectors are common, as well as with home theatre enthusiasts where full HD projectors are used.

DETAILS

- Case size (W x H): 161 x 100 mm
- Total case length (incl. flanges): screen width + 525 mm
- Cut-out case size (W x H): 140 x 102 mm
- Cut-out length: screen width + 505 mm
- 4:3, 16:10 and 16:9 with black borders – all have 30 cm black drop as standard



Perfect flush closure of bottom dowel.



Unique removable external flange profiles for easy installation and adjustments.



SESAME 2.1 ELECTRIC



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	XPERT		
				Part No.	SEK	EUR
1:1 Format						
160 x 160	160 x 160		17	SXI160	kr 7 658	€ 878
180 x 180	180 x 180		18	SXI180	7 798	894
200 x 200	200 x 200		20	SXI200	8 263	948
220 x 220	220 x 220		21	SXI220	9 210	1 056
240 x 240	240 x 240		23	SXI240	9 760	1 119
4:3 Format						
160 x 180	150 x 112,5	74	17	SXI1617-V	kr 8 911	€ 1 022
180 x 180	170 x 127,5	84	18	SXI1817-V	9 039	1 037
200 x 180	190 x 142,5	94	20	SXI2017-V	9 321	1 069
220 x 210	210 x 157,5	103	21	SXI2217-V	9 981	1 145
240 x 210	230 x 172,5	113	23	SXI2420-V	10 596	1 215
270 x 230	260 x 195	128	24	SXI2724-V	11 471	1 316
300 x 235	290 x 217,5	143	27	SXI3024-V	11 771	1 350
16:10 Format						
160 x 180	150 x 94	70	17	SXI1617-D	kr 8 911	€ 1 022
180 x 180	170 x 106	79	18	SXI1817-D	9 039	1 037
200 x 180	190 x 119	88	20	SXI2017-D	9 321	1 069
220 x 1870	210 x 131	97	21	SXI2217-D	9 981	1 145
240 x 180	230 x 144	107	23	SXI2417-D	10 596	1 215
270 x 200	260 x 162,5	121	24	SXI2724-D	11 471	1 316
300 x 220	290 x 181	135	27	SXI3024-D	11 771	1 350
16:9 Format						
160 x 180	150 x 84,5	68	17	SXI1617-W	kr 8 911	€ 1 022
180 x 180	170 x 95,5	77	18	SXI1817-W	9 039	1 037
200 x 180	190 x 107	86	20	SXI2017-W	9 321	1 069
220 x 180	210 x 118	95	21	SXI2217-W	9 981	1 145
240 x 180	230 x 129,5	104	23	SXI2417-W	10 596	1 215
270 x 200	260 x 146	117	24	SXI2724-W	11 471	1 316
300 x 205	290 x 163	131	27	SXI3024-W	11 771	1 350

RECESSED CEILING BRACKETS

Recessed ceiling brackets especially designed for Sesame 2.1 provide a trouble-free installation of the case in a prepared ceiling cut-out up to a 100 cm ceiling void.

- Adjustable height for extra flexibility
- Join two threaded rods to achieve increased length
- Delivered as pair

	Part No.	SEK	EUR
Recessed ceiling bracket, Sesame 2.1	930 200	kr 630	€ 72



Use one or two brackets depending on installation.



CEILING

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			GREYLIGHT		
				Part No. Inst. cable	SEK	EUR	Part No. Inst. cable	SEK	EUR
1:1 Format									
160 x 160	160 x 160		17	SEI160	kr 6 984	€ 801	SEGI160	kr 7 649	€ 877
180 x 180	180 x 180		18	SEI180	7 125	817	SEGI180	7 928	909
200 x 200	200 x 200		20	SEI200	7 369	845	SEGI200	8 057	924
220 x 220	220 x 220		21	SEI220	8 324	955	SEGI220	8 747	1 003
240 x 240	240 x 240		23	SEI240	8 876	1 018	SEGI240	9 223	1 058
4:3 Format									
160 x 175	150 x 112,5	74	17	SEI1617-V	kr 7 688	€ 882	SEGI1617-V	kr 8 391	€ 962
180 x 175	170 x 127,5	84	18	SEI1817-V	7 816	896	SEGI1817-V	8 637	990
200 x 175	190 x 142,5	94	20	SEI2017-V	8 100	929	SEGI2017-V	8 859	1 016
220 x 170	210 x 157,5	103	21	SEI2217-V	8 541	979	SEGI2217-V	9 557	1 096
240 x 205	230 x 172,5	113	23	SEI2420-V	9 161	1 051	SEGI2420-V	10 115	1 160
270 x 210	260 x 195	128	24	SEI2724-V	10 043	1 152	-	-	-
300 x 235	290 x 217,5	143	27	SEI3024-V	10 344	1 186	-	-	-
16:10 Format									
160 x 175	150 x 94	70	17	SEI1617-D	kr 7 688	€ 882	SEGI1617-D	kr 8 391	€ 962
180 x 175	170 x 106	79	18	SEI1817-D	7 816	896	SEGI1817-D	8 637	990
200 x 175	190 x 119	88	20	SEI2017-D	8 100	929	SEGI2017-D	8 859	1 016
220 x 170	210 x 131	97	21	SEI2217-D	8 541	979	SEGI2217-D	9 557	1 096
240 x 170	230 x 144	107	23	SEI2417-D	9 161	1 051	SEGI2417-D	10 115	1 160
270 x 205	260 x 162,5	121	24	SEI2724-D	10 043	1 152	-	-	-
300 x 205	290 x 181	135	27	SEI3024-D	10 344	1 186	-	-	-
16:9 Format									
160 x 175	150 x 84,5	68	17	SEI1617-W	kr 7 688	€ 882	SEGI1617-W	kr 8 391	€ 962
180 x 175	170 x 95,5	77	18	SEI1817-W	7 816	896	SEGI1817-W	8 637	990
200 x 175	190 x 107	86	20	SEI2017-W	8 100	929	SEGI2017-W	8 859	1 016
220 x 170	210 x 118	95	21	SEI2217-W	8 541	979	SEGI2217-W	9 557	1 096
240 x 170	230 x 129,5	104	23	SEI2417-W	9 161	1 051	SEGI2417-W	10 115	1 160
270 x 205	260 x 146	117	24	SEI2724-W	10 043	1 152	-	-	-
300 x 205	290 x 163	131	27	SEI3024-W	10 344	1 186	-	-	-

SESAME 2.1 TAB TENSION



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 No Black Borders									
160 x 150	160 x 150		21	SETI1617	kr 9 450	€ 1 084	SESTI1617	kr 11 813	€ 1 355
180 x 165	180 x 165		22	SETI1817	9 605	1 101	SESTI1817	12 104	1 388
200 x 180	200 x 180		24	SETI2017	9 872	1 132	SESTI2017	13 326	1 528
220 x 195	220 x 195		25	SETI2217	10 913	1 252	SESTI2217	14 187	1 627
240 x 200	240 x 200		27	SETI2420	11 516	1 321	SESTI2420	16 123	1 849
4:3 Format									
160 x 150	150 x 112,5	74	21	SETI1617-V	kr 11 156	1 279	SESTI1617-V	kr 14 854	€ 1 703
180 x 165	170 x 127,5	84	22	SETI1817-V	11 288	1 294	SESTI1817-V	15 269	1 751
200 x 180	190 x 142,5	94	24	SETI2017-V	11 588	1 329	SESTI2017-V	15 657	1 796
220 x 195	210 x 157,5	103	25	SETI2217-V	12 058	1 383	SESTI2217-V	16 737	1 919
240 x 200	230 x 172,5	113	27	SETI2420-V	12 717	1 458	SESTI2420-V	17 479	2 004
16:10 Format									
160 x 130	150 x 94	70	21	SETI1617-D	kr 11 156	1 279	SESTI1617-D	kr 14 854	€ 1 703
180 x 140	170 x 106	79	22	SETI1817-D	11 288	1 294	SESTI1817-D	15 269	1 751
200 x 155	190 x 119	88	24	SETI2017-D	11 588	1 329	SESTI2017-D	15 657	1 796
220 x 165	210 x 131	97	25	SETI2217-D	12 058	1 383	SESTI2217-D	16 737	1 919
240 x 180	230 x 144	107	27	SETI2417-D	12 717	1 458	SESTI2417-D	17 479	2 004
16:9 Format									
160 x 120	150 x 84,5	68	21	SETI1617-W	kr 11 156	1 279	SESTI1617-W	kr 14 854	€ 1 703
180 x 130	170 x 95,5	77	22	SETI1817-W	11 288	1 294	SESTI1817-W	15 269	1 751
200 x 140	190 x 107	86	24	SETI2017-W	11 588	1 329	SESTI2017-W	15 657	1 796
220 x 155	210 x 118	95	25	SETI2217-W	12 058	1 383	SESTI2217-W	16 737	1 919
240 x 165	230 x 129,5	104	27	SETI2417-W	12 717	1 458	SESTI2417-W	17 479	2 004

— FlexRear surface also available upon request

LINEA

The Linea model has a uniquely designed case with a classic yet contemporary shape. The gently rounded aluminium case has no exposed mounting fixtures or fasteners, and all attachment points are completely invisible. The case is finished in white and the heavy weight bottom dowel retracts completely inside

the case when the screen is not in use. Linea is delivered with Euroscreen® Control Box with Plug n' Play feature for a fast and easy installation. Choose optional transmitters; AutoLink RF, RF remote control, IR remote control or RF Wall Switch Transmitter.

DETAILS

- Uniquely designed, gently rounded aluminium cassette
- Bottom dowel retracts completely into case
- Heavy weight bottom dowel
- Delivered with Euroscreen® Control Box
- Case size (W x H): 121 x 153 mm
- Case length: screen width + 285 mm


Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

LINEA TAB TENSION

The tensioning function provides Linea Tab Tension with superb flatness of the viewing surface, which can also be adjusted after installation if needed.

DETAILS

- Perfectly flat screen surface
- Easy to adjust surface flatness when required
- Heavy weight bottom dowel
- Case size (W x H): 121 x 153 mm
- Case length: screen width + 409 mm
- 4:3, 16:10, 16:9 and 2.35:1 with black borders – all have 30 cm black drop as standard



Elegant case design with no exposed fasteners and retracted bottom bar.





Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	XPERT		
				Part No. Inst. cable	SEK	EUR
No Black Borders						
220 x 195	220 x 195	116	30	LEX2217	kr 10 906	€ 1 251
240 x 195	240 x 195	122	32	LEX2417	11 389	1 306
270 x 195	270 x 195	131	36	LEX2717	12 618	1 447
4:3 Format						
180 x 165	170 x 127,5	84	24	LEX1817-V	kr 11 103	€ 1 273
200 x 180	190 x 142,5	94	27	LEX2017-V	12 232	1 403
220 x 195	210 x 157,5	103	30	LEX2217-V	12 976	1 488
240 x 210	230 x 172,5	113	32	LEX2420-V	13 459	1 543
270 x 230	260 x 195	128	36	LEX2724-V	14 689	1 685
300 x 255	290 x 217,5	143	38	LEX3024-V	18 662	2 140
16:10 Format						
180 x 140	170 x 106	79	24	LEX1817-D	kr 11 103	€ 1 273
200 x 155	190 x 119	88	27	LEX2017-D	12 232	1 403
220 x 165	210 x 131	97	30	LEX2217-D	12 976	1 488
240 x 180	230 x 143,5	107	32	LEX2417-D	13 459	1 543
270 x 195	260 x 162,5	121	36	LEX2724-D	14 689	1 685
300 x 195	290 x 181	135	38	LEX3024-D	18 662	2 140
16:9 Format						
180 x 130	170 x 95,5	77	24	LEX1817-W	kr 11 103	€ 1 273
200 x 140	190 x 107	86	27	LEX2017-W	12 232	1 403
220 x 155	210 x 118	95	30	LEX2217-W	12 976	1 488
240 x 165	230 x 129,5	104	32	LEX2417-W	13 459	1 543
270 x 180	260 x 146	117	36	LEX2724-W	14 689	1 685
300 x 195	290 x 163	131	38	LEX3024-W	18 662	2 140
2.35:1 Format						
180 x 110	170 x 72,5	73	24	LEX1817-C	kr 11 103	€ 1 273
200 x 115	190 x 81	81	27	LEX2017-C	12 232	1 403
220 x 125	210 x 89,5	90	30	LEX2217-C	12 976	1 488
240 x 135	230 x 98	98	32	LEX2417-C	13 459	1 543
270 x 145	260 x 110	111	36	LEX2724-C	14 689	1 685
300 x 160	290 x 123,5	124	38	LEX3024-C	18 662	2 140



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 3.0			FLEXPERF		
				Part No.	SEK	EUR	Part No.	SEK	EUR	Part No.	SEK	EUR
				Inst. cable			Inst. cable			Inst. cable		
No Black Borders												
220 x 195	220 x 195	116	30	LET2217	kr 13 639	€ 1 564	LETS2217	kr 18 371	€ 2 107	-	-	-
240 x 195	240 x 195	122	32	LET2417	14 053	1 612	LETS2417	18 508	2 123	-	-	-
270 x 195	270 x 195	131	36	LET2717	15 183	1 741	LETS2717	20 549	2 357	-	-	-
4:3 Format												
180 x 165	170 x 127,5	84	24	LET1817-V	kr 13 981	€ 1 603	LETS1817-V	kr 17 886	€ 2 051	-	-	-
200 x 180	190 x 142,5	94	27	LET2017-V	15 045	1 725	LETS2017-V	19 370	2 221	-	-	-
220 x 195	210 x 157,5	103	30	LET2217-V	15 723	1 803	LETS2217-V	20 456	2 346	-	-	-
240 x 210	230 x 172,5	113	32	LET2420-V	16 137	1 851	LETS2417-V	21 256	2 438	-	-	-
270 x 230	260 x 195	128	36	LET2724-V	17 268	1 980	LETS2724-V	23 296	2 672	-	-	-
300 x 255	290 x 217,5	143	38	LET3024-V	21 162	2 427	-	-	-	-	-	-
16:10 Format												
180 x 140	170 x 106	79	24	LET1817-D	kr 13 981	€ 1 603	LETS1817-D	kr 17 886	€ 2 051	-	-	-
200 x 155	190 x 119	88	27	LET2017-D	15 045	1 725	LETS2017-D	19 370	2 221	-	-	-
220 x 165	210 x 131	97	30	LET2217-D	15 723	1 803	LETS2217-D	20 456	2 346	-	-	-
240 x 180	230 x 143,5	107	32	LET2417-D	16 137	1 851	LETS2417-D	21 256	2 438	-	-	-
270 x 195	260 x 162,5	121	36	LET2724-D	17 268	1 980	LETS2724-D	23 296	2 672	-	-	-
300 x 195	290 x 181	135	38	LET3024-D	21 162	2 427	LETS3024-D	26 340	3 021	-	-	-
16:9 Format												
180 x 130	170 x 95,5	77	24	LET1817-W	kr 13 981	€ 1 603	LETS1817-W	kr 17 886	€ 2 051	LETP1817-W	kr 17 886	€ 2 051
200 x 140	190 x 107	86	27	LET2017-W	15 045	1 725	LETS2017-W	19 370	2 221	LETP2017-W	19 370	2 221
220 x 155	210 x 118	95	30	LET2217-W	15 723	1 803	LETS2217-W	20 456	2 346	LETP2217-W	20 456	2 346
240 x 165	230 x 129,5	104	32	LET2417-W	16 137	1 851	LETS2417-W	21 256	2 438	LETP2417-W	21 256	2 438
270 x 180	260 x 146	117	36	LET2724-W	17 268	1 980	LETS2724-W	23 296	2 672	LETP2724-W	23 296	2 672
300 x 195	290 x 163	131	38	LET3024-W	21 162	2 427	LETS3024-W	26 340	3 021	LETP3024-W	26 340	3 021
2.35:1 Format												
180 x 110	170 x 72,5	73	24	LET1817-C	kr 13 981	€ 1 603	LETS1817-C	kr 17 886	€ 2 051	LETP1817-C	kr 17 886	€ 2 051
200 x 115	190 x 81	81	27	LET2017-C	15 045	1 725	LETS2017-C	19 370	2 221	LETP2017-C	19 370	2 221
220 x 125	210 x 89,5	90	30	LET2217-C	15 723	1 803	LETS2217-C	20 456	2 346	LETP2217-C	20 456	2 346
240 x 135	230 x 98	98	32	LET2417-C	16 137	1 851	LETS2417-C	21 256	2 438	LETP2417-C	21 256	2 438
270 x 145	260 x 110	111	36	LET2724-C	17 268	1 980	LETS2724-C	23 296	2 672	LETP2724-C	23 296	2 672
300 x 160	290 x 123,5	124	38	LET3024-C	21 162	2 427	LETS3024-C	26 340	3 021	LETP3024-C	26 340	3 021

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR		
				Part No.	SEK	EUR
				Inst. cable		
No Black Borders						
200 x 180		94	27	LETR2017	kr 16 077	€ 1 844
220 x 195		103	30	LETR2217	16 778	1 924
240 x 210		113	32	LETR2420	17 284	1 982
270 x 210		128	36	LETR2720	19 733	2 263
300 x 225		148	42	LETR3024	22 005	2 524

DIPLOMAT

Diplomat is one of Euroscreen's best-selling projection screens with white contemporary aluminium cassette and channel-fixed installation. The channel-fixed feature makes it one of the market's most flexible and easy screens to install. Thanks to its

functional design the Diplomat is suitable for any application; especially popular in conference and education facilities, as well as in home theatres.

DETAILS

- White cylindrical shaped aluminium cassette
- Channel-fixed and flexible installation
- Case size (W x H): 101 x 105 mm
- Case length: screen width +125 mm
- Bottom dowel from wall: 48 mm

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

DIPLOMAT TAB TENSION

The tensioning function provides Diplomat with a flat viewing surface, and the surface flatness can be adjusted after installation if needed. A heavy weight bottom dowel provides extra vertical tensioning. The model is very popular in conference rooms where high technology Short Throw projectors are common as well as with home theatre enthusiasts, where full HD projectors are used.



Tensioning function for flattest surface possible.

DETAILS

- Heavy weight bottom dowel
- Case size (W x H): 101 x 105 mm
- Case length: screen width + 285 mm
- 4:3, 16:10 and 16:9 with black borders – all have 30 cm black drop as standard





Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	XPERT			
				Part No. Switch	Part No. Inst. cable	SEK	EUR
1:1 Format							
180 x 180	180 x 180		9	MDX180	MDXI180	kr 6 037	€ 692
200 x 200	200 x 200		11	MDX200	MDXI200	6 568	753
220 x 220	220 x 220		13	MDX220	MDXI220	7 225	829
240 x 240	240 x 240		14	MDX240	MDXI240	7 669	880
No Black Borders							
270 x 225	270 x 225		16	MDX2725	MDXI2725	kr 8 653	€ 992
300 x 250	300 x 250		17	MDX3025	MDXI3025	9 803	1 124
4:3 Format							
160 x 180	150 x 112,5	74	8	MDX1617-V	MDXI1617-V	kr 7 115	€ 816
180 x 180	170 x 127,5	84	10	MDX1817-V	MDXI1817-V	7 220	828
200 x 180	190 x 142,5	94	11	MDX2017-V	MDXI2017-V	7 438	853
220 x 210	210 x 157,5	103	13	MDX2217-V	MDXI2217-V	8 414	965
240 x 210	230 x 172,5	113	14	MDX2420-V	MDXI2420-V	9 043	1 037
270 x 230	260 x 195	128	16	MDX2724-V	MDXI2724-V	10 046	1 152
300 x 255	290 x 217,5	143	18	MDX3024-V	MDXI3024-V	10 151	1 164
16:10 Format							
160 x 180	150 x 94	70	8	MDX1617-D	MDXI1617-D	kr 7 115	€ 816
180 x 180	170 x 106	79	10	MDX1817-D	MDXI1817-D	7 220	828
200 x 180	190 x 119	88	11	MDX2017-D	MDXI2017-D	7 438	853
220 x 180	210 x 131	97	13	MDX2217-D	MDXI2217-D	8 414	965
240 x 180	230 x 144	107	13	MDX2417-D	MDXI2417-D	9 043	1 037
270 x 200	260 x 162,5	121	16	MDX2724-D	MDXI2724-D	10 046	1 152
300 x 220	290 x 181	135	17	MDX3024-D	MDXI3024-D	10 151	1 164
16:9 Format							
160 x 180	150 x 84,5	68	8	MDX1617-W	MDXI1617-W	kr 7 115	€ 816
180 x 180	170 x 95,5	77	10	MDX1817-W	MDXI1817-W	7 220	828
200 x 180	190 x 107	86	11	MDX2017-W	MDXI2017-W	7 438	853
220 x 180	210 x 118	95	13	MDX2217-W	MDXI2217-W	8 414	965
240 x 180	230 x 129,5	104	14	MDX2417-W	MDXI2417-W	9 043	1 037
270 x 200	260 x 146	117	16	MDX2724-W	MDXI2724-W	10 046	1 152
300 x 205	290 x 163	131	18	MDX3024-W	MDXI3024-W	10 151	1 164



Euroscreen® Diplomat Xpert
award-winner 2012.



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No. Switch	ARCTIQ		Part No. Switch	GREYLIGHT			
					Part No. Inst. cable	SEK		EUR	Part No. Inst. cable	SEK	EUR
Nordic											
140 x 200	140 x 200		6	MD1420	MDI1420	kr 5 022	€ 576	MG1420	MGI1420	kr 5 686	€ 652
150 x 200	150 x 200		7	MD1520	MDI1520	5 127	588	MG1520	MGI1520	5 785	663
160 x 200	160 x 200		8	MD1620	MDI1620	5 183	594	MG1620	MGI1620	5 936	681
180 x 200	180 x 200		9	MD1820	MDI1820	5 423	622	MG1820	MGI1820	6 149	705
No Black Borders											
270 x 210	270 x 210		16	MD2724	MDI2724	kr 8 262	€ 948	-	-	-	-
300 x 210	300 x 210		17	MD3024	MDI3024	8 369	960	-	-	-	-
1:1 Format											
125 x 125	125 x 125		5	MD125	MDI125	kr 4 838	€ 555	MG125	MGI125	kr 5 640	€ 647
150 x 150	150 x 150		7	MD150	MDI150	5 010	575	MG150	MGI150	5 785	663
180 x 180	180 x 180		9	MD180	MDI180	5 423	622	MG180	MGI180	6 294	722
200 x 200	200 x 200		11	MD200	MDI200	5 740	658	MG200	MGI200	6 355	729
220 x 220	220 x 220		13	MD220	MDI220	6 411	735	MG220	MGI220	6 979	800
240 x 240	240 x 240		14	MD240	MDI240	6 863	787	MG240	MGI240	7 447	854
4:3 Format											
160 x 175	150 x 112,5	74	8	MD1617-V	MDI1617-V	kr 5 965	€ 684	MG1617-V	MGI1617-V	kr 6 712	€ 770
180 x 175	170 x 127,5	84	10	MD1817-V	MDI1817-V	6 069	696	MG1817-V	MGI1817-V	6 917	793
200 x 175	190 x 142,5	94	11	MD2017-V	MDI2017-V	6 294	722	MG2017-V	MGI2017-V	7 113	816
220 x 170	210 x 157,5	103	13	MD2217-V	MDI2217-V	7 064	810	MG2217-V	MGI2217-V	7 765	891
240 x 205	230 x 172,5	113	14	MD2420-V	MDI2420-V	7 705	884	MG2420-V	MGI2420-V	8 274	949
270 x 210	260 x 195	128	16	MD2724-V	MDI2724-V	8 726	1 001	-	-	-	-
300 x 235	290 x 217,5	143	18	MD3024-V	MDI3024-V	8 833	1 013	-	-	-	-
16:10 Format											
160 x 175	150 x 94	70	8	MD1617-D	MDI1617-D	kr 5 965	€ 684	MG1617-D	MGI1617-D	kr 6 712	€ 770
180 x 175	170 x 106	79	10	MD1817-D	MDI1817-D	6 069	696	MG1817-D	MGI1817-D	6 917	793
200 x 175	190 x 119	88	11	MD2017-D	MDI2017-D	6 294	722	MG2017-D	MGI2017-D	7 113	816
220 x 170	210 x 131	97	13	MD2217-D	MDI2217-D	7 064	810	MG2217-D	MGI2217-D	7 765	891
240 x 170	230 x 144	107	13	MD2417-D	MDI2417-D	7 705	884	MG2417-D	MGI2417-D	8 274	949
270 x 210	260 x 162,5	121	16	MD2724-D	MDI2724-D	8 726	1 001	-	-	-	-
300 x 210	290 x 181	135	17	MD3024-D	MDI3024-D	8 833	1 013	-	-	-	-
16:9 Format											
160 x 175	150 x 84,5	68	8	MD1617-W	MDI1617-W	kr 5 965	€ 684	MG1617-W	MGI1617-W	kr 6 712	€ 770
180 x 175	170 x 95,5	77	10	MD1817-W	MDI1817-W	6 069	696	MG1817-W	MGI1817-W	6 917	793
200 x 175	190 x 107	86	11	MD2017-W	MDI2017-W	6 294	722	MG2017-W	MGI2017-W	7 113	816
220 x 170	210 x 118	95	13	MD2217-W	MDI2217-W	7 064	810	MG2217-W	MGI2217-W	7 765	891
240 x 170	230 x 129,5	104	14	MD2417-W	MDI2417-W	7 705	884	MG2417-W	MGI2417-W	8 274	949
270 x 205	260 x 146	117	16	MD2724-W	MDI2724-W	8 726	1 001	-	-	-	-
300 x 205	290 x 163	131	18	MD3024-W	MDI3024-W	8 833	1 013	-	-	-	-

DIPLOMAT

ELECTRIC WITH QUIET MOTOR



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ				XPERT			
				Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable	SEK	EUR	Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable	SEK	EUR
Nordic											
140 x 200	140 x 200		6	MDQ1420	MDQI1420	kr 5 691	€ 653	-	-	-	-
150 x 200	150 x 200		7	MDQ1520	MDQI1520	5 797	665	-	-	-	-
160 x 200	160 x 200		8	MDQ1620	MDQI1620	5 852	671	-	-	-	-
180 x 200	180 x 200		9	MDQ1820	MDQI1820	6 092	699	-	-	-	-
1:1 Format											
125 x 125	125 x 125		5	MDQ125	MDQI125	kr 5 507	€ 632	-	-	-	-
150 x 150	150 x 150		7	MDQ150	MDQI150	5 679	651	-	-	-	-
180 x 180	180 x 180		9	MDQ180	MDQI180	6 092	699	MDXQ180	MDXQI180	kr 7 406	€ 849
200 x 200	200 x 200		11	MDQ200	MDQI200	6 411	735	MDXQ200	MDXQI200	8 157	935
220 x 220	220 x 220		13	MDQ220	MDQI220	7 080	812	MDXQ220	MDXQI220	8 814	1 011
240 x 240	240 x 240		14	MDQ240	MDQI240	7 532	864	MDXQ240	MDXQI240	9 257	1 062
4:3 Format											
160 x 170	150 x 112,5	74	8	MDQ1617-V	MDQI1617-V	kr 6 633	€ 761	-	-	-	-
180 x 170	170 x 127,5	84	10	MDQ1817-V	MDQI1817-V	6 739	773	MDXQ1817-V	MDXQI1817-V	kr 9 137	€ 1 048
200 x 170	190 x 142,5	94	11	MDQ2017-V	MDQI2017-V	6 963	798	MDXQ2017-V	MDXQI2017-V	9 356	1 073
220 x 170	210 x 157,5	103	13	MDQ2217-V	MDQI2217-V	7 732	887	MDXQ2217-V	MDXQI2217-V	10 551	1 210
240 x 205	230 x 172,5	113	14	MDQ2420-V	MDQI2420-V	8 375	960	MDXQ2420-V	MDXQI2420-V	11 180	1 282
270 x 210	260 x 195	128	16	MDQ2724-V	MDQI2724-V	9 394	1 077	MDXQ2724-V	MDXQI2724-V	12 183	1 397
300 x 235	290 x 217,5	143	18	MDQ3024-V	MDQI3024-V	9 501	1 090	MDXQ3024-V	MDXQI3024-V	12 288	1 409
16:10 Format											
160 x 170	150 x 94	70	8	MDQ1617-D	MDQI1617-D	kr 6 633	€ 761	-	-	-	-
180 x 170	170 x 106	79	10	MDQ1817-D	MDQI1817-D	6 739	773	MDXQ1817-D	MDXQI1817-D	kr 9 137	€ 1 048
200 x 170	190 x 119	88	11	MDQ2017-D	MDQI2017-D	6 963	798	MDXQ2017-D	MDXQI2017-D	9 356	1 073
220 x 170	210 x 131	97	13	MDQ2217-D	MDQI2217-D	7 732	887	MDXQ2217-D	MDXQI2217-D	10 551	1 210
240 x 170	230 x 144	107	14	MDQ2417-D	MDQI2417-D	8 375	960	MDXQ2417-D	MDXQI2417-D	11 180	1 282
270 x 210	260 x 162,5	121	16	MDQ2724-D	MDQI2724-D	9 394	1 077	MDXQ2724-D	MDXQI2724-D	12 183	1 397
300 x 210	290 x 181	135	18	MDQ3024-D	MDQI3024-D	9 501	1 090	MDXQ3024-D	MDXQI3024-D	12 288	1 409
16:9 Format											
160 x 170	150 x 84,5	68	8	MDQ1617-W	MDQI1617-W	kr 6 633	€ 761	-	-	-	-
180 x 170	170 x 95,5	77	10	MDQ1817-W	MDQI1817-W	6 739	773	MDXQ1817-W	MDXQI1817-W	kr 9 137	€ 1 048
200 x 170	190 x 107	86	11	MDQ2017-W	MDQI2017-W	6 963	798	MDXQ2017-W	MDXQI2017-W	9 356	1 073
220 x 170	210 x 118	95	13	MDQ2217-W	MDQI2217-W	7 732	887	MDXQ2217-W	MDXQI2217-W	10 551	1 210
240 x 170	230 x 129,5	104	13	MDQ2417-W	MDQI2417-W	8 375	960	MDXQ2417-W	MDXQI2417-W	11 180	1 282
270 x 210	260 x 146	117	16	MDQ2724-W	MDQI2724-W	9 394	1 077	MDXQ2724-W	MDXQI2724-W	12 183	1 397
300 x 210	290 x 163	131	17	MDQ3024-W	MDQI3024-W	9 501	1 090	MDXQ3024-W	MDXQI3024-W	12 288	1 409



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE				REACT 3.0			
				Part No. Switch	Part No. Inst. cable	SEK	EUR	Part No. Switch	Part No. Inst. cable	SEK	EUR
4:3 No Black Borders											
160 x 150	160 x 150		11	MDT1617	MDTI1617	kr 7 727	€ 886	MST1617	MSTI1617	kr 9 991	€ 1 146
180 x 165	180 x 165		13	MDT1817	MDTI1817	8 000	917	MST1817	MSTI1817	10 187	1 168
200 x 180	200 x 180		15	MDT2017	MDTI2017	8 174	937	MST2017	MSTI2017	10 935	1 254
220 x 195	220 x 195		17	MDT2217	MDTI2217	8 782	1 007	MST2217	MSTI2217	11 543	1 324
240 x 200	240 x 200		19	MDT2420	MDTI2420	10 110	1 159	MST2420	MSTI2420	14 356	1 646
4:3 Format											
160 x 150	150 x 112,5	74	11	MDT1617-V	MDTI1617-V	kr 9 858	€ 1 131	MST1617-V	MSTI1617-V	kr 13 674	€ 1 568
180 x 165	170 x 127,5	84	13	MDT1817-V	MDTI1817-V	9 965	1 143	MST1817-V	MSTI1817-V	14 105	1 617
200 x 180	190 x 142,5	94	15	MDT2017-V	MDTI2017-V	10 232	1 173	MST2017-V	MSTI2017-V	14 506	1 663
220 x 195	210 x 157,5	103	17	MDT2217-V	MDTI2217-V	11 102	1 273	MST2217-V	MSTI2217-V	15 627	1 792
240 x 200	230 x 172,5	113	19	MDT2420-V	MDTI2420-V	11 833	1 357	MST2420-V	MSTI2420-V	16 397	1 880
16:10 Format											
160 x 130	150 x 94	70	11	MDT1617-D	MDTI1617-D	kr 9 858	€ 1 131	MST1617-D	MSTI1617-D	kr 13 674	€ 1 568
180 x 140	170 x 106	79	13	MDT1817-D	MDTI1817-D	9 965	1 143	MST1817-D	MSTI1817-D	14 105	1 617
200 x 155	190 x 119	88	15	MDT2017-D	MDTI2017-D	10 232	1 173	MST2017-D	MSTI2017-D	14 506	1 663
220 x 165	210 x 131	97	17	MDT2217-D	MDTI2217-D	11 102	1 273	MST2217-D	MSTI2217-D	15 627	1 792
240 x 180	230 x 144	107	19	MDT2417-D	MDTI2417-D	11 833	1 357	MST2417-D	MSTI2417-D	16 397	1 880
16:9 Format											
160 x 120	150 x 84,5	68	11	MDT1617-W	MDTI1617-W	kr 9 858	€ 1 131	MST1617-W	MSTI1617-W	kr 13 674	€ 1 568
180 x 130	170 x 95,5	77	13	MDT1817-W	MDTI1817-W	9 965	1 143	MST1817-W	MSTI1817-W	14 105	1 617
200 x 140	190 x 107	86	15	MDT2017-W	MDTI2017-W	10 232	1 173	MST2017-W	MSTI2017-W	14 506	1 663
220 x 155	210 x 118	95	17	MDT2217-W	MDTI2217-W	11 102	1 273	MST2217-W	MSTI2217-W	15 627	1 792
240 x 165	230 x 129,5	104	19	MDT2417-W	MDTI2417-W	11 833	1 357	MST2417-W	MSTI2417-W	16 397	1 880

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXPERF			
				Part No. Switch	Part No. Inst. cable	SEK	EUR
16:9 Format							
160 x 120	150 x 84,5	68	11	MPT1617-W	MPTI1617-W	kr 13 674	€ 1 568
180 x 130	170 x 95,5	77	13	MPT1817-W	MPTI1817-W	14 105	1 617
200 x 140	190 x 107	86	15	MPT2017-W	MPTI2017-W	14 506	1 663
220 x 155	210 x 118	95	17	MPT2217-W	MPTI2217-W	15 627	1 792
240 x 165	230 x 129,5	104	19	MPT2417-W	MPTI2417-W	16 397	1 880

DIPLOMAT

TAB TENSION WITH QUIET MOTOR



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No. Quiet Motor Switch	FLEXWHITE		Part No. Quiet Motor Switch	REACT 3.0		
					Part No. Quiet Motor Inst. cable	SEK		EUR	Part No. Quiet Motor Inst. cable	SEK
4:3 No Black Borders										
160 x 150	160 x 150		11	MDTQ1617	MDTQI1617	kr 8 386	€ 9 62	-	-	-
180 x 165	180 x 165		13	MDTQ1817	MDTQI1817	8 659	993	MSTQ1817	MSTQI1817	kr 10 857 € 1 245
200 x 180	200 x 180		15	MDTQ2017	MDTQI2017	8 833	1 013	MSTQ2017	MSTQI2017	11 605 1 331
220 x 195	220 x 195		17	MDTQ2217	MDTQI2217	9 440	1 083	MSTQ2217	MSTQI2217	12 212 1 401
240 x 200	240 x 200		19	MDTQ2420	MDTQI2420	10 767	1 235	MSTQ2420	MSTQI2420	15 025 1 723
4:3 Format										
160 x 150	150 x 112,5	74	11	MDTQ1617-V	MDTQI1617-V	kr 10 516	€ 1 206	-	-	-
180 x 165	170 x 127,5	84	13	MDTQ1817-V	MDTQI1817-V	10 623	1 218	MSTQ1817-V	MSTQI1817-V	kr 14 773 € 1 694
200 x 180	190 x 142,5	94	15	MDTQ2017-V	MDTQI2017-V	10 891	1 249	MSTQ2017-V	MSTQI2017-V	15 175 1 740
220 x 195	210 x 157,5	103	17	MDTQ2217-V	MDTQI2217-V	11 760	1 349	MSTQ2217-V	MSTQI2217-V	16 296 1 869
240 x 200	230 x 172,5	113	19	MDTQ2420-V	MDTQI2420-V	12 491	1 432	MSTQ2420-V	MSTQI2420-V	17 066 1 957
16:10 Format										
160 x 130	150 x 94	70	11	MDTQ1617-D	MDTQI1617-D	kr 10 516	€ 1 206	-	-	-
180 x 140	170 x 106	79	13	MDTQ1817-D	MDTQI1817-D	10 623	1 218	MSTQ1817-D	MSTQI1817-D	kr 14 773 € 1 694
200 x 155	190 x 119	88	15	MDTQ2017-D	MDTQI2017-D	10 891	1 249	MSTQ2017-D	MSTQI2017-D	15 175 1 740
220 x 165	210 x 131	97	17	MDTQ2217-D	MDTQI2217-D	11 760	1 349	MSTQ2217-D	MSTQI2217-D	16 296 1 869
240 x 180	230 x 144	107	19	MDTQ2417-D	MDTQI2417-D	12 491	1 432	MSTQ2417-D	MSTQI2417-D	17 066 1 957
16:9 Format										
160 x 120	150 x 84,5	68	11	MDTQ1617-W	MDTQI1617-W	kr 10 516	€ 1 206	-	-	-
180 x 130	170 x 95,5	77	13	MDTQ1817-W	MDTQI1817-W	10 623	1 218	MSTQ1817-W	MSTQI1817-W	kr 14 773 € 1 694
200 x 140	190 x 107	86	15	MDTQ2017-W	MDTQI2017-W	10 891	1 249	MSTQ2017-W	MSTQI2017-W	15 175 1 740
220 x 155	210 x 118	95	17	MDTQ2217-W	MDTQI2217-W	11 760	1 349	MSTQ2217-W	MSTQI2217-W	16 296 1 869
240 x 165	230 x 129,5	104	19	MDTQ2417-W	MDTQI2417-W	12 491	1 432	MSTQ2417-W	MSTQI2417-W	17 066 1 957

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXPERF		SEK	EUR
				Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable		
16:9 Format							
180 x 130	170 x 95,5	77	13	MPTQ1817-W	MPTQI1817-W	kr 14 773	€ 1 694
200 x 140	190 x 107	86	15	MPTQ2017-W	MPTQI2017-W	15 175	1 740
220 x 155	210 x 118	95	17	MPTQ2217-W	MPTQI2217-W	16 296	1 869
240 x 165	230 x 129,5	104	19	MPTQ2417-W	MPTQI2417-W	17 066	1 957

DIPLOMAT XL ELECTRIC



Diplomat XL is a large electric projection screen available in several projection formats. The model has a white cylindrical shaped aluminium case, equipped with sturdy brackets for a rigid installation. Surface areas are seamed together with a fine lined seam to match desired screen size. The bottom dowel has extra weight to obtain the flattest viewing surface possible.

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

DETAILS

- White cylindrically shaped aluminium case
- Heavy weight bottom dowel for flat surface
- Delivered with 3 m hard wire cable
- Case size (W x H): 165 x 170 mm
- Case length: screen width +121 mm
- Bottom dowel from wall: 30 mm
- Recommended control options: Control Box, AutoLink RF or RF remote control



White aluminium case with sturdy brackets.

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch /Inch (")	Wt (kg)	FLEXWHITE			ARCTIQ		
				Part No.	SEK	EUR	Part No.	SEK	EUR
1:1 Format									
350 x 350	350 x 350		55	MF350	kr 15 319	€ 1 757	-	-	-
400 x 400	400 x 400		65	MF400	17 150	1 967	-	-	-
No Black Borders									
450 x 410	450 x 410		75	MF450	kr 20 580	€ 2 360	-	-	-
500 x 460	500 x 460		135	MF500	47 918	5 495	-	-	-
550 x 510	550 x 510		150	MF550*	52 526	6 024	-	-	-
4:3 No Black Borders									
350 x 265	350 x 265		54	MF3530	kr 14 426	€ 1 654	MD3530	kr 14 426	€ 1 654
400 x 300	400 x 300		62	MF4030	15 352	1 761	-	-	-
450 x 350	450 x 350		67	MF4535	18 737	2 149	-	-	-
500 x 375	500 x 375		130	MF5040	39 073	4 481	-	-	-
550 x 415	550 x 415		148	MF5545*	42 917	4 922	-	-	-
600 x 450	600 x 450		162	MF6050*	47 474	5 444	-	-	-
4:3 Format									
350 x 265	340 x 255	167	55	MF3530-V	kr 15 591	€ 1 788	MD3530-V	kr 15 591	€ 1 788
400 x 310	390 x 292,5	192	65	MF4030-V	16 496	1 892	-	-	-
450 x 360	440 x 330	217	67	MF4535-V	19 796	2 270	-	-	-
16:10 Format									
350 x 235	340 x 212,5	158	55	MF3530-D	kr 15 591	€ 1 788	MD3530-D	kr 15 591	€ 1 788
400 x 265	390 x 244	181	65	MF4030-D	16 496	1 892	MD4030-D	16 496	1 892
450 x 295	440 x 275	204	67	MF4535-D	19 796	2 270	MD4535-D	19 796	2 270
16:9 Format									
350 x 210	340 x 191	154	55	MF3530-W	kr 15 591	€ 1 788	MD3530-W	kr 15 591	€ 1 788
400 x 240	390 x 219,5	176	62	MF4030-W	16 496	1 892	MD4030-W	16 496	1 892
450 x 265	440 x 247,5	199	67	MF4535-W	19 796	2 270	MD4535-W	19 796	2 270

* Wooden case

BLACKLINE



Euroscreen® BlackLine electric offers a stylish projection screen with a black aluminium cassette, especially appreciated in home theatre environments. The black case together with the black framework of the screen surface works very well together

and puts the focus on the projected image. The channel-fixed mounting feature make the BlackLine screen is easy to install, and it is suitable for both wall and ceiling installation.

DETAILS

- Black cylindrical shaped aluminium case
- Channel-fixed and flexible installation
- Case size (W x H): 101 x 105 mm
- Case length: screen width + 125 mm
- Bottom dowel from wall: 48 mm

BLACKLINE TAB TENSION

The tensioning system and the extra heavy weight bottom dowel in black finish provides BlackLine with a perfect flat viewing surface. The surface flatness can easily be adjusted after installation if needed. A perfectly flat viewing surface is a must when high technology Short Throw projectors are used and is also highly recommended for Full HD projectors.

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.



BlackLine also available as Tab Tension.

DETAILS

- Heavy weight bottom dowel in black finish
- Case size (W x H): 101 x 105 mm
- Case length: screen width + 285 mm
- 16:9 and 2.35:1 with black borders – all have 30 cm black drop as standard





Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No. Switch	ARCTIQ				GREYLIGHT			
					Part No. Inst. cable	SEK	EUR	Part No. Switch	Part No. Inst. cable	SEK	EUR	
4:3 Format												
160x175	150x112,5	74	8	MB1617-V	MBI1617-V	kr 5 965	€ 684	MBG1617-V	MBGI1617-V	kr 6 712	€ 770	
180 x 175	170x127,5	84	10	MB1817-V	MBI1817-V	6 069	696	MBG1817-V	MBGI1817-V	6 917	793	
200 x 175	190x142,5	94	11	MB2017-V	MBI2017-V	6 294	722	MBG2017-V	MBGI2017-V	7 113	816	
220 x 170	210x157,5	103	13	MB2217-V	MBI2217-V	7 064	810	MBG2217-V	MBGI2217-V	7 765	891	
240 x 170	230x172,5	113	14	MB2417-V	MBI2417-V	7 705	884	MBG2417-V	MBGI2417-V	8 274	949	
270 x 205	260x195	128	16	MB2724-V	MBI2724-V	8 726	1 001	-	-	-	-	
300x235	290x217,5	143	18	MB3024-V	MBI3024-V	8 833	1 013	-	-	-	-	
16:9 Format												
160 x 175	150 x 84,5	68	8	MB1617-W	MBI1617-W	kr 5 965	€ 684	MBG1617-W	MBGI1617-W	kr 6 712	€ 770	
180 x 175	170 x 95,5	77	10	MB1817-W	MBI1817-W	6 069	696	MBG1817-W	MBGI1817-W	6 917	793	
200 x 175	190 x 107	86	11	MB2017-W	MBI2017-W	6 294	722	MBG2017-W	MBGI2017-W	7 113	816	
220 x 170	210 x 118	95	13	MB2217-W	MBI2217-W	7 064	810	MBG2217-W	MBGI2217-W	7 765	891	
240 x 170	230 x 129,5	104	13	MB2417-W	MBI2417-W	7 705	884	MBG2417-W	MBGI2417-W	8 274	949	
270 x 205	260 x 146	117	16	MB2724-W	MBI2724-W	8 726	1 001	-	-	-	-	
300 x 205	290 x 163	131	17	MB3024-W	MBI3024-W	8 833	1 013	-	-	-	-	
2.35:1 Format												
160 x 175	150 x 64	64	8	MB1617-C	MBI1617-C	kr 5 965	€ 684	MBG1617-C	MBGI1617-C	kr 6 712	€ 770	
180 x 175	170 x 72,5	73	10	MB1817-C	MBI1817-C	6 069	696	MBG1817-C	MBGI1817-C	6 917	793	
200 x 175	190 x 81	81	11	MB2017-C	MBI2017-C	6 294	722	MBG2017-C	MBGI2017-C	7 113	816	
220 x 170	210 x 89,5	90	13	MB2217-C	MBI2217-C	7 064	810	MBG2217-C	MBGI2217-C	7 765	891	
240 x 170	230 x 98	98	13	MB2417-C	MBI2417-C	7 705	884	MBG2417-C	MBGI2417-C	8 274	949	
270 x 205	260 x 110,5	111	16	MB2724-C	MBI2724-C	8 726	1 001	-	-	-	-	
300 x 205	290 x 123,5	124	17	MB3024-C	MBI3024-C	8 833	1 013	-	-	-	-	

BLACKLINE ELECTRIC WITH QUIET MOTOR



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No. Quiet Motor Switch	ARCTIQ				GREYLIGHT			
					Part No. Quiet Motor Inst. cable	SEK	EUR	Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable	SEK	EUR	
4:3 Format												
160x175	150x112,5	74	8	MBQ1617-V	MBQI1617-V	kr 6 834	€ 784	MBGQ1617-V	MBGQI1617-V	kr 7 414	€ 850	
180 x 175	170x127,5	84	10	MBQ1817-V	MBQI1817-V	6 941	796	MBGQ1817-V	MBGQI1817-V	7 621	874	
200 x 175	190x142,5	94	11	MBQ2017-V	MBQI2017-V	7 169	822	MBGQ2017-V	MBGQI2017-V	7 816	896	
220 x 170	210x157,5	103	13	MBQ2217-V	MBQI2217-V	7 966	914	MBGQ2217-V	MBGQI2217-V	8 463	971	
240 x 170	230x172,5	113	14	MBQ2417-V	MBQI2417-V	7 476	857	MBGQ2417-V	MBGQI2417-V	8 977	1 030	
270 x 205	260x195	128	16	MBQ2724-V	MBQI2724-V	9 679	1 110	-	-	-	-	
300x235	290x217,5	143	18	MBQ3024-V	MBQI3024-V	9 785	1 122	-	-	-	-	
16:9 Format												
160 x 170	150 x 84,5	68	8	MBQ1617-W	MBQI1617-W	kr 6 834	€ 784	MBGQ1617-W	MBGQI1617-W	kr 7 414	€ 850	
180 x 170	170 x 95,5	77	10	MBQ1817-W	MBQI1817-W	6 941	796	MBGQ1817-W	MBGQI1817-W	7 621	874	
200 x 170	190 x 107	86	11	MBQ2017-W	MBQI2017-W	7 169	822	MBGQ2017-W	MBGQI2017-W	7 816	896	
220 x 170	210 x 118	95	13	MBQ2217-W	MBQI2217-W	7 966	914	MBGQ2217-W	MBGQI2217-W	8 463	971	
240 x 170	230 x 129,5	104	13	MBQ2417-W	MBQI2417-W	7 476	857	MBGQ2417-W	MBGQI2417-W	8 977	1 030	
270 x 205	260 x 146	117	16	MBQ2724-W	MBQI2724-W	9 679	1 110	-	-	-	-	
300 x 205	290 x 163	131	17	MBQ3024-W	MBQI3024-W	9 785	1 122	-	-	-	-	
2.35:1 Format												
160 x 170	150 x 64	64	8	MBQ1617-C	MBQI1617-C	kr 6 834	€ 784	MBGQ1617-C	MBGQI1617-C	kr 7 414	€ 850	
180 x 170	170 x 72,5	73	10	MBQ1817-C	MBQI1817-C	6 941	796	MBGQ1817-C	MBGQI1817-C	7 621	874	
200 x 170	190 x 81	81	11	MBQ2017-C	MBQI2017-C	7 169	822	MBGQ2017-C	MBGQI2017-C	7 816	896	
220 x 170	210 x 89,5	90	13	MBQ2217-C	MBQI2217-C	7 966	914	MBGQ2217-C	MBGQI2217-C	8 463	971	
240 x 170	230 x 98	98	13	MBQ2417-C	MBQI2417-C	7 476	857	MBGQ2417-C	MBGQI2417-C	8 977	1 030	
270 x 205	260 x 110,5	111	16	MBQ2724-C	MBQI2724-C	9 679	1 110	-	-	-	-	
300 x 205	290 x 123,5	124	17	MBQ3024-C	MBQI3024-C	9 785	1 122	-	-	-	-	



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ				GREYLIGHT			
				Part No. Switch	Part No. Inst. cable	SEK	EUR	Part No. Switch	Part No. Inst. cable	SEK	EUR
4:3 Format											
160x175	150x112,5	74	11	MBT1617-V	MBTI1617-V	kr 9 858	€ 1 131	MBST1617-V	MBSTI1617-V	kr 13 674	€ 1 568
180 x 175	170x127,5	84	13	MBT1817-V	MBTI1817-V	9 965	1 143	MBST1817-V	MBSTI1817-V	14 105	1 617
200 x 175	190x142,5	94	15	MBT2017-V	MBTI2017-V	10 232	1 173	MBST2017-V	MBSTI2017-V	14 506	1 663
220 x 170	210x157,5	103	17	MBT2217-V	MBTI2217-V	11 102	1 273	MBST2217-V	MBSTI2217-V	15 627	1 792
240 x 170	230x172,5	113	19	MBT2417-V	MBTI2417-V	11 833	1 357	MBST2417-V	MBSTI2417-V	16 397	1 880
16:9 Format											
160 x 120	150 x 84,5	68	11	MBT1617-W	MBTI1617-W	kr 9 858	€ 1 131	MBST1617-W	MBSTI1617-W	kr 13 674	€ 1 568
180 x 130	170 x 95,5	77	13	MBT1817-W	MBTI1817-W	9 965	1 143	MBST1817-W	MBSTI1817-W	14 105	1 617
200 x 140	190 x 107	86	15	MBT2017-W	MBTI2017-W	10 232	1 173	MBST2017-W	MBSTI2017-W	14 506	1 663
220 x 155	210 x 118	95	17	MBT2217-W	MBTI2217-W	11 102	1 273	MBST2217-W	MBSTI2217-W	15 627	1 792
240 x 165	230 x 129,5	104	19	MBT2417-W	MBTI2417-W	11 833	1 357	MBST2417-W	MBSTI2417-W	16 397	1 880
2.35:1 Format											
160 x 120	150 x 64	64	11	MBT1617-C	MBTI1617-C	kr 9 858	€ 1 131	MBST1617-C	MBSTI1617-C	kr 13 674	€ 1 568
180 x 130	170 x 72,5	73	13	MBT1817-C	MBTI1817-C	9 965	1 143	MBST1817-C	MBSTI1817-C	14 105	1 617
200 x 140	190 x 81	81	15	MBT2017-C	MBTI2017-C	10 232	1 173	MBST2017-C	MBSTI2017-C	14 506	1 663
220 x 155	210 x 89,5	90	17	MBT2217-C	MBTI2217-C	11 102	1 273	MBST2217-C	MBSTI2217-C	15 627	1 792
240 x 165	230 x 98	98	19	MBT2417-C	MBTI2417-C	11 833	1 357	MBST2417-C	MBSTI2417-C	16 397	1 880

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXPERF			
				Part No. Switch	Part No. Inst. cable	SEK	EUR
16:9 Format							
160 x 120	150 x 84,5	68	11	MBPT1617-W	MBPTI1617-W	kr 13 674	€ 1 568
180 x 130	170 x 95,5	77	13	MBPT1817-W	MBPTI1817-W	14 105	1 617
200 x 140	190 x 107	86	15	MBPT2017-W	MBPTI2017-W	14 506	1 663
220 x 155	210 x 118	95	17	MBPT2217-W	MBPTI2217-W	15 627	1 792
240 x 165	230 x 129,5	104	19	MBPT2417-W	MBPTI2417-W	16 397	1 880
2.35:1 Format							
160 x 120	150 x 64	64	11	MBPT1617-C	MBPTI1617-C	kr 13 674	€ 1 568
180 x 130	170 x 72,5	73	13	MBPT1817-C	MBPTI1817-C	14 105	1 617
200 x 140	190 x 81	81	15	MBPT2017-C	MBPTI2017-C	14 506	1 663
220 x 155	210 x 89,5	90	17	MBPT2217-C	MBPTI2217-C	15 627	1 792
240 x 165	230 x 98	98	19	MBPT2417-C	MBPTI2417-C	16 397	1 880

BLACKLINE TAB TENSION WITH QUIET MOTOR



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	Part No. Quiet Motor Switch	FLEXWHITE				REACT 3.0			
					Part No. Quiet Motor Inst. cable	SEK	EUR	Part No. Quiet Motor Switch	Part No. Quiet Motor Inst. cable	SEK	EUR	
4:3 Format												
160x175	150x112,5	74	11	-	-	-	-	MBSTQ1617-V	MBSTQI1617-V	kr 14 344	€ 1 645	
180 x 175	170x127,5	84	13	-	-	-	-	MBSTQ1817-V	MBSTQI1817-V	14 773	1 694	
200 x 175	190x142,5	94	15	-	-	-	-	MBSTQ2017-V	MBSTQI2017-V	15 175	1 740	
220 x 170	210x157,5	103	17	-	-	-	-	MBSTQ2217-V	MBSTQI2217-V	16 296	1 869	
240 x 170	230x172,5	113	19	-	-	-	-	MBSTQ2417-V	MBSTQI2417-V	17 066	1 957	
16:9 Format												
160 x 120	150 x 84,5	68	11	MBTQ1617-W	MBTQI1617-W	kr 10 529	€ 1 207	MBSTQ1617-W	MBSTQI1617-W	kr 14 344	€ 1 645	
180 x 130	170 x 95,5	77	13	MBTQ1817-W	MBTQI1817-W	10 635	1 220	MBSTQ1817-W	MBSTQI1817-W	14 773	1 694	
200 x 140	190 x 107	86	15	MBTQ2017-W	MBTQI2017-W	10 902	1 250	MBSTQ2017-W	MBSTQI2017-W	15 175	1 740	
220 x 155	210 x 118	95	17	MBTQ2217-W	MBTQI2217-W	11 773	1 350	MBSTQ2217-W	MBSTQI2217-W	16 296	1 869	
240 x 165	230 x 129,5	104	19	MBTQ2417-W	MBTQI2417-W	12 503	1 434	MBSTQ2417-W	MBSTQI2417-W	17 066	1 957	
2.35:1 Format												
160 x 120	150 x 64	64	11	MBTQ1617-C	MBTQI1617-C	kr 10 529	€ 1 207	MBSTQ1617-C	MBSTQI1617-C	kr 14 344	€ 1 645	
180 x 130	170 x 72,5	73	13	MBTQ1817-C	MBTQI1817-C	10 635	1 220	MBSTQ1817-C	MBSTQI1817-C	14 773	1 694	
200 x 140	190 x 81	81	15	MBTQ2017-C	MBTQI2017-C	10 902	1 250	MBSTQ2017-C	MBSTQI2017-C	15 175	1 740	
220 x 155	210 x 89,5	90	17	MBTQ2217-C	MBTQI2217-C	11 773	1 350	MBSTQ2217-C	MBSTQI2217-C	16 296	1 869	
240 x 165	230 x 98	98	19	MBTQ2417-C	MBTQI2417-C	12 503	1 434	MBSTQ2417-C	MBSTQI2417-C	17 066	1 957	



CONNECT

The Connect electric projection screen is the longest established model within the Euroscreen® range. The case has a square design with soft edges, and the white steel case is equipped with matching end caps, which can be used for an easy mounting directly onto the wall or the ceiling.



DETAILS

- White square shaped steel case
- Matching white end caps for easy mounting directly onto wall or ceiling
- Case size (W x H): 74 x 74 mm
- Case length: screen width + 91 mm
- Bottom dowel very close wall
- Optional wall brackets allow keystone correction

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.



Matching end caps for easy mounting and Plug n' Play feature for a quick installation.



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			
				Part No. Switch	Part No. Inst. cable	SEK	EUR
Nordic							
140 x 200	140 x 200		7	CEL1420	CELI1420	kr 3 912	€ 449
150 x 200	150 x 200		7	CEL1520	CELI1520	4 000	459
160 x 200	160 x 200		8	CEL1620	CELI1620	4 045	464
180 x 200	180 x 200		8	CEL1820	CELI1820	4 241	486
1:1 Format							
125 x 125	125 x 125		6	CEL125	CELI125	kr 3 637	€ 417
150 x 150	150 x 150		7	CEL150	CELI150	3 799	436
180 x 180	180 x 180		8	CEL180	CELI180	4 040	463
200 x 200	200 x 200		10	CEL200	CELI200	4 279	491
220 x 220	220 x 220		11	CEL220	CELI220	4 742	544
240 x 240	240 x 240		12	CEL240	CELI240	5 004	574
4:3 No Black Borders							
180 x 135	180 x 135		9	CEL1814	CELI1814	kr 3 845	€ 441
200 x 150	200 x 150		10	CEL2015	CELI2015	4 033	463
220 x 165	220 x 165		11	CEL2217	CELI2217	4 474	513
240 x 180	240 x 180		11	CEL2418	CELI2418	4 720	541
4:3 Format							
160 x 165	150 x 112,5	74	8	CEL1617-V	CELI1617-V	kr 4 057	€ 465
180 x 165	170 x 127,5	84	9	CEL1817-V	CELI1817-V	4 167	478
200 x 165	190 x 142,5	94	10	CEL2017-V	CELI2017-V	4 375	502
220 x 165	210 x 157,5	103	11	CEL2217-V	CELI2217-V	4 742	544
240 x 180	230 x 172,5	113	11	CEL2417-V	CELI2417-V	5 122	587
16:10 Format							
160 x 165	150 x 94	70	8	CEL1617-D	CELI1617-D	kr 4 057	€ 465
180 x 165	170 x 106	79	9	CEL1817-D	CELI1817-D	4 167	478
200 x 165	190 x 119	88	10	CEL2017-D	CELI2017-D	4 375	502
220 x 165	210 x 131	97	11	CEL2217-D	CELI2217-D	4 742	544
240 x 180	230 x 144	107	11	CEL2417-D	CELI2417-D	5 122	587
16:9 Format							
160 x 165	150 x 84,5	68	8	CEL1617-W	CELI1617-W	kr 4 057	€ 465
180 x 165	170 x 95,5	77	9	CEL1817-W	CELI1817-W	4 167	478
200 x 165	190 x 107	86	10	CEL2017-W	CELI2017-W	4 375	502
220 x 165	210 x 118	95	11	CEL2217-W	CELI2217-W	4 742	544
240 x 165	230 x 129,5	104	11	CEL2417-W	CELI2417-W	5 122	587

ACCESS

For concealed, large venue installations we offer the Access models with new possibilities for recessed ceilings. The Access projection screen concept is completely modified and the recessed ceiling case is now available in a large range of standard sizes and screen surfaces, even as Tab Tension versions.

As a key feature the screen is entirely hidden when not in use, with both screen and bottom dowel retracted in the recessed case. Moreover, the Access models offer the possibility to

install the case first and the screen any time later, therefore the screen surface is not at risk of damage during construction work. Sliding brackets on top of the case allow easy and unlimited adjustment when installing. On selected sizes of Access FlexWhite, the surface is welded either horizontally or vertically to match desired formats and sizes, leaving an almost invisible weld.

DETAILS

- Projection screen for recessed ceiling installations
- Possibility to install the case first and screen later
- Sliding brackets on top of the case allow unlimited adjustment during installation
- Bottom of case is removable without tools for screen installation or maintenance
- Delivered with 3 m hard wire cable
- Case size (W x H): 203 x 178 mm
- Case length: screen width + 280 mm
- Cut-out case size (W x H): 160 x 178 mm
- Cut-out length: screen width + 230 mm
- Recommended control options: Control Box, AutoLink RF or RF remote control

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.



ACCESS TAB TENSION

The tensioning system and the extra heavy weight bottom dowel provide Access Tab Tension with a perfectly flat viewing surface. The surface flatness can easily be adjusted after installation if needed.

DETAILS

- Heavy weight bottom dowel
- Case size (W x H): 203 x 178 mm
- Total case length (incl. flanges): screen width + 550 mm
- Cut-out case size (W x H): 160 x 178 mm
- Cut-out length: screen width + 500 mm
- 4:3, 16:10, 16:9 and 2.35:1 with black borders – all have 30 cm black drop as standard



The recessed ceiling Access case open for service (1) and case closed (2). Sliding brackets on top of case allow adjustment for mounting (3).



CEILING

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	XPERT			ARCTIQ		
				Part No. Inst. cable	SEK	EUR	Part No. Inst. cable	SEK	EUR
1:1 Format									
250 x 250	250 x 250		37	ACXE250	kr 21 912	€ 2 513	ACDE250	kr 20 930	€ 2 400
275 x 275	275 x 275		39	ACXE275	22 787	2 613	ACDE275	21 655	2 483
300 x 300	300 x 300		41	ACXE300	23 220	2 663	ACDE300	22 095	2 534
4:3 No Black Borders									
250 x 187,5	250 x 187,5		36	ACXE2522	kr 20 768	€ 2 382	ACDE2522	kr 20 079	€ 2 303
275 x 206	275 x 206		37	ACXE2822	21 554	2 472	ACDE2822	20 416	2 341
300 x 225	300 x 225		38	ACXE3024	21 988	2 522	ACDE3024	20 856	2 392
325 x 244	325 x 244		39	ACXE3326	22 772	2 611	ACDE3326	21 424	2 457
350 x 265	350 x 265		39	ACXE3530	23 799	2 729	ACDE3530	22 682	2 601
375 x 281	375 x 281		44	ACXE3830	24 212	2 777	-	-	-
4:3 Format									
250 x 210	240 x 180	118	37	ACXE2522-V	kr 22 362	€ 2 564	ACDE2522-V	kr 21 236	€ 2 435
275 x 230	265 x 199	130	38	ACXE2822-V	23 588	2 705	ACDE2822-V	22 630	2 595
300 x 250	290 x 217,5	143	40	ACXE3024-V	24 021	2 755	ACDE3024-V	23 070	2 646
325 x 270	315 x 236	155	42	ACXE3326-V	24 896	2 855	ACDE3326-V	23 795	2 729
350 x 285	340 x 255	167	45	ACXE3530-V	25 041	2 872	ACDE3530-V	23 942	2 746
16:10 Format									
250 x 180	240 x 150	111	36	ACXE2522-D	kr 22 362	€ 2 564	ACDE2522-D	kr 21 236	€ 2 435
275 x 195	265 x 165,5	123	38	ACXE2822-D	23 588	2 705	ACDE2822-D	22 630	2 595
300 x 210	290 x 181	135	38	ACXE3024-D	24 021	2 755	ACDE3024-D	23 070	2 646
325 x 230	315 x 197	146	39	ACXE3326-D	24 896	2 855	ACDE3326-D	23 795	2 729
350 x 245	340 x 212,5	158	40	ACXE3530-D	25 041	2 872	ACDE3530-D	23 942	2 746
375 x 260	365 x 228	170	42	ACXE3830-D	25 454	2 919	ACDE3830-D	24 047	2 758
400 x 275	390 x 244	181	46	ACXE4033-D	25 867	2 966	ACDE4033-D	24 446	2 803
16:9 Format									
250 x 165	240 x 135	108	36	ACXE2522-W	kr 22 362	€ 2 564	ACDE2522-W	kr 21 236	€ 2 435
275 x 180	265 x 149	120	37	ACXE2822-W	23 588	2 705	ACDE2822-W	22 630	2 595
300 x 195	290 x 163	131	37	ACXE3024-W	24 021	2 755	ACDE3024-W	23 070	2 646
325 x 210	315 x 177	142	38	ACXE3326-W	24 896	2 855	ACDE3326-W	23 795	2 729
350 x 225	340 x 191	154	39	ACXE3530-W	25 041	2 872	ACDE3530-W	23 942	2 746
375 x 235	365 x 205	165	41	ACXE3830-W	25 454	2 919	ACDE3830-W	24 047	2 758
400 x 250	390 x 219,5	176	43	ACXE4033-W	25 867	2 966	ACDE4033-W	24 446	2 803
425 x 265	415 x 233,5	188	48	ACXE4333-W	26 280	3 014	ACDE4333-W	24 844	2 849
450 x 280	440 x 247,5	199	55	ACXE4535-W	26 694	3 061	ACDE4535-W	25 242	2 895



FLEXWHITE

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Inst. cable		
1:1 Format						
250 x 250	250 x 250		37	ACFE250 *	kr 20 927	€ 2 400
275 x 275	275 x 275		39	ACFE275 *	21 520	2 468
300 x 300	300 x 300		41	ACFE300 *	21 748	2 494
325 x 325	325 x 325		42	ACFE325 *	22 253	2 552
350 x 350	350 x 350		43	ACFE350 *	22 398	2 569
375 x 375	375 x 375		45	ACFE375 *	23 135	2 653
400 x 400	400 x 400		51	ACFE400 *	23 548	2 700
425 x 425	425 x 425		56	ACFE425 *	24 285	2 785
4:3 No Black Borders						
250 x 187,5	250 x 187,5		36	ACFE2522	kr 20 279	€ 2 326
275 x 206	275 x 206		37	ACFE2822	20 872	2 394
300 x 225	300 x 225		38	ACFE3024 *	21 100	2 420
325 x 244	325 x 244		39	ACFE3326 *	21 605	2 478
350 x 265	350 x 265		39	ACFE3530 *	22 074	2 531
375 x 281	375 x 281		44	ACFE3830 *	22 487	2 579
400 x 300	400 x 300		49	ACFE4033 *	22 900	2 626
425 x 319	425 x 319		54	ACFE4333 *	23 637	2 711
450 x 337,5	450 x 337,5		59	ACFE4535 *	25 029	2 870
4:3 Format						
250 x 210	240 x 180	118	37	ACFE2522-V	kr 22 103	€ 2 535
275 x 230	265 x 199	130	38	ACFE2822-V *	22 697	2 603
300 x 250	290 x 217,5	143	40	ACFE3024-V *	22 925	2 629
325 x 270	315 x 236	155	42	ACFE3326-V *	23 429	2 687
350 x 285	340 x 255	167	45	ACFE3530-V *	23 575	2 704
375 x 305	365 x 274	180	48	ACFE3830-V *	24 312	2 788
400 x 325	390 x 292,5	192	51	ACFE4033-V *	24 725	2 835
425 x 345	415 x 311	204	54	ACFE4333-V *	25 138	2 883
440 x 360	430 x 322,5	212	57	ACFE4435-V *	26 994	3 096
16:10 Format						
250 x 180	240 x 150	111	36	ACFE2522-D	kr 22 103	€ 2 535
275 x 195	265 x 165,5	123	38	ACFE2822-D	22 697	2 603
300 x 210	290 x 181	135	38	ACFE3024-D	22 925	2 629
325 x 230	315 x 197	146	39	ACFE3326-D *	23 429	2 687
350 x 245	340 x 212,5	158	40	ACFE3530-D *	23 575	2 704
375 x 260	365 x 228	170	42	ACFE3830-D *	24 312	2 788
400 x 275	390 x 244	181	46	ACFE4033-D *	24 725	2 835
425 x 290	415 x 259	193	51	ACFE4333-D *	25 138	2 883
440 x 305	430 x 269	200	56	ACFE4435-D *	26 994	3 096
16:9 Format						
250 x 165	240 x 135	108	36	ACFE2522-W	kr 22 103	€ 2 535
275 x 180	265 x 149	120	37	ACFE2822-W	22 697	2 603
300 x 195	290 x 163	131	37	ACFE3024-W	22 925	2 629
325 x 210	315 x 177	142	38	ACFE3326-W	23 429	2 687
350 x 225	340 x 191	154	39	ACFE3530-W *	23 575	2 704
375 x 235	365 x 205	165	41	ACFE3830-W *	24 312	2 788
400 x 250	390 x 219,5	176	43	ACFE4033-W *	24 725	2 835
425 x 265	415 x 233,5	188	48	ACFE4333-W *	25 138	2 883
440 x 280	430 x 242	194	54	ACFE4435-W *	26 994	3 096

* Surface welded with almost invisible weld, either horizontally or vertically.

ACCESS TAB TENSION



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	REACT 3.0			FLEXREAR		
				Part No. Inst. cable	SEK	EUR	Part No. Inst. cable	SEK	EUR
1:1 Format									
250 x 187,5	250 x 187,5		38	ACST2522	kr 24 893	€ 2 855	ACRT2522	kr 24 000	€ 2 752
275 x 206	275 x 206		40	-	-	-	ACRT2822	25 416	2 915
300 x 225	300 x 225		41	-	-	-	ACRT3024	25 850	2 964
4:3 Format									
250 x 210	240 x 180	118	38	ACST2522-V	kr 28 357	€ 3 252	ACRT2522-V	kr 27 508	€ 3 155
275 x 230	265 x 199	130	41	ACST2822-V	29 727	3 409	ACRT2822-V	28 925	3 317
300 x 250	290 x 217,5	143	42	-	-	-	ACRT3024-V	29 359	3 367
325 x 270	315 x 236	155	44	-	-	-	ACRT3326-V	30 776	3 529
16:10 Format									
250 x 180	240 x 150	111	38	ACST2522-D	kr 28 357	€ 3 252	ACRT2522-D	kr 27 508	€ 3 155
275 x 195	265 x 165,5	123	40	ACST2822-D	29 727	3 409	ACRT2822-D	28 925	3 317
300 x 210	290 x 181	135	41	ACST3024-D	30 161	3 459	ACRT3024-D	29 359	3 367
325 x 230	315 x 197	146	42	ACST3326-D	31 534	3 616	ACRT3326-D	30 776	3 529
350 x 245	340 x 212,5	158	43	-	-	-	ACRT3530-D	31 208	3 579
375 x 260	365 x 228	170	46	-	-	-	ACRT3830-D	31 642	3 629
16:9 Format									
250 x 165	240 x 135	108	38	ACST2522-W	kr 28 357	€ 3 252	ACRT2522-W	kr 27 508	€ 3 155
275 x 180	265 x 149	120	39	ACST2822-W	29 727	3 409	ACRT2822-W	28 925	3 317
300 x 195	290 x 163	131	39	ACST3024-W	30 161	3 459	ACRT3024-W	29 359	3 367
325 x 210	315 x 177	142	40	ACST3326-W	31 534	3 616	ACRT3326-W	30 776	3 529
350 x 225	340 x 191	154	42	ACST3530-W	31 968	3 666	ACRT3530-W	31 208	3 579
375 x 235	365 x 205	165	43	ACST3830-W	32 402	3 716	ACRT3830-W	31 642	3 629
400 x 250	390 x 219,5	176	54	-	-	-	ACRT4033-W	32 413	3 717
2.35:1 Format									
250 x 135	240 x 102	103	37	ACST2522-C	kr 28 357	€ 3 252	-	-	-
275 x 145	265 x 112,5	113	39	ACST2822-C	29 727	3 409	-	-	-
300 x 155	290 x 123,5	124	41	ACST3024-C	30 161	3 459	-	-	-
325 x 165	315 x 134	135	43	ACST3326-C	31 534	3 616	-	-	-
350 x 175	340 x 144,5	145	46	ACST3530-C	31 968	3 666	-	-	-
375 x 185	365 x 155	156	48	ACST3830-C	32 402	3 716	-	-	-
400 x 200	390 x 166	166	52	ACST4033-C	34 112	3 912	-	-	-
425 x 210	415 x 176,5	178	55	ACST4333-C	34 917	4 004	-	-	-



FLEXWHITE

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Inst. cable		
4:3 No Black Borders						
250 x 187,5	250 x 187,5		38	ACFT2522	kr 22 644	€ 2 597
275 x 206	275 x 206		40	ACFT2822	23 299	2 672
300 x 225	300 x 225		41	ACFT3024 *	23 466	2 691
325 x 244	325 x 244		43	ACFT3326 *	23 970	2 749
350 x 265	350 x 265		43	ACFT3530 *	24 439	2 803
375 x 281	375 x 281		46	ACFT3830 *	24 852	2 850
400 x 300	400 x 300		55	ACFT4033 *	25 265	2 897
425 x 319	425 x 319		60	ACFT4333 *	26 002	2 982
4:3 Format						
250 x 210	240 x 180	118	38	ACFT2522-V	kr 25 493	€ 2 924
275 x 230	265 x 199	130	41	ACFT2822-V *	26 086	2 992
300 x 250	290 x 217,5	143	42	ACFT3024-V *	26 315	3 018
325 x 270	315 x 236	155	44	ACFT3326-V *	26 819	3 076
350 x 285	340 x 255	167	45	ACFT3530-V *	26 965	3 092
375 x 305	365 x 274	180	47	ACFT3830-V *	27 702	3 177
400 x 325	390 x 292,5	192	55	ACFT4033-V *	28 115	3 224
425 x 345	415 x 311	204	60	ACFT4333-V *	28 528	3 272
16:10 Format						
250 x 180	240 x 150	111	38	ACFT2522-D	kr 25 493	€ 2 924
275 x 195	265 x 165,5	123	39	ACFT2822-D	26 086	2 992
300 x 210	290 x 181	135	41	ACFT3024-D	26 315	3 018
325 x 230	315 x 197	146	41	ACFT3326-D *	26 819	3 076
350 x 245	340 x 212,5	158	43	ACFT3530-D *	26 965	3 092
375 x 260	365 x 228	170	46	ACFT3830-D *	27 702	3 177
400 x 275	390 x 244	181	55	ACFT4033-D *	28 115	3 224
425 x 290	415 x 259	193	59	ACFT4333-D *	28 528	3 272
16:9 Format						
250 x 165	240 x 135	108	38	ACFT2522-W	kr 25 493	€ 2 924
275 x 180	265 x 149	120	39	ACFT2822-W	26 086	2 992
300 x 195	290 x 163	131	39	ACFT3024-W	26 315	3 018
325 x 210	315 x 177	142	40	ACFT3326-W	26 819	3 076
350 x 225	340 x 191	154	42	ACFT3530-W *	26 965	3 092
375 x 235	365 x 205	165	43	ACFT3830-W *	27 702	3 177
400 x 250	390 x 219,5	176	54	ACFT4033-W *	28 115	3 224
425 x 265	415 x 233,5	188	58	ACFT4333-W *	28 528	3 272
2.35:1 Format						
250 x 135	240 x 102	103	37	ACFT2522-C	kr 25 493	€ 2 924
275 x 145	265 x 112,5	113	39	ACFT2822-C	26 086	2 992
300 x 155	290 x 123,5	124	41	ACFT3024-C	26 315	3 018
325 x 165	315 x 134	135	43	ACFT3326-C	26 819	3 076
350 x 175	340 x 144,5	145	46	ACFT3530-C	26 965	3 092
375 x 185	365 x 155	156	48	ACFT3830-C	27 702	3 177
400 x 200	390 x 166	166	52	ACFT4033-C	28 115	3 224
425 x 210	415 x 176,5	178	55	ACFT4333-C	28 528	3 272

* Surface welded with almost invisible weld, either horizontally or vertically.

ROYAL

Royal electric by Euroscreen® is an alternative for large venue installations. It is delivered with the Euroscreen® Astranova screen surface which has a white front projection surface and black backing.

Royal is available in sizes up to 600 cm in width. A cylindrically shaped aluminium case in white finish characterizes the

Royal projection screens up to 450 cm wide, while larger sizes are delivered with a square shaped wooden case finished in white. Sturdy brackets for wall or ceiling installation are included. The bottom dowel has extra weight to obtain the flattest viewing surface possible.

DETAILS

- Available in sizes up to 600 cm width
- Astranova surface (one piece fabric, no seams)
- Heavy weight bottom dowel
- White aluminium case for width up to 450 cm
- White wooden case for sizes over 450 cm (*)
- Delivered with 3 m hard wire cable
- Case size (W x H): 165 x 170 mm (\leq 450 cm)
- Case size (W x H): 220 x 220 mm ($>$ 500 cm)
- Recommended control options: Control Box, AutoLink RF or RF remote control

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.



ASTRANOVA						
Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Inst. cable		
1:1 Format						
300 x 300	300 x 300		36	MD300U	kr 24 063	€ 2 760
350 x 350	350 x 350		42	MD350U	26 656	3 057
400 x 400	400 x 400		48	MD400U	29 831	3 421
4:3 No Black Borders						
300 x 225	300 x 225		33	MD3025U	kr 22 455	€ 2 575
350 x 265	350 x 265		38	MD3530U	25 084	2 877
400 x 300	400 x 300		42	MD4030U	26 696	3 061
450 x 350	450 x 350		65	MD4535U	32 575	3 736
16:10 No Black Borders						
500 x 350	500 x 350		125	MD5040U *	kr 45 252	€ 5 189
16:9 No Black Borders						
600 x 350	600 x 350		145	MD6040U *	kr 46 105	€ 5 287



WALL or CEILING

1



2*



White aluminium case up to 450 cm width (1) and white wooden case in sizes above 450 cm (2).

LODO

For the absolute largest electric screen option LODO is offered, available in sizes up to 700 cm in width. LODO is a large sized professional electric screen with a strong square shaped aluminium case in matt white finish. The screen is supplied with safety chains which provide an upper-grade of safety. The screen surface is a white flexible front projection surface with a gain of 1.1.

DETAILS

- Available in sizes up to 700 cm width
- Square shaped white aluminium case
- Supplied with extra safety chains
- Case size (W x H): 210 x 204 mm
- White flexible screen surface



WHITE SURFACE

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Inst. cable		
1:1 Format						
450x450	450x450		100	LODO450	kr 45 882	€ 5 262
500x500	500x500		111	LODO500	52 020	5 966
550x550	550x550		115	LODO550	56 537	6 484
4:3 No Black Borders						
500x375	500x375		111	LODO5040	kr 43 344	€ 4 971
550x412	550x412		115	LODO5545	47 115	5 403
600x450	600x450		119	LODO6050	51 584	5 916
650x487	650x487		123	LODO6550	58 156	6 669
700x525	700x525		127	LODO7055	62 836	7 206



WALL or CEILING

DIPLOMAT



Diplomat is a popular projection screen with a white aluminium case and channel-fixed installation. This makes it one of the market's most flexible and easy screens to install. Thanks to its functional and contemporary design, Diplomat is suitable for any environment; conference rooms, education facilities and home theatres.

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

SOFT&QUIET

Get the best functionality out of the manual projection screen and at the same time preserve the mechanism and function for years and years to come by upgrading to the Soft&Quiet feature.

The Soft&Quiet feature is a reliable and strong roller mechanism that slowly and smoothly retracts the screen surface into the case, slowing even more as it approaches the upper limit. Just a simple tug on the handle or the pull cord is all that is needed. The Soft&Quiet feature prolongs the life of a manual screen since it prevents potential damage to the case, its mechanism, and screen surface.

DETAILS

- White cylindrically shaped aluminium cassette
- Channel-fixed and flexible installation
- Case size (W x H): 89 x 105 mm
- Case length: screen width + 86 mm (\leq 200 cm width)
- Case length: screen width + 94 mm ($>$ 200 cm width)
- Bottom dowel from wall: 48 mm

DETAILS

- Reliable and strong roller mechanism
- Slowly retracts the screen surface into the case
- Slowing down as it approaches the upper limit
- Prolongs the life of the screen





Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			GREYLIGHT		
				Part No.	SEK	EUR	Part No.	SEK	EUR
Nordic									
140 x 200	140 x 200		6	DD1420	kr 1 378	€ 158	DG1420	kr 2 182	€ 250
150 x 200	150 x 200		7	DD1520	1 428	164	DG1520	2 254	258
160 x 200	160 x 200		7	DD1620	1 500	172	DG1620	2 438	280
180 x 200	180 x 200		8	DD1820	1 640	188	DG1820	2 544	292
No Black Borders									
270 x 210	270 x 210		15	DD2724	kr 4 413	€ 506	-	-	-
300 x 210	300 x 210		17	DD3024	4 546	521	-	-	-
1:1 Format									
125 x 125	125 x 125		6	DD125	kr 1 228	€ 141	DG125	kr 2 143	€ 246
150 x 150	150 x 150		7	DD150	1 283	147	DG150	2 254	258
180 x 180	180 x 180		8	DD180	1 461	168	DG180	2 539	291
200 x 200	200 x 200		9	DD200	2 115	242	DG200	2 963	340
220 x 220	220 x 220		12	DD220	2 705	310	DG220	3 744	429
240 x 240	240 x 240		13	DD240	3 341	383	DG240	4 508	517
4:3 Format									
160 x 175	150 x 112,5	74	7	DD1617-V	kr 2 058	€ 236	DG1617-V	kr 2 997	€ 344
180 x 175	170 x 127,5	84	8	DD1817-V	2 154	247	DG1817-V	3 074	353
200 x 175	190 x 142,5	94	10	DD2017-V	2 477	284	DG2017-V	3 141	360
220 x 170	210 x 157,5	103	12	DD2217-V	2 912	334	DG2217-V	3 933	451
240 x 205	230 x 172,5	113	13	DD2420-V	3 336	383	DG2420-V	4 525	519
270 x 210	260 x 195	128	15	DD2724-V	4 546	521	DG2724-V	5 161	592
300 x 235	290 x 217,5	143	17	DD3024-V	4 720	541	DG3024-V	5 322	610
16:10 Format									
160 x 175	150 x 94	70	7	DD1617-D	kr 2 058	€ 236	DG1617-D	kr 2 997	€ 344
180 x 175	170 x 106	79	8	DD1817-D	2 154	247	DG1817-D	3 074	353
200 x 175	190 x 119	88	10	DD2017-D	2 477	284	DG2017-D	3 141	360
220 x 170	210 x 131	97	12	DD2217-D	2 912	334	DG2217-D	3 933	451
240 x 170	230 x 144	107	13	DD2417-D	3 336	383	DG2417-D	4 525	519
270 x 205	260 x 162,5	121	15	DD2724-D	4 546	521	DG2724-D	5 161	592
300 x 205	290 x 181	135	17	DD3024-D	4 720	541	DG3024-D	5 322	610
16:9 Format									
160 x 175	150 x 84,5	68	7	DD1617-W	kr 2 058	€ 236	DG1617-W	kr 2 997	€ 344
180 x 175	170 x 95,5	77	8	DD1817-W	2 154	247	DG1817-W	3 074	353
200 x 175	190 x 107	86	10	DD2017-W	2 477	284	DG2017-W	3 141	360
220 x 170	210 x 118	95	12	DD2217-W	2 912	334	DG2217-W	3 933	451
240 x 170	230 x 129,5	104	13	DD2417-W	3 336	383	DG2417-W	4 525	519
270 x 205	260 x 146	117	15	DD2724-W	4 546	521	DG2724-W	5 161	592
300 x 205	290 x 163	131	17	DD3024-W	4 720	541	DG3024-W	5 322	610



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			GREYLIGHT		
				Part No.	SEK	EUR	Part No.	SEK	EUR
Nordic									
140 x 200	140 x 200		6	DDQ1420	kr 2 047	€ 235	DGQ1420	kr 2 851	€ 327
150 x 200	150 x 200		7	DDQ1520	2 097	241	DGQ1520	2 924	335
160 x 200	160 x 200		7	DDQ1620	2 170	249	DGQ1620	3 107	356
180 x 200	180 x 200		8	DDQ1820	2 309	265	DGQ1820	3 214	369
No Black Borders									
270 x 210	270 x 210		15	DDQ2724	kr 4 413	€ 506	-	-	-
300 x 210	300 x 210		17	DDQ3024	4 546	521	-	-	-
1:1 Format									
125 x 125	125 x 125		6	DDQ125	kr 1 897	€ 218	DGQ125	kr 2 812	€ 322
150 x 150	150 x 150		7	DDQ150	1 953	224	DGQ150	2 924	335
180 x 180	180 x 180		8	DDQ180	2 130	244	DGQ180	3 208	368
200 x 200	200 x 200		9	DDQ200	2 784	319	DGQ200	3 632	417
220 x 220	220 x 220		13	DDQ220	3 374	387	DGQ220	4 413	506
240 x 240	240 x 240		14	DDQ240	4 011	460	DGQ240	5 177	594
4:3 Format									
160 x 175	150 x 112,5	74	7	DDQ1617-V	kr 2 729	€ 313	DGQ1617-V	kr 3 666	€ 420
180 x 175	170 x 127,5	84	8	DDQ1817-V	2 823	324	DGQ1817-V	3 744	429
200 x 175	190 x 142,5	94	10	DDQ2017-V	3 147	361	DGQ2017-V	3 811	437
220 x 170	210 x 157,5	103	13	DDQ2217-V	3 582	411	DGQ2217-V	4 603	528
240 x 205	230 x 172,5	113	14	DDQ2420-V	4 006	459	DGQ2420-V	5 194	596
270 x 210	260 x 195	128	16	DDQ2724-V	5 216	598	DGQ2724-V	5 831	669
300 x 235	290 x 217,5	143	18	DDQ3024-V	5 389	618	DGQ3024-V	5 991	687
16:10 Format									
160 x 175	150 x 94	70	7	DDQ1617-D	kr 2 729	€ 313	DGQ1617-D	kr 3 666	€ 420
180 x 175	170 x 106	79	8	DDQ1817-D	2 823	324	DGQ1817-D	3 744	429
200 x 175	190 x 119	88	10	DDQ2017-D	3 147	361	DGQ2017-D	3 811	437
220 x 170	210 x 131	97	13	DDQ2217-D	3 582	411	DGQ2217-D	4 603	528
240 x 170	230 x 144	107	14	DDQ2417-D	4 006	459	DGQ2417-D	5 194	596
270 x 205	260 x 162,5	121	16	DDQ2724-D	5 216	598	DGQ2724-D	5 831	669
300 x 205	290 x 181	135	18	DDQ3024-D	5 389	618	DGQ3024-D	5 991	687
16:9 Format									
160 x 175	150 x 84,5	68	7	DDQ1617-W	kr 2 729	€ 313	DGQ1617-W	kr 3 666	€ 420
180 x 175	170 x 95,5	77	8	DDQ1817-W	2 823	324	DGQ1817-W	3 744	429
200 x 175	190 x 107	86	10	DDQ2017-W	3 147	361	DGQ2017-W	3 811	437
220 x 170	210 x 118	95	13	DDQ2217-W	3 582	411	DGQ2217-W	4 603	528
240 x 170	230 x 129,5	104	14	DDQ2417-W	4 006	459	DGQ2417-W	5 194	596
270 x 205	260 x 146	117	16	DDQ2724-W	5 216	598	DGQ2724-W	5 831	669
300 x 205	290 x 163	131	18	DDQ3024-W	5 389	618	DGQ3024-W	5 991	687

BLACKLINE



The Euroscreen® BlackLine model gives you a stylish projection screen in a black aluminium case, especially appreciated in home theatre environments. The black case together with the black framework of the screen surface works very well together and puts the focus on the projected image. The BlackLine case is easy to install with its channel-fixed mounting feature, and is suitable for both wall and ceiling installation.

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

SOFT&QUIET

Get the best functionality out of the manual projection screen and at the same time preserve the mechanism and function for years and years to come by upgrading to the Soft&Quiet feature.

The Soft&Quiet feature is a reliable and strong roller mechanism that slowly and smoothly retracts the screen surface into the case, slowing even more as it approaches the upper limit. Just a simple tug on the handle or the pull cord is all that is needed. The Soft&Quiet feature prolongs the life of a manual screen since it prevents potential damage to the case, its mechanism, and screen surface.

DETAILS

- Popular manual screen for home theatre applications
- Black cylindrically shaped aluminium case
- Channel-fixed and flexible installation
- Case size (W x H): 89 x 105 mm
- Case length: screen width + 86 mm (\leq 200 cm width)
- Case length: screen width + 94 mm ($>$ 200 cm width)
- Bottom dowel from wall: 48 mm

DETAILS

- Reliable and strong roller mechanism
- Slowly retracts the screen surface into the case
- Slowing down as it approaches the upper limit
- Prolongs the life of the screen





WALL or CEILING

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	ARCTIQ			GREYLIGHT		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 Format									
160 x 175	150 x 112,5	74	7	BL1617-V	kr 2 058	€ 236	BLG1617-V	kr 2 997	€ 344
180 x 175	170 x 127,5	84	8	BL1817-V	2 154	247	BLG1817-V	3 074	353
200 x 175	190 x 142,5	94	10	BL2017-V	2 477	284	BLG2017-V	3 141	360
220 x 170	210 x 157,5	103	12	BL2217-V	2 912	334	BLG2217-V	3 933	451
240 x 205	230 x 172,5	113	13	BL2420-V	3 336	383	BLG2420-V	4 525	519
270 x 210	260 x 195	128	15	BL2724-V	4 546	521	BLG2724-V	5 161	592
300 x 235	290 x 217,5	143	17	BL3024-V	4 720	541	BLG3024-V	5 322	610
16:9 Format									
160 x 175	150 x 84,5	68	7	BL1617-W	kr 2 058	€ 236	BLG1617-W	kr 2 997	€ 344
180 x 175	170 x 95,5	77	8	BL1817-W	2 154	247	BLG1817-W	3 074	353
200 x 175	190 x 107	86	10	BL2017-W	2 477	284	BLG2017-W	3 141	360
220 x 170	210 x 118	95	12	BL2217-W	2 912	334	BLG2217-W	3 933	451
240 x 170	230 x 129,5	104	13	BL2417-W	3 336	383	BLG2417-W	4 525	519
270 x 205	260 x 146	117	15	BL2724-W	4 546	521	BLG2724-W	5 161	592
300 x 205	290 x 163	131	17	BL3024-W	4 720	541	BLG3024-W	5 322	610
2.35:1 Format									
160 x 175	150 x 64	64	7	BL1617-C	kr 2 058	€ 236	BLG1617-C	kr 2 997	€ 344
180 x 175	170 x 72,5	73	8	BL1817-C	2 154	247	BLG1817-C	3 074	353
200 x 175	190 x 81	81	10	BL2017-C	2 477	284	BLG2017-C	3 141	360
220 x 170	210 x 89,5	90	12	BL2217-C	2 912	334	BLG2217-C	3 933	451
240 x 170	230 x 98	98	13	BL2417-C	3 336	383	BLG2417-C	4 525	519
270 x 205	260 x 110,5	111	15	BL2724-C	4 546	521	BLG2724-C	5 161	592
300 x 205	290 x 123,5	124	17	BL3024-C	4 720	541	BLG3024-C	5 322	610

CONNECT

The Connect projection screen is the longest established model within the Euroscreen® range. The case has a square design with soft edges, and the white steel case is equipped with matching end caps which are used for an easy installation directly onto the wall or the ceiling. This affordable screen is available in a large selection of projection formats. The Connect is often used for educational applications and is therefore recommended together with optional mounting brackets, which allow keystone correction if required.

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

DETAILS

- White square shaped steel case
- Matching white end caps
- Use end caps for easy installation directly onto wall or ceiling
- Case size (W x H): 74 x 74 mm
- Case length: screen width + 91 mm
- Bottom dowel very close to wall
- Optional wall brackets allow keystone correction



Use end caps for fast installation directly onto wall.

ARCTIQ

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)			
Nordic						
140 x 200	140 x 200		5	C1420	kr 1 233	€ 141
150 x 200	150 x 200		6	C1520	1 289	148
160 x 200	160 x 200		6	C1620	1 333	153
180 x 200	180 x 200		7	C1820	1 440	165
1:1 Format						
125 x 125	125 x 125		4	C125	kr 1 015	€ 116
150 x 150	150 x 150		5	C150	1 065	122
180 x 180	180 x 180		7	C180	1 177	135
200 x 200	200 x 200		8	C200	1 707	196
220 x 220	220 x 220		10	C220	2 187	251
240 x 240	240 x 240		11	C240	2 712	311
4:3 No Black Borders						
180 x 135	180 x 135		7	C1814	kr 1 122	€ 129
200 x 150	200 x 150		7	C2015	1 412	162
220 x 165	220 x 165		10	C2217	2 014	231
240 x 180	240 x 180		10	C2418	2 400	275
4:3 Format						
160 x 165	150 x 112,5	74	6	C1617-V	kr 1 528	€ 175
180 x 165	170 x 127,5	84	7	C1817-V	1 635	187
200 x 165	190 x 142,5	94	8	C2017-V	1 963	225
220 x 165	210 x 157,5	103	10	C2217-V	2 366	271
240 x 180	230 x 172,5	113	10	C2417-V	2 739	314
16:10 Format						
160 x 165	150 x 94	70	6	C1617-D	kr 1 528	€ 175
180 x 165	170 x 106	79	7	C1817-D	1 635	187
200 x 165	190 x 119	88	8	C2017-D	1 963	225
220 x 165	210 x 131	97	10	C2217-D	2 366	271
240 x 180	230 x 144	107	10	C2417-D	2 739	314
16:9 Format						
160 x 165	150 x 84,5	68	6	C1617-W	kr 1 528	€ 175
180 x 165	170 x 95,5	77	7	C1817-W	1 635	187
200 x 165	190 x 107	86	8	C2017-W	1 963	225
220 x 165	210 x 118	95	10	C2217-W	2 366	271
240 x 165	230 x 129,5	104	10	C2417-W	2 739	314



WALL or CEILING

EXCELLO 2000

Euroscreen® Excello 2000 is a rail system designed to use wall space most efficiently. The projection screen and other visual resources such as maps and posters are integrated with the rail system for the most mobile and flexible use. Compatible Euroscreen® projection screens are offered up to 240 cm width within the Excello 2000 system.

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

DETAILS

- Efficient rail system
- Easy to install
- Use of projection screens, maps and posters in a very flexible way



Map carriers and case carriers, sold as pair.



		Wt (kg)	Part No.	SEK	EUR
No Black Borders					
180 x 190	180 x 190	4	SDF1820	kr 1 525	€ 175
200 x 190	200 x 190	5	SDF2020	1 687	193
200 x 230	200 x 230	5	SDF2024	2 006	230
Accessories Excello 2000					
Magnetic strip 60 cm		340 000		kr 201	€ 23
Drawstick 100 cm		400 100		222	26
Drawstick 140 cm		400 140		246	28
Adjustable fixing with carriers		420 250		1 712	196
Carriers, for Excello 2000 rail system		421 020		145	17
Map carriers, pair		421 102		201	23
Joining piece, for rail system		450 001		45	5
Rail 300 cm		450 300		324	37
Rail 400 cm		450 400		401	46
Rail 500 cm		450 500		497	57
Rail 600 cm		450 600		575	66
Ceiling mounting bracket, 5 cm for 1 rail		460 005		62	7
Ceiling mounting bracket, 45 cm for 5 rails		460 050		112	13
Map holder with carriers for rail system		K100		1 027	118



WALL or CEILING

FRAME VISION LIGHT

Frame Vision Light is a permanently tensioned projection screen that achieves an optimal flat viewing surface. The Frame Vision Light has a clever construction that makes it easy to assemble the 5 cm wide frame profiles and attach the screen surface.

Easy-mounted wall brackets to hang the complete screen onto are included. The frame design puts equal tension on each part of the viewing surface, making it perfectly smooth. The light-weight black aluminium border frames the projected image nicely. For an even more fantastic viewing experience, the Vel-Tex® option is highly recommended.


VEL-TEX®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Not only does the Vel-Tex® give the screen a more luxurious impression and conceals all trace of joints in the frame. It is also more forgiving to any incorrect adjustment of the projected image since every small edge of the images beyond the inner frames are visually absorbed by the Vel-Tex®. At the same time it helps reducing reflection from surroundings lights.

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

DETAILS

- 5 cm wide black aluminium frame
- Perfectly flat viewing surface
- Easy to assemble frame parts
- Screen surface attaches to the frame without snaps or tools
- Easily mounted wall brackets included



Frame Vision Light with and without Vel-Tex®. The latter is a recommended option!

DETAILS

- Black, velvety textile covering
- Provides a luxurious impression
- Conceals all trace of joints in the frame
- Incorrect adjustment visually absorbed
- Reduces reflection from surroundings lights



FRAME VISION LIGHT



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 Format									
170 x 130	160 x 120	79	7	VL160-V	kr 4 849	€ 556	VLS160-V	kr 7 625	€ 874
180 x 137,5	170 x 127,5	84	8	VL170-V	4 910	563	VLS170-V	7 861	902
190 x 145	180 x 135	89	9	VL180-V	4 948	567	VLS180-V	8 075	926
200 x 152,5	190 x 142,5	94	10	VL190-V	5 004	574	VLS190-V	8 301	952
210 x 160	200 x 150	98	11	VL200-V	5 041	578	VLS200-V	8 514	976
220 x 167,5	210 x 157,5	103	12	VL210-V	5 080	583	VLS210-V	8 728	1 001
230 x 175	220 x 165	108	13	VL220-V	5 136	589	VLS220-V	8 953	1 027
240 x 182,5	230 x 172,5	113	14	VL230-V	5 184	594	VLS230-V	9 178	1 053
16:10 Format									
170 x 110	160 x 100	74	7	VL160-D	kr 4 849	€ 556	VLS160-D	kr 7 625	€ 874
180 x 116	170 x 106	79	8	VL170-D	4 910	563	VLS170-D	7 861	902
190 x 122,5	180 x 112,5	84	9	VL180-D	4 948	567	VLS180-D	8 075	926
200 x 129	190 x 119	88	10	VL190-D	5 004	574	VLS190-D	8 301	952
210 x 135	200 x 125	93	11	VL200-D	5 041	578	VLS200-D	8 514	976
220 x 141	210 x 131	97	12	VL210-D	5 080	583	VLS210-D	8 728	1 001
230 x 147,5	220 x 137,5	102	13	VL220-D	5 136	589	VLS220-D	8 953	1 027
240 x 154	230 x 144	107	14	VL230-D	5 184	594	VLS230-D	9 178	1 053
16:9 Format									
170 x 100	160 x 90	72	7	VL160-W	kr 4 849	€ 556	VLS160-W	kr 7 625	€ 874
180 x 105,5	170 x 95,5	77	8	VL170-W	4 910	563	VLS170-W	7 861	902
190 x 111	180 x 101	81	9	VL180-W	4 948	567	VLS180-W	8 075	926
200 x 117	190 x 107	86	10	VL190-W	5 004	574	VLS190-W	8 301	952
210 x 122,5	200 x 112,5	90	11	VL200-W	5 041	578	VLS200-W	8 514	976
220 x 128	210 x 118	95	12	VL210-W	5 080	583	VLS210-W	8 728	1 001
230 x 133,5	220 x 123,5	99	13	VL220-W	5 136	589	VLS220-W	8 953	1 027
240 x 139,5	230 x 129,5	104	14	VL230-W	5 184	594	VLS230-W	9 178	1 053
2.35:1 Format									
170 x 78	160 x 68	68	7	VL160-C	kr 4 849	€ 556	VLS160-C	kr 7 625	€ 874
180 x 82,5	170 x 72,5	73	8	VL170-C	4 910	563	VLS170-C	7 861	902
190 x 86,5	180 x 76,5	77	9	VL180-C	4 948	567	VLS180-C	8 075	926
200 x 91	190 x 81	81	10	VL190-C	5 004	574	VLS190-C	8 301	952
210 x 95	200 x 85	85	11	VL200-C	5 041	578	VLS200-C	8 514	976
220 x 99,5	210 x 89,5	90	12	VL210-C	5 080	583	VLS210-C	8 728	1 001
230 x 103,5	220 x 93,5	94	13	VL220-C	5 136	589	VLS220-C	8 953	1 027
240 x 108	230 x 98	98	14	VL230-C	5 184	594	VLS230-C	9 178	1 053

FRAME VISION LIGHT



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			FLEXPERF		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 Format									
170 x 130	160 x 120	79	7	VLR160-V	kr 6 144	€ 705	-	-	-
180 x 137,5	170 x 127,5	84	8	VLR170-V	6 221	713	-	-	-
190 x 145	180 x 135	89	9	VLR180-V	6 280	720	-	-	-
200 x 152,5	190 x 142,5	94	10	VLR190-V	6 359	729	-	-	-
210 x 160	200 x 150	98	11	VLR200-V	6 425	737	-	-	-
220 x 167,5	210 x 157,5	103	12	VLR210-V	6 478	743	-	-	-
230 x 175	220 x 165	108	13	VLR220-V	6 556	752	-	-	-
240 x 182,5	230 x 172,5	113	14	VLR230-V	6 622	759	-	-	-
16:10 Format									
170 x 110	160 x 100	74	7	VLR160-D	kr 6 144	€ 705	-	-	-
180 x 116	170 x 106	79	8	VLR170-D	6 221	713	-	-	-
190 x 122,5	180 x 112,5	84	9	VLR180-D	6 280	720	-	-	-
200 x 129	190 x 119	88	10	VLR190-D	6 359	729	-	-	-
210 x 135	200 x 125	93	11	VLR200-D	6 425	737	-	-	-
220 x 141	210 x 131	97	12	VLR210-D	6 478	743	-	-	-
230 x 147,5	220 x 137,5	102	13	VLR220-D	6 556	752	-	-	-
240 x 154	230 x 144	107	14	VLR230-D	6 622	759	-	-	-
16:9 Format									
170 x 100	160 x 90	72	7	VLR160-W	kr 6 144	€ 705	VLP160-W	kr 7 625	€ 874
180 x 105,5	170 x 95,5	77	8	VLR170-W	6 221	713	VLP170-W	7 861	902
190 x 111	180 x 101	81	9	VLR180-W	6 280	720	VLP180-W	8 075	926
200 x 117	190 x 107	86	10	VLR190-W	6 359	729	VLP190-W	8 301	952
210 x 122,5	200 x 112,5	90	11	VLR200-W	6 425	737	VLP200-W	8 514	976
220 x 128	210 x 118	95	12	VLR210-W	6 478	743	VLP210-W	8 728	1 001
230 x 133,5	220 x 123,5	99	13	VLR220-W	6 556	752	VLP220-W	8 953	1 027
240 x 139,5	230 x 129,5	104	14	VLR230-W	6 622	759	VLP230-W	9 178	1 053
2.35:1 Format									
170 x 78	160 x 68	68	7	VLR160-C	kr 6 144	€ 705	VLP160-C	kr 7 625	€ 874
180 x 82,5	170 x 72,5	73	8	VLR170-C	6 221	713	VLP170-C	7 861	902
190 x 86,5	180 x 76,5	77	9	VLR180-C	6 280	720	VLP180-C	8 075	926
200 x 91	190 x 81	81	10	VLR190-C	6 359	729	VLP190-C	8 301	952
210 x 95	200 x 85	85	11	VLR200-C	6 425	737	VLP200-C	8 514	976
220 x 99,5	210 x 89,5	90	12	VLR210-C	6 478	743	VLP210-C	8 728	1 001
230 x 103,5	220 x 93,5	94	13	VLR220-C	6 556	752	VLP220-C	8 953	1 027
240 x 108	230 x 98	98	14	VLR230-C	6 622	759	VLP230-C	9 178	1 053

FRAME VISION LIGHT WITH VEL-TEX



VEL-TEX®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Vel-Tex® gives the screen a luxurious impression and reduces reflection from surrounding light. Incorrect adjustment is visually absorbed.

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 Format									
170 x 130	160 x 120	79	7	VLD160-V	kr 5 891	€ 676	VLSD160-V	kr 8 706	€ 998
180 x 137,5	170 x 127,5	84	8	VLD170-V	5 962	684	VLSD170-V	8 942	1 026
190 x 145	180 x 135	89	9	VLD180-V	5 996	688	VLSD180-V	9 151	1 049
200 x 152,5	190 x 142,5	94	10	VLD190-V	6 046	693	VLSD190-V	9 375	1 075
210 x 160	200 x 150	98	11	VLD200-V	6 084	698	VLSD200-V	9 590	1 100
220 x 167,5	210 x 157,5	103	12	VLD210-V	6 133	703	VLSD210-V	9 804	1 124
230 x 175	220 x 165	108	13	VLD220-V	6 183	709	VLSD220-V	10 033	1 151
240 x 182,5	230 x 172,5	113	14	VLD230-V	6 226	714	VLSD230-V	10 254	1 176
16:10 Format									
170 x 110	160 x 100	74	7	VLD160-D	kr 5 891	€ 676	VLSD160-D	kr 8 706	€ 998
180 x 116	170 x 106	79	8	VLD170-D	5 962	684	VLSD170-D	8 942	1 026
190 x 122,5	180 x 112,5	84	9	VLD180-D	5 996	688	VLSD180-D	9 151	1 049
200 x 129	190 x 119	88	10	VLD190-D	6 046	693	VLSD190-D	9 375	1 075
210 x 135	200 x 125	93	11	VLD200-D	6 084	698	VLSD200-D	9 590	1 100
220 x 141	210 x 131	97	12	VLD210-D	6 133	703	VLSD210-D	9 804	1 124
230 x 147,5	220 x 137,5	102	13	VLD220-D	6 183	709	VLSD220-D	10 033	1 151
240 x 154	230 x 144	107	14	VLD230-D	6 226	714	VLSD230-D	10 254	1 176
16:9 Format									
170 x 100	160 x 90	72	7	VLD160-W	kr 5 891	€ 676	VLSD160-W	kr 8 706	€ 998
180 x 105,5	170 x 95,5	77	8	VLD170-W	5 962	684	VLSD170-W	8 942	1 026
190 x 111	180 x 101	81	9	VLD180-W	5 996	688	VLSD180-W	9 151	1 049
200 x 117	190 x 107	86	10	VLD190-W	6 046	693	VLSD190-W	9 375	1 075
210 x 122,5	200 x 112,5	90	11	VLD200-W	6 084	698	VLSD200-W	9 590	1 100
220 x 128	210 x 118	95	12	VLD210-W	6 133	703	VLSD210-W	9 804	1 124
230 x 133,5	220 x 123,5	99	13	VLD220-W	6 183	709	VLSD220-W	10 033	1 151
240 x 139,5	230 x 129,5	104	14	VLD230-W	6 226	714	VLSD230-W	10 254	1 176
2.35:1 Format									
170 x 78	160 x 68	68	7	VLD160-C	kr 5 891	€ 676	VLSD160-C	kr 8 706	€ 998
180 x 82,5	170 x 72,5	73	8	VLD170-C	5 962	684	VLSD170-C	8 942	1 026
190 x 86,5	180 x 76,5	77	9	VLD180-C	5 996	688	VLSD180-C	9 151	1 049
200 x 91	190 x 81	81	10	VLD190-C	6 046	693	VLSD190-C	9 375	1 075
210 x 95	200 x 85	85	11	VLD200-C	6 084	698	VLSD200-C	9 590	1 100
220 x 99,5	210 x 89,5	90	12	VLD210-C	6 133	703	VLSD210-C	9 804	1 124
230 x 103,5	220 x 93,5	94	13	VLD220-C	6 183	709	VLSD220-C	10 033	1 151
240 x 108	230 x 98	98	14	VLD230-C	6 226	714	VLSD230-C	10 254	1 176

FRAME VISION LIGHT WITH VEL-TEX



VEL-TEX®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Vel-Tex® gives the screen a luxurious impression and reduces reflection from surrounding light. Incorrect adjustment is visually absorbed.

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			FLEXPERF		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 Format									
170 x 130	160 x 120	79	7	VLRD160-V	kr 7 198	€ 825	-	-	-
180 x 137,5	170 x 127,5	84	8	VLRD170-V	7 290	836	-	-	-
190 x 145	180 x 135	89	9	VLRD180-V	7 351	843	-	-	-
200 x 152,5	190 x 142,5	94	10	VLRD190-V	7 422	851	-	-	-
210 x 160	200 x 150	98	11	VLRD200-V	7 493	859	-	-	-
220 x 167,5	210 x 157,5	103	12	VLRD210-V	7 543	865	-	-	-
230 x 175	220 x 165	108	13	VLRD220-V	7 630	875	-	-	-
240 x 182,5	230 x 172,5	113	14	VLRD230-V	7 691	882	-	-	-
16:10 Format									
170 x 110	160 x 100	74	7	VLRD160-D	kr 7 198	€ 825	-	-	-
180 x 116	170 x 106	79	8	VLRD170-D	7 290	836	-	-	-
190 x 122,5	180 x 112,5	84	9	VLRD180-D	7 351	843	-	-	-
200 x 129	190 x 119	88	10	VLRD190-D	7 422	851	-	-	-
210 x 135	200 x 125	93	11	VLRD200-D	7 493	859	-	-	-
220 x 141	210 x 131	97	12	VLRD210-D	7 543	865	-	-	-
230 x 147,5	220 x 137,5	102	13	VLRD220-D	7 630	875	-	-	-
240 x 154	230 x 144	107	14	VLRD230-D	7 691	882	-	-	-
16:9 Format									
170 x 100	160 x 90	72	7	VLRD160-W	kr 7 198	€ 825	VLPD160-W	kr 8 706	€ 998
180 x 105,5	170 x 95,5	77	8	VLRD170-W	7 290	836	VLPD170-W	8 942	1 026
190 x 111	180 x 101	81	9	VLRD180-W	7 351	843	VLPD180-W	9 151	1 049
200 x 117	190 x 107	86	10	VLRD190-W	7 422	851	VLPD190-W	9 375	1 075
210 x 122,5	200 x 112,5	90	11	VLRD200-W	7 493	859	VLPD200-W	9 590	1 100
220 x 128	210 x 118	95	12	VLRD210-W	7 543	865	VLPD210-W	9 804	1 124
230 x 133,5	220 x 123,5	99	13	VLRD220-W	7 630	875	VLPD220-W	10 033	1 151
240 x 139,5	230 x 129,5	104	14	VLRD230-W	7 691	882	VLPD230-W	10 254	1 176
2.35:1 Format									
170 x 78	160 x 68	68	7	VLRD160-C	kr 7 198	€ 825	VLPD160-C	kr 8 706	€ 998
180 x 82,5	170 x 72,5	73	8	VLRD170-C	7 290	836	VLPD170-C	8 942	1 026
190 x 86,5	180 x 76,5	77	9	VLRD180-C	7 351	843	VLPD180-C	9 151	1 049
200 x 91	190 x 81	81	10	VLRD190-C	7 422	851	VLPD190-C	9 375	1 075
210 x 95	200 x 85	85	11	VLRD200-C	7 493	859	VLPD200-C	9 590	1 100
220 x 99,5	210 x 89,5	90	12	VLRD210-C	7 543	865	VLPD210-C	9 804	1 124
230 x 103,5	220 x 93,5	94	13	VLRD220-C	7 630	875	VLPD220-C	10 033	1 151
240 x 108	230 x 98	98	14	VLRD230-C	7 691	882	VLPD230-C	10 254	1 176

FRAME VISION

Frame Vision is Euroscreen®'s largest permanently tensioned projection screen, available up to 420 cm width. The surface is stretched on the back of the 10 cm wide black aluminium frame, which provides an attractive and powerful black framework to the projected image.

The Vel-Tex® option is highly recommended to obtain an even greater viewing experience. The frame puts equal tension on each part of the viewing surface and the flexible screen surface can be adjusted into three different channels to ensure optimal flatness. The frame profiles are easily assembled and easy-mounted wall brackets are included for a trouble-free installation onto the wall.

VEL-TEX®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Not only does the Vel-Tex® give the screen a more luxurious impression and conceals all trace of joints in the frame. It is also more forgiving to any incorrect adjustment of the projected image since every small edge of the images beyond the inner frames are visually absorbed by the Vel-Tex®. At the same time it helps reducing reflection from surroundings lights.

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

DETAILS

- 10 cm wide black aluminium frame
- Perfectly flat viewing surface
- Easy to assemble frame parts
- Screen surface attaches to the frame without snaps or tools
- Easily mounted wall brackets included



Frame Vision: 10cm wide aluminium frame.

DETAILS

- Black, velvety textile covering
- Provides a luxurious impression
- Conceals all trace of joints in the frame
- Incorrect adjustment visually absorbed
- Reduces reflection from surroundings lights





Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 Format									
180 x 140	160 x 120	79	15	V160-V	kr 5 853	€ 671	VS160-V	kr 8 547	€ 980
200 x 155	180 x 135	89	17	V180-V	6 204	711	VS180-V	9 232	1 059
220 x 170	200 x 150	98	19	V200-V	6 534	749	VS200-V	9 913	1 137
240 x 185	220 x 165	108	20	V220-V	7 549	866	VS220-V	11 269	1 292
270 x 210	250 x 190	123	24	V250-V	8 574	983	VS250-V	12 793	1 467
295 x 226	275 x 206	135	25	V275-V	10 242	1 175	VS275-V	14 790	1 696
320 x 245	300 x 225	148	28	V300-V	11 142	1 278	-	-	-
370 x 282,5	350 x 262,5	172	32	V350-V	12 585	1 443	-	-	-
405 x 309	385 x 289	190	36	V400-V	14 038	1 610	-	-	-
16:10 Format									
180 x 120	160 x 100	74	13	V160-D	kr 5 853	€ 671	VS160-D	kr 8 547	€ 980
200 x 132,5	180 x 112,5	84	15	V180-D	6 204	711	VS180-D	9 232	1 059
220 x 145	200 x 125	93	16	V200-D	6 534	749	VS200-D	9 913	1 137
240 x 157,5	220 x 137,5	102	18	V220-D	7 549	866	VS220-D	11 269	1 292
270 x 176	250 x 156	116	21	V250-D	8 574	983	VS250-D	12 793	1 467
295 x 192	275 x 172	128	23	V275-D	10 242	1 175	VS275-D	14 790	1 696
320 x 207,5	300 x 187,5	139	25	V300-D	11 142	1 278	VS300-D	16 189	1 856
370 x 239	350 x 219	163	30	V350-D	12 585	1 443	-	-	-
420 x 270	400 x 250	179	34	V400-D	14 038	1 610	-	-	-
16:9 Format									
180 x 110	160 x 90	72	13	V160-W	kr 5 853	€ 671	VS160-W	kr 8 547	€ 980
200 x 121	180 x 101	81	15	V180-W	6 204	711	VS180-W	9 232	1 059
220 x 132,5	200 x 112,5	90	16	V200-W	6 534	749	VS200-W	9 913	1 137
240 x 143,5	220 x 123,5	99	18	V220-W	7 549	866	VS220-W	11 269	1 292
270 x 160,5	250 x 140,5	113	21	V250-W	8 574	983	VS250-W	12 793	1 467
295 x 174,5	275 x 154,5	124	23	V275-W	10 242	1 175	VS275-W	14 790	1 696
320 x 189	300 x 169	135	25	V300-W	11 142	1 278	VS300-W	16 189	1 856
370 x 217	350 x 197	158	30	V350-W	12 585	1 443	VS350-W	17 594	2 018
420 x 245	400 x 225	181	34	V400-W	14 038	1 610	-	-	-
2.35:1 Format									
180 x 88	160 x 68	68	13	V160-C	kr 5 853	€ 671	VS160-C	kr 8 547	€ 980
200 x 96,5	180 x 76,5	77	15	V180-C	6 204	711	VS180-C	9 232	1 059
220 x 105	200 x 85	85	16	V200-C	6 534	749	VS200-C	9 913	1 137
240 x 113,5	220 x 93,5	94	18	V220-C	7 549	866	VS220-C	11 269	1 292
270 x 126,5	250 x 106,5	107	21	V250-C	8 574	983	VS250-C	12 793	1 467
295 x 137	275 x 117	117	23	V275-C	10 242	1 175	VS275-C	14 790	1 696
320 x 147,5	300 x 127,5	128	25	V300-C	11 142	1 278	VS300-C	16 189	1 856
370 x 169	350 x 149	149	30	V350-C	12 585	1 443	VS350-C	17 594	2 018
420 x 190	400 x 170	170	34	V400-C	14 038	1 610	VS400-C	20 775	2 382

Sizes ≥ 300cm width includes additional frame stag/s.

FRAME VISION



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			FLEXPERF		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 Format									
180 x 140	160 x 120	79	15	VR160-V	kr 7 389	€ 847	-	-	-
200 x 155	180 x 135	89	17	VR180-V	7 993	917	-	-	-
220 x 170	200 x 150	98	19	VR200-V	8 612	988	-	-	-
240 x 185	220 x 165	108	20	VR220-V	10 088	1 157	-	-	-
270 x 210	250 x 190	123	24	VR250-V	11 564	1 326	-	-	-
295 x 226	275 x 206	135	25	VR275-V	12 161	1 395	-	-	-
320 x 245	300 x 225	148	28	VR300-V	12 743	1 461	-	-	-
16:10 Format									
180 x 120	160 x 100	74	13	VR160-D	kr 7 389	€ 847	-	-	-
200 x 132,5	180 x 112,5	84	15	VR180-D	7 993	917	-	-	-
220 x 145	200 x 125	93	16	VR200-D	8 612	988	-	-	-
240 x 157,5	220 x 137,5	102	18	VR220-D	10 088	1 157	-	-	-
270 x 176	250 x 156	116	21	VR250-D	11 564	1 326	-	-	-
295 x 196	275 x 172	128	23	VR275-D	12 161	1 395	-	-	-
320 x 207,5	300 x 187,5	139	25	VR300-D	12 743	1 461	-	-	-
370 x 239	350 x 219	163	30	VR350-D	13 803	1 583	-	-	-
16:9 Format									
180 x 110	160 x 90	72	13	VR160-W	kr 7 389	€ 847	VP160-W	kr 8 547	€ 980
200 x 121	180 x 101	81	15	VR180-W	7 993	917	VP180-W	9 232	1 059
220 x 132,5	200 x 112,5	90	16	VR200-W	8 612	988	VP200-W	9 913	1 137
240 x 143,5	220 x 123,5	99	18	VR220-W	10 088	1 157	VP220-W	11 269	1 292
270 x 160,5	250 x 140,5	113	21	VR250-W	11 564	1 326	VP250-W	12 793	1 467
295 x 174,5	275 x 154,5	124	23	VR275-W	12 161	1 395	VP275-W	14 790	1 696
320 x 189	300 x 169	135	25	VR300-W	12 743	1 461	VP300-W	16 189	1 856
370 x 217	350 x 197	158	30	VR350-W	13 803	1 583	VP350-W	17 594	2 018
420 x 245	400 x 225	181	34	VR400-W	18 010	2 065	-	-	-
2.35:1 Format									
180 x 88	160 x 68	68	13	VR160-C	kr 7 389	€ 847	VP160-C	kr 8 547	€ 980
200 x 96,5	180 x 76,5	77	15	VR180-C	7 993	917	VP180-C	9 232	1 059
220 x 105	200 x 85	85	16	VR200-C	8 612	988	VP200-C	9 913	1 137
240 x 113,5	220 x 93,5	94	18	VR220-C	10 088	1 157	VP220-C	11 269	1 292
270 x 126,5	250 x 106,5	107	21	VR250-C	11 564	1 326	VP250-C	12 793	1 467
295 x 137	275 x 117	117	23	VR275-C	12 161	1 395	VP275-C	14 790	1 696
320 x 147,5	300 x 127,5	128	25	VR300-C	12 743	1 461	VP300-C	16 189	1 856
370 x 169	350 x 149	149	30	VR350-C	13 803	1 583	VP350-C	17 594	2 018
420 x 190	400 x 170	170	34	VR400-C	18 010	2 065	VP400-C	20 775	2 382

Sizes ≥ 300cm width includes additional frame stag/s.



VEL-TEX®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Vel-Tex® gives the screen a luxurious impression and reduces reflection from surrounding light. Incorrect adjustment is visually absorbed.

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 Format									
180 x 140	160 x 120	79	15	VD160-V	kr 6 918	€ 793	VSD160-V	kr 9 621	€ 1 103
200 x 155	180 x 135	89	17	VD180-V	7 274	834	VSD180-V	10 313	1 183
220 x 170	200 x 150	98	19	VD200-V	7 598	871	VSD200-V	10 988	1 260
240 x 185	220 x 165	108	20	VD220-V	8 624	989	VSD220-V	12 343	1 415
270 x 210	250 x 190	123	24	VD250-V	9 638	1 105	VSD250-V	13 874	1 591
295 x 226	275 x 206	135	25	VD275-V	11 311	1 297	VSD275-V	15 871	1 820
320 x 245	300 x 225	148	28	VD300-V	12 206	1 400	-	-	-
370 x 282,5	350 x 262,5	172	32	VD350-V	13 643	1 565	-	-	-
405 X 309	385 x 289	190	36	VD400-V	15 102	1 732	-	-	-
16:10 Format									
180 x 120	160 x 100	74	13	VD160-D	kr 6 918	€ 793	VSD160-D	kr 9 621	€ 1 103
200 x 132,5	180 x 112,5	84	15	VD180-D	7 274	834	VSD180-D	10 313	1 183
220 x 145	200 x 125	93	16	VD200-D	7 598	871	VSD200-D	10 988	1 260
240 x 157,5	220 x 137,5	102	18	VD220-D	8 624	989	VSD220-D	12 343	1 415
270 x 176	250 x 156	116	21	VD250-D	9 638	1 105	VSD250-D	13 874	1 591
295 x 192	275 x 172	128	23	VD275-D	11 311	1 297	VSD275-D	15 871	1 820
320 x 207,5	300 x 187,5	139	25	VD300-D	12 206	1 400	VSD300-D	17 270	1 980
370 x 239	350 x 219	163	30	VD350-D	13 643	1 565	-	-	-
420 x 270	400 x 250	179	34	VD400-D	15 102	1 732	-	-	-
16:9 Format									
180 x 110	160 x 90	72	13	VD160-W	kr 6 918	€ 793	VSD160-W	kr 9 621	€ 1 103
200 x 121	180 x 101	81	15	VD180-W	7 274	834	VSD180-W	10 313	1 183
220 x 132,5	200 x 112,5	90	16	VD200-W	7 598	871	VSD200-W	10 988	1 260
240 x 143,5	220 x 123,5	99	18	VD220-W	8 624	989	VSD220-W	12 343	1 415
270 x 160,5	250 x 140,5	113	21	VD250-W	9 638	1 105	VSD250-W	13 874	1 591
295 x 174,5	275 x 154,5	124	23	VD275-W	11 311	1 297	VSD275-W	15 871	1 820
320 x 189	300 x 169	135	25	VD300-W	12 206	1 400	VSD300-W	17 270	1 980
370 x 217	350 x 197	158	30	VD350-W	13 643	1 565	VSD350-W	18 674	2 141
420 x 245	400 x 225	181	34	VD400-W	15 102	1 732	-	-	-
2.35:1 Format									
180 x 88	160 x 68	68	13	VD160-C	kr 6 918	€ 793	VSD160-C	kr 9 621	€ 1 103
200 x 96,5	180 x 76,5	77	15	VD180-C	7 274	834	VSD180-C	10 313	1 183
220 x 105	200 x 85	85	16	VD200-C	7 598	871	VSD200-C	10 988	1 260
240 x 113,5	220 x 93,5	94	18	VD220-C	8 624	989	VSD220-C	12 343	1 415
270 x 126,5	250 x 106,5	107	21	VD250-C	9 638	1 105	VSD250-C	13 874	1 591
295 x 137	275 x 117	117	23	VD275-C	11 311	1 297	VSD275-C	15 871	1 820
320 x 147,5	300 x 127,5	128	25	VD300-C	12 206	1 400	VSD300-C	17 270	1 980
370 x 169	350 x 149	149	30	VD350-C	13 643	1 565	VSD350-C	18 674	2 141
420 x 190	400 x 170	170	34	VD400-C	15 102	1 732	VSD400-C	21 861	2 507

Sizes ≥ 300cm width includes additional frame stag/s.

FRAME VISION WITH VEL-TEX



VEL-TEX®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Vel-Tex® gives the screen a luxurious impression and reduces reflection from surrounding light. Incorrect adjustment is visually absorbed.

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAR			FLEXPERF		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 Format									
180 x 140	160 x 120	79	15	VRD160-V	kr 8 454	€ 969	-	-	-
200 x 155	180 x 135	89	17	VRD180-V	8 838	1 014	-	-	-
220 x 170	200 x 150	98	19	VRD200-V	9 672	1 109	-	-	-
240 x 185	220 x 165	108	20	VRD220-V	11 152	1 279	-	-	-
270 x 210	250 x 190	123	24	VRD250-V	12 624	1 448	-	-	-
295 x 226	275 x 206	135	25	VRD275-V	13 221	1 516	-	-	-
320 x 245	300 x 225	148	28	VRD300-V	13 803	1 583	-	-	-
16:10 Format									
180 x 120	160 x 100	74	13	VRD160-D	kr 8 454	€ 969	-	-	-
200 x 132,5	180 x 112,5	84	15	VRD180-D	8 838	1 014	-	-	-
220 x 145	200 x 125	93	16	VRD200-D	9 672	1 109	-	-	-
240 x 157,5	220 x 137,5	102	18	VRD220-D	11 152	1 279	-	-	-
270 x 176	250 x 156	116	21	VRD250-D	12 624	1 448	-	-	-
295 x 196	275 x 172	128	23	VRD275-D	13 221	1 516	-	-	-
320 x 207,5	300 x 187,5	139	25	VRD300-D	13 803	1 583	-	-	-
16:9 Format									
180 x 110	160 x 90	72	13	VRD160-W	kr 8 454	€ 969	VPD160-W	kr 9 621	€ 1 103
200 x 121	180 x 101	81	15	VRD180-W	8 838	1 014	VPD180-W	10 313	1 183
220 x 132,5	200 x 112,5	90	16	VRD200-W	9 672	1 109	VPD200-W	10 988	1 260
240 x 143,5	220 x 123,5	99	18	VRD220-W	11 152	1 279	VPD220-W	12 343	1 415
270 x 160,5	250 x 140,5	113	21	VRD250-W	12 624	1 448	VPD250-W	13 874	1 591
295 x 174,5	275 x 154,5	124	23	VRD275-W	13 221	1 516	VPD275-W	15 871	1 820
320 x 189	300 x 169	135	25	VRD300-W	13 803	1 583	VPD300-W	17 270	1 980
370 x 217	350 x 197	158	30	VRD350-W	18 647	2 138	VPD350-W	18 674	2 141
420 x 245	400 x 225	181	34	VRD400-W	19 075	2 187	-	-	-
2.35:1 Format									
180 x 88	160 x 68	68	13	VRD160-C	kr 8 454	€ 969	VPD160-C	kr 9 621	€ 1 103
200 x 96,5	180 x 76,5	77	15	VRD180-C	8 838	1 014	VPD180-C	10 313	1 183
220 x 105	200 x 85	85	16	VRD200-C	9 672	1 109	VPD200-C	10 988	1 260
240 x 113,5	220 x 93,5	94	18	VRD220-C	11 152	1 279	VPD220-C	12 343	1 415
270 x 126,5	250 x 106,5	107	21	VRD250-C	12 624	1 448	VPD250-C	13 874	1 591
295 x 137	275 x 117	117	23	VRD275-C	13 221	1 516	VPD275-C	15 871	1 820
320 x 147,5	300 x 127,5	128	25	VRD300-C	13 803	1 583	VPD300-C	17 270	1 980
370 x 169	350 x 149	149	30	VRD350-C	18 647	2 138	VPD350-C	18 674	2 141
420 x 190	400 x 170	170	34	VRD400-C	19 075	2 187	VPD400-C	21 861	2 507

Sizes ≥ 300cm width includes additional frame stag/s.

The light-weight Connect Floor is easy to store away when not in use.



CONNECT FLOOR

The portable Connect Floor is one of our best-selling products, and is a favourite with many customers. Compared to other portable screens the Connect Floor is sturdier, often more practical, and contains fewer parts than a tripod screen.

of the raised viewing surface. The model is very easy to set up, and the light weight and the integrated handle makes it easy to carry along. Connect Floor is also perfect for displaying custom printed messages to a large audience.

The steel case rests steadily on the floor supported by a “foot” and provides an available viewing area from the case to the top

DETAILS

- Mobile projection screen suitable for presentations on the road
- Perfect screen model for displaying custom printed messages
- Light-weight steel case in white finish
- Easy to set up
- Very slim when not in use
- Case size (W x H): 110 x 130 mm
- Case length: screen width + 72 mm
- Padded protective carrying case available



ARCTIQ

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")				
1:1 Format						
125 x 180	125 x 180	86	7	CFW125	kr 1 783	€ 204
150 x 210	150 x 210	102	7	CFW150	1 934	222
160 x 210	160 x 210	104	8	CFW160	1 990	228
180 x 210	180 x 210	109	10	CFW180	2 119	243
200 x 210	200 x 210	114	11	CFW200	2 353	270
4:3 Format						
125 x 180	115 x 86	57	7	CFW125-V	kr 2 129	€ 244
150 x 210	140 x 105	59	7	CFW150-V	2 281	262
160 x 210	150 x 112,5	74	8	CFW160-V	2 337	268
180 x 210	170 x 127,5	84	10	CFW180-V	2 465	283
200 x 210	190 x 142,5	94	11	CFW200-V	2 700	310
16:10 Format						
125 x 180	115 x 72	53	7	CFW125-D	kr 2 129	€ 244
150 x 210	140 x 87,5	65	7	CFW150-D	2 281	262
160 x 210	150 x 94	70	8	CFW160-D	2 337	268
180 x 210	170 x 106	79	10	CFW180-D	2 465	283
200 x 210	190 x 119	88	11	CFW200-D	2 700	310

CARRYING CASE

- Protective padded black carrying case
- Supplied with zipper and handle
- Suitable for Euroscreen® Connect Floor



Carrying case for screen model:	Part No.	SEK	EUR
CFW125	540 000	kr 474	€ 54
CFW150	540 001	526	60
CFW160/CFW180	540 002	572	66
CFW200	540 003	617	71

CONTROL BOX

& OTHER CONTROL OPTIONS

The Control Box is a multifunctional unit for easy and trouble free operation of electrical projection screens. The device features the most usual versions of operations such as RF, IR, Dry Contact/Contact Closure, 12V trigger and RS232. Euroscreen® offers optional transmitters for communication with the box; RF AutoLink trigger, RF or IR remote control, and RF wall switch transmitter. The Control Box is equipped with a 300cm cord to power outlet, a 150cm screen cord, and a 30cm Dry Contact/RS232 cable is included.

DETAILS

- 1 single box provides no less than 5 possible control options
- Compatible with RF, IR, Dry Contact/Contact Closure, 12V trigger and RS232
- Built-in IR eye
- Dry Contact/RS232 cable (30cm) included
- 300cm power cord
- 150cm screen cord
- The Control Box is also available in complete kits



AUTOMATIC RF AUTOLINK

Euroscreen® Control Box is beneficially supplemented with the RF AutoLink trigger. These two units create Euroscreen's uniquely developed control device AutoLink; now also RF operated. The automatic AutoLink is a clever control solution for a trouble-free projection screen operation. It does the job for you – just turn the projector on and the AutoLink triggers the screen to roll down. When the projector is turned off the screen automatically retracts.

TRANSMITTERS

There are several transmitter options available, such as the hand remote controls, RF or IR, which have three buttons for up – stop – down. The IR remote control needs a clear path from the projection screen's IR receiver and the IR transmitter on the remote control. The RF remote control on the other hand can be used from a long distance, up to 30 m, and disregards obstacles since the RF does not need a visible connection between transmitter and receiver. Same function applies on the new RF wall switch transmitter.

SWITCHES

The most basic control option is the InLine switch with the up – stop – down positions. The switch is integrated with the cable, whose total length is 300 cm, and is ready to use when the screen is delivered. The external wall switch has up – stop positions and must be installed by an electrician. The key switch is an external switch controlled with a removable key. Up – stop – down positions. Must be installed by an electrician.

SCREEN ACCESSORIES

ELECTRIC SCREENS

	Part No.	SEK	EUR
Euroscreen® Control Box Kits			
RF remote control kit (incl. 210 730 + 210 787)	210 760-1	kr 1 495	€ 171
RF AutoLink kit (incl. 210 730 + 210 722-2)	210 750-2	1 624	186
IR remote control kit (incl. 210 730 + 210 788)	210 740-1	1 487	170
Control Options for Electric Screens			
Control Box (RF, IR, Contact Closure, RS232, trigger)	210 730	kr 998	€ 114
RF remote control, 3-positions (up - stop - down)	210 787	497	57
AutoLink trigger (RF)	210 722-2	626	72
RF wall switch transmitter	210 724	497	57
IR remote control, 3-positions (up - stop - down)	210 788	489	56
External Switch, 2-positions (up-down)	210 603	441	51
Key switch, 3-positions (up - stop - down)	210 604	1 166	134
Cables			
IR Eye, 1m	210 734	543	€ 62
12 V trigger, 15m	210 733	428	49
Dry Contact/RS232, 15 m	210 930	379	43
Dry Contact/RS232, 30cm	210 933	318	36
Serial Adaptor (DB9 to RJ11)	DRC103.042	269	31
Wall / Ceiling Brackets			
15 cm wall brackets, pair	485 015	kr 363	€ 42
30 cm wall brackets, pair	485 030	401	46
50 cm wall brackets, pair	485 050	447	51
75 cm wall brackets, pair	485 075	530	61
Recessed ceiling bracket for Sesame 2.1, pair	930 200	626	72



Part No. 930 200



Part No. 210 787



Part No. 210 788



Part No. 210 603



Part No. 210 724



Wall brackets: 75, 50, 30 and 15 cm

SCREEN ACCESSORIES

MANUAL SCREENS

WALL BRACKETS

Euroscreen® wall brackets in white finish are available in four lengths; 15 cm, 30 cm, 50 cm and 75 cm. The brackets are easily adjusted and delivered as pair.

MAGNETS

The magnet strip is permanently attached on the back of the bottom bar to attach to a white board for example.



Wall brackets: 75, 50, 30 and 15 cm

DRAW STICK

Draw sticks for manual projection screens in two lengths; 100 cm and 140 cm.

PULLING CORD

Black pulling cord for manual projection screens, 75 cm. Often a suitable complement to draw sticks.



Draw stick, 2 lengths.



	Part No.	SEK	EUR
Wall / Ceiling Brackets			
15 cm wall brackets, pair	485 015	kr 363	€ 42
30 cm wall brackets, pair	485 030	401	46
50 cm wall brackets, pair	485 050	447	51
75 cm wall brackets, pair	485 075	530	61
Accessories Manual Screens			
Magnetic strip 60 cm	340 000	kr 201	€ 23
Draw stick 100 cm	400 100	222	26
Draw stick 140 cm	400 140	246	28
Pulling cord 75 cm	410 285	72	8



AV CABINET

Store all valuable AV equipment safely in this high quality Euroscreen® AV Cabinet in stylish Scandinavian design. The AV cabinet has three shelves; the two bottom ones have adjustable heights. The cabinet is equipped with two solid lockable doors, both front and back for easy installation access. Other features are integrated cable management for easy installation and a clean appearance, two sturdy cable-ties to wrap cables around, and large ventilation grills to keep the inside of the cabinet cool.



Optional 19" rack for a secure storage of all electrical equipment.

DETAILS

- Store all your AV equipment in one place
- Designed with usability in mind, blends in well in most modern environments
- 3 shelves: the two bottom ones have adjustable heights
- Top shelf slides out up to 26 cm
- Two solid lockable doors front and back
- Integrated cable management throughout cabinet for easy installation
- Two sturdy cable-ties to wrap cables around
- Ventilation grills assist airflow to cool equipment inside
- Other finishes available upon request
- Overall size (W x L x H): 55 x 60 x 91 cm
- Optional 19" rack available

	Wt (kg)	Part No.	SEK	EUR
AV Cabinet, Beech	42	962 100	kr 6 306	€ 723
AV Cabinet, Grey	42	962 101	6 306	723
AV Cabinet, Birch	42	962 102	6 937	795
AV Cabinet, White	42	962 103	6 937	795
19" rack, pair	1,5	930 210	kr 324	€ 37





LECTERN TOP

FOR AV CABINET

Transform the AV cabinet in just a few seconds to a professional lectern with the clever solution of a Lectern Top. The light weight top is easy to place onto the cabinet and no mounting is required.

To ensure an easy installation, the Lectern Top has an integrated cable management throughout the unit which provides the opportunity to place a computer either on the very top or out of sight in the void below.

As an extra professional detail and appreciated feature, a "mini screen" can be ordered to complete the AV unit. The mini screen is a perfect choice for company logos or message exposure in 4-colour print, and at the same time hide ventilation grills and cable-tidies from the audience.

LECTERN TOP

- Mobile lectern top for a flexible use of the AV Cabinet
- Robust and stable top
- No mounting is needed - just lift top on/off the AV Cabinet
- Integrated cable management for ability to place laptop on top area
- Fold down top board for support of notes or hiding of objects
- Total size (W x H x D): 57 x 66 x 17 cm

MINI SCREEN

- Perfect for logo or message exposure
- Hides ventilation grills and cable-tidies
- 4-colour print
- Printing area (W x H): 51 x 80 cm



Fold down top board for support of notes or hiding of objects.

	Wt (kg)	Part No.	SEK	EUR
Lectern top for AV Cabinet, Beech	10	962 110	kr 1 604	€ 184
Lectern top for AV Cabinet, Grey	10	962 111	1 604	184
Lectern top for AV Cabinet, Birch	10	962 112	1 767	203
Lectern top for AV Cabinet, White	10	962 113	1 767	203
Mini Screen (incl. layout + print)		962 200	kr 1 145	€ 131



ABOUT

euroscreen®

Euroscreen® stands for high quality and customised AV products manufactured in Sweden. Within the brand you find a large choice of products with the heart set on complete solutions of projection screens in public environments, business areas and home installations. We fine-tune our products to fit your needs, while maintaining short lead times, high quality and competitive prices.

Euroscreen® products are developed and manufactured by Draper Europe AB. Our aim is to serve you in the best way possible. If you have any questions or just want to share your views with us, please feel free to contact us.

Euroscreen® offices with sales representatives are located in:

- Halmstad, Sweden
- Stockholm, Sweden
- Haarlem, the Netherlands
- Corby, United Kingdom
- Spiceland, IN, USA

CONTACT

Products within the trademark Euroscreen® are manufactured and/or distributed by Draper Europe AB.

Draper Europe AB
Västervallvägen 6
SE-302 41 Halmstad
Sweden

Tel: +46 35 14 42 90
Fax: +46 35 14 42 91
info@drapereurope.se
www.drapereurope.se

Terms of sale

ORDERING AND DELIVERY

Orders in writing, by fax or by e-mail are accepted and deliveries are made Ex Works, Draper Europe AB, Halmstad, Sweden, in accordance with Incoterms® 2010.

PRICE

All invoices are based on the current price list of Draper Europe AB in SEK, EUR or GBP currency. The prices are Ex Works, Draper Europe AB, Halmstad, Sweden, in accordance with Incoterms® 2010, and does not include export packaging. The prices are excluding VAT.

PAYMENT

Prepayment or confirmed irrevocable letter of credit as indicated by Draper Europe AB unless otherwise agreed. All payments are to be made without deduction and with all charges paid.

- ■ **BIC:** ESSEESS Skandinaviska Enskilda Banken
SEK: SE9550000000051011053659
Account 5101-10 536 59
EURO: Iban SE94 5000 0000 0542 3826 8121
Account 5423-8268121

- ■ **VAT NUMBER:** SE556630280701

Should payment not be effected in accordance with terms of the payment, interest according to the Swedish Law of Interest shall be charged for delays.

DELIVERY

Delivery will be made within approximately 14 days after receipt of order and payment or approved L/C.

FREIGHT DAMAGE

All deliveries should be inspected immediately upon receipt. It is always the recipient's responsibility to file a freight claim within 7 days upon receiving goods.

WARRANTY

All products are warranted for two years against defects in material and workmanship in accordance with Draper Europe AB's special warranty conditions.

RETURNS

In case of any returns, the customer must contact Draper Europe AB before returning any products. Note that we do not accept returns from third party dealers or the end user. Products may be returned only by the original dealer after contacting Draper Europe AB.

Index

ELECTRIC PROJECTION SCREENS

Access electric	39
Access Tab Tension	42
BlackLine electric	32
BlackLine w./ Quiet Motor	34
BlackLine Tab Tension	35
BlackLine Tab Tension w./ Quiet Motor	36
Connect electric	37
Diplomat electric	25
Diplomat XL	31
Linea	22
Linea Tab Tension	24
LODO	45
Royal	44
Sesame 2.1	18
Sesame 2.1 Tab Tension	21
Thor	12
Thor Tab Tension	16

MANUAL PROJECTION SCREENS

BlackLine manual	49
Connect manual	51
Diplomat manual	46
Diplomat Soft&Quiet	48
Excello 2000	52

FIXED FRAME SCREENS

Frame Vision	58
Frame Vision w./ Vel-Tex®	61
Frame Vision Light	53
Frame Vision Light w./ Vel-Tex®	56

PORTABLE PROJECTION SCREENS

Carrying Case	63
Connect Floor	63

ACCESSORIES

AV Cabinet	67
Control Box	64
Lextern Top for AV Cabinet	68
Screen Accessories – Electric Screens	65
Screen Accessories – Manual Screens	66

SCREEN SURFACES

Arctiq	8
Astranova	8
FlexPerf	9
FlexRear	9
FlexWhite	9
GreyLight	8
ReAct 3.0	9
Xpert	8
Custom Graphic Prints	6



euroscreen®
Audio Visual Equipment *Business – Education – Home Entertainment*