

EXPORT PRICE LIST 2017 - EUR

RECOMMENDED RETAIL PRICE
EFFECTIVE MARCH 2017

EXPORT PRICE LIST

2017



euroscreen®

AUDIO VISUAL EQUIPMENT • BUSINESS • HOME • EDUCATION

Contents

THIS PRICE BOOK IS DEVELOPED BY DRAPER EUROPE AB, HALMSTAD, SWEDEN

2017

03

UP TO DATE

Screen selection 04
Custom Graphic Print & RAL Colours 06
Screen Surfaces 07
FAQ 10

12

ELECTRIC PROJECTION SCREENS

Freya 13
Thor 20
Sesame 2.1 27
Linea 33
Diplomat 38
Diplomat XL 44
Connect 45
Royal 47
Lodo 48

49

PORTABLE SCREENS

Connect Floor 49

50

FIXED FRAME SCREENS

Frame Vision Light 50
Frame Vision 55

60

ACCESSORIES

Smart motor 60
Control box 61
Screen Accessories 62
AV Cabinet 63
Lectern Top for AV Cabinet 64

65

ABOUT

Terms of Sale 66
Index 67

euroscreen®

DRAPER EUROPE AB, VÄSTERVALLVÄGEN 6, 302 50 HALMSTAD, SWEDEN, +46 35 14 42 90, INFO@DRAPEREUROPE.SE WWW.EUROSCREENS.SE

UP TO DATE

1. SMART MOTOR

SILENT MOTOR ADVANCED RADIO TRANSMISSION

We have focused all our efforts on the getting the most used features built-in to the motor and product itself for simple connectivity to control systems or remote controls. We have speeded up the motors to increase the time it takes to roll out the fabrics.

We have created a standard assortment, where the noise level is 2-3 times lower than before. We have created a brand new Quiet motor, that is more or less equal to a whisper mode, where noise level is reduced even more than 2 times again, compared to the new SMART motor. We have created SMART integration towards external control systems. We have created great features with easy to use steps for limit settings on top and bottom positions for projection screens and the window covering assortment. We are creating control boxes that will be in compliance with the new SMART-protocol. We are working on IP and or App-controlled solutions. We are investing in an assortment that will range products for both interior and exterior use.

Normally we don't like to brag, but this is pretty darn "SMART"

We will launch the assortment in all our price lists both within the Euroscreen range and the Window Covering assortment called Draper Solskydd. Really smart...



Art nr 210939



(Art nr 210945-1)



Art nr 210944



Art nr 210963



(Art nr 210964)



Art nr 210965

2. TECHNICAL INFO


More detailed information and updated technical data sheets are always available on our website www.euroscreens.se

3. CONTROL BOX

Remember that our popular Control Box and its accessories is still available! However, as it is not compatible with the "Smart" motor concept, choose a screen with motor specified as "Installation" instead (page 65).

4. PROJECTOR LIFTS

We offer projector lifts to go with your projection screen. We have a selection of different types of models; scissor lifts, ceiling concealed, and mirror based. Contact our sales office for more detailed information.



SCREEN *size*

One of the most important decisions in projection screen selection is determining the size of screen based upon the dimensions of the audience area.

WIDTH

The general rule to be applied is that the screen should be of a width that is $\frac{2}{3}$ the distance between the screen itself and the front row of the audience. To put it in another way, the closest people should be placed at a distance of what is 1.5 times the width of the screen. When in doubt, use the PISCR standard, which provides metrics for measurement and requirements for minimum contrast ratios for rear and front projection audiovisual projected image systems.

VIEWING HEIGHT

The bottom of the screen should be approximately 100-120 cm above the floor in a room with a level floor and several rows of seats. In rooms with theatre seating or only one or two rows, such as a home theatre, the bottom of the screen should usually be 60-90 cm above the floor. Try to make sure that the lower part of the screen will be visible from all seats. Extra drop may be required to position the screen at a comfortable viewing level in a room with a high ceiling.

HEIGHT

Screen height is generally determined by the width of the screen and the projection formats to be used. The height should not be exaggerated, but correctly estimated. Extra unused screen surface can cause issues with the screens mechanism and surface flatness, which will not fall under any manufacture faults clause.

DOES IT REALLY MATTER?

Each Euroscreen® screen leaving our factory is crafted and mechanically optimized for the given settings during the time of the order. Therefore, we cannot stress enough how important it is to order the correct screen size and projection format from the beginning. This is even more crucial when it comes to Tab Tension models. To make sure we deliver the flattest screen surface possible, the screen limits are individually set on each roller screen and optimized for usage with full height stretched. With pre-set screen limits end-customers should not find it necessary to tamper mechanically with the limits. If screen limits are tampered with anyway this will not fall under any manufacture faults clause.




Not only does Euroscreen® offer a broad range of projection screens in standard sizes with high quality and clever designs. In addition, custom made projection screens are our signature. Choose custom height, width, screen surface, or even custom printed graphics for unparalleled options in selecting your projection screens.

AUDIENCE AREA

The audience area can help you identify what type of projection screen is right for your unique installation. In determining the correct screen size in relation to the audience area, the goal is to make the screen large enough so those in the rear of the audience area can read the subject matter easily, but not so large that those in the front of the audience area have a problem seeing the full width of the projected image. Euroscreen® has a wide range of products and offers the following projection screen types:

- Roller projection screens, manual or electric where the latter is most popular, and Tab Tension, for installation either in the ceiling or the wall
- Fixed frame screens for a permanent installation on wall
- Portable projection screens for installations that will be transported, or built up and taken down frequently



Projection Format

Once you have determined the correct size of screen for the audience area, that size may be modified based on the type(s) of projection equipment to be used. If the screen will only be used with one type of projector, it is easy to determine exact screen dimensions based on the projection format of that projector. Projection formats are expressed in terms of aspect ratio, which is the relationship of the width of the projected image to its height. Euroscreen® also offers several projection screen models in Nordic projection format, where the format is taller than it's wide.



Part No. -V

Part No. -D

Part No. -W

Part No. -C

PROJECTOR PERFORMANCE

The projector's performance is also a highly significant factor to consider when determining what type of screen and screen surface should be used. For a Full HD or a Short Throw projector it is extremely important with a perfectly flat viewing area in order for it to perform as intended. Therefore these projectors must be used with fixed frame screens with a permanently tensioned viewing surface, or Tab Tension screens where the adjustable tensioning system provides a flat surface.



CUSTOM *GRAPHIC PRINT*

We print logos, backgrounds or promotional messages onto the screen surface. No matter if it's a manual, electric or portable projection screen, the details of the print will be at the focal point of the audience's attention. Both the Diplomat electric and manual screens, and the Connect Floor model, are suitable for graphic prints. Standard surface used is our matt white Arctiq. We also offer the environmentally friendly surface Xpert for graphic prints for Diplomat.

- MAXIMUM EXPOSURE OF MESSAGE AND OR LOGO
- ELECTRIC, MANUAL OR PORTABLE SCREEN
- XPERT SCREEN SURFACE AVAILABLE 4-COLOUR PRINT
- LAYOUT INCLUDED IN PRINT CHARGE
- PREFERRED FORMAT FOR LOGO/ARTWORK: EPS

	SEK	EUR
Printing charge for custom print, incl. layout	kr 1 568	€ 180

RAL COLOUR

In order to fit any installation site conditions, our screen case extrusions can be customised with optional RAL colours.

If you can't find a suitable RAL colour we can also use the NCS chart (at an additional charge).

	EUR
Start-up cost	€ 203
Cost per unit:	
≤300 cm width	€ 133
>300 cm width	€ 379

SCREEN SURFACES

The projector makes the image, but it is the screen surface that shows it. We can not stress enough how important it is to have the correct screen surface in every unique application for you to get the best and most out of your money.

Your selection of screen surfaces is essentially based on what type of projection screen you have concluded would be the best option for your application. Please note that in general, projection screen surfaces are sensitive to heat and are not suitable as black-out, or sun protection. Do not install the projection screen close to heat sources like radiators, amplifiers or turned on TV-sets.

Basically there are two types of screen surfaces: the unsupported vinyl which is characterised by its flexible qualities, and the textile backed with its reflective front surface laminated to a woven textile base.

The tensioned unsupported vinyl screen surfaces, whether for front or rear projection, need to be correctly tensioned to achieve sufficient flatness for optimal performance. These surfaces are used on fixed frame and Tab Tension screens, which provide the necessary support.

The non-tensioned textile backed screen surfaces are used on spring-roller operated and motorized projection screens. The screen hangs flat by virtue of the dimensional

stability of the material and the weight of the dowel in the bottom of the screen. As a general rule, a white screen surface is used when most of the surrounding lights can be blocked out. The white areas of the projected image are shown as truly white, and the colours are authentically reflected on the screen surface.

However, in many cases blocking out all surrounding light is a difficult (if not impossible) task, and therefore a grey screen surface might be a better choice. A grey screen surface enhances the darker image areas even when ambient light sources tend to make it brighter, and a better contrast between colours and black/white is perceived. Euroscreen® ReAct 3.0 is the superior high contrast surface and is an outstanding choice for projection in ambient or even brightly lit environments. ReAct 3.0 is a tensioned screen surface and available in fixed frame and Tab Tension screens. It is suitable for installations such as home theatres and business applications.

SCREEN SURFACE CHART

NON-TENSIONED SURFACES					TENSIONED SURFACES				
									
	XPERT	ARCTIQ	GREYLIGHT	ASTRANOVA		FLEXPERF	REACT 3.0	FLEXWHITE	FLEXREAR
Thor	•	•			Thor			•	
Sesame 2.1	•	•	•		Thor Tab Tension	•	•	•	•
Linea	•	•			Sesame 2.1 Tab Tension	•	•	•	•
Diplomat	•	•	•		Linea Tab Tension	•	•	•	•
BlackLine	•	•	•		Diplomat Tab Tension	•	•	•	•
Connect		•			BlackLine Tab Tension	•	•	•	•
Freya	•	•			Freya Tab Tension	•	•	•	•
Diplomat XL		•			Diplomat XL			•	
Royal				•	Frame Vision Light	•	•	•	•
Connect Floor		•	•		Frame Vision	•	•	•	•
Do-It-Yourself		•	•		Do-It-Yourself			•	•

OUR SURFACE MATERIALS

All surface materials have different qualities and are suitable for different environments. Here's a little guide to what material is the best option for your installation.

NON-TENSIONED



1. ARCTIQ Euroscreen's standard matt white surface has got fibreglass support and is black-backed. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0. Requires control of ambient light in the audience area. Suitable for "wear & tear" installations, such as restaurants and pubs. Washable. Flame and mildew resistant.

2. ASTRANOVA A white, black-backed front projection surface. For use with some of Euroscreen's larger projection screens. Thickness 0.57 mm. Provides a flat viewing surface. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0.



3. GREYLIGHT Matt light grey front projection surface, fibreglass supported and black-backed. It diffuses projected light in all directions, so the image can be seen from any angle. Performs well in ambient light condition. Gain 0.75. Same base construction as Arctiq, with the same toughness against "wear & tear". Washable. Flame and mildew resistant.

4. XPERT Euroscreen® Xpert surface is 100% PVC free, and is manufactured without using hazardous substances. While it is a more environmentally friendly viewing surface, Xpert does not sacrifice quality and effectiveness. Xpert provides excellent viewing flatness and colour rendition (colour temp. 6430 K). It is supplied with a white black-out backing for superior blocking of incoming light from behind. Gain 1.0. Flame retardancy B1.



GREENGUARD Children and SchoolsSM certified, meeting the strictest standards and contribute to healthier indoor air quality for school age children.



REACH controls the registration, evaluation, authorisation and limitation of chemicals. All Euroscreen® screen surfaces are approved by the REACH regulation.



European Chemicals Agency (ECHA) gathers information on chemical substances. All Euroscreen® projection screens are printed with colours approved by ECHA.



TENSIONED



5. REACT 3.0 Euroscreen® happily introduces the 3.0 version of ReAct. ReAct is a superior screen surface that presents an excellent viewing experience even with bright light in the audience area. The structure and finish of the silver grey material boost colour contrast and black levels in the projected image (colour temp. 6508 K). ReAct 3.0 ensures an excellent flat viewing surface. The projection distance should be at least 1.8 times the viewing area width. Full HD and 4K compliant. Gain 1.0.

6. FLEXPERF The FlexPerf surface is a vinyl reflective fabric with microscopic perforations which create a sound transparent projection surface. Home theatre enthusiasts find a new best friend in the FlexPerf surface since speakers can be placed behind the screen without any compromising the audio quality. The picture quality isn't compromised either, since FlexPerf's white front projection surface provides a complete viewing experience with full contrast and accurate colour rendition. Gain 0.8.



7. FLEXREAR Neutral grey rear projection diffusing surface allows placement of projector behind the screen. FlexRear provides high resolution and excellent contrast even in ambient light. Gain 0.8.

8. FLEXWHITE Pliable matt white surface which provides excellent flat viewing area and superb colour rendition (colour temp. 6565 K). Full HD compliant. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0. The black-backed FlexWhite M1 presents same high quality features, and in addition to its M1 fire resistant rating it also allows less light to pass through from behind the screen.



DO IT YOURSELF

Euroscreen® gives you the opportunity to do-it-yourself, by getting the screen fabric only! The fabric is cut to desired size and delivered on a roll. See chart on page 7 for surfaces available as Do-It-Yourself.

FAQ

WHERE CAN I BUY A EUROSCREEN® PRODUCT?

Euroscreen® products are only sold by qualified AV dealers. Contact our sales office to find your closest dealer (see the last page of this catalogue for contact information).

ARE EUROSCREEN® PRODUCTS KEPT IN STOCK?

Euroscreen® products are manufactured only by orders. The normal lead time is 1-2 weeks.

ARE EUROSCREEN® PRODUCTS CE APPROVED?

Yes.

ARE THE SCREEN LIMITS SET IN THE FACTORY?

Yes, please note that the projection screen is set at its outer limits when delivered. Incorrect adjustment of the screen limits may damage the product and eliminate the warranty. Make sure to always order correct screen size for each specific installation to avoid tampering with the screen limits afterwards and therefore jeopardise the functionality of the screen.

ON WHICH SIDE ARE THE MOTOR AND CABLE ATTACHED ON PROJECTION SCREENS?

By default, the motor and cable are mounted on the left side of Euroscreen® projection screens. Sesame 2.1 is an exception, where motor and cable are mounted on the right side (facing the front of the screen).

I NEED A PROJECTOR LIFT – CAN YOU HELP?

We have a selection of different types of projector lift models; scissor lifts, ceiling concealed and mirror based. Contact our sales office for more information.

**WHAT IS A TAB TENSION SCREEN?**

A projection screen type that has connections on all sides of the screen material, which pull it taut in order to achieve a flat screen surface. Please note that the surfaces used in Tab Tension screens are sensitive to heat and are not suitable as black-out, or sun protection. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets.

WHAT IS GAIN?

As it applies to projectors, gain is the measurement of a projection screen's light reflectance with unity gain being one. A high gain screen will reflect more light along a narrower path than lower gain screen. Screen gains under one use a grey screen to absorb ambient light to help maintain contrast ratios.

HOW DO I MAINTAIN AND CLEAN A PROJECTION SCREEN?

To protect the screen when not in use, store it in fully retracted position. Do not install the screen close to heat sources like radiators, amplifiers or turned on TV-sets. To clean the screen surface, carefully use only neutral cleaning such as water and soap. Stains like paint or ink might be impossible to remove, but contact sales office should you need advice. Projection screens are generally not suitable as black-out or sun protection. Contact sales office for more information about window shades.

DO EUROSCREEN® PRODUCTS HAVE ANY WARRANTY?

Euroscreen® products are covered by 2 year warranty from invoice date. The warranty is valid for any damage caused by wrong manufacturing. Please note that any incorrect tampering with the screen limit may discontinue the warranty of the product. The warranty does not cover any damages for transport; please contact the company responsible for the transportation.

WHERE SHOULD I TO TURN TO WITH ANY COMPLAINT?

Any complaints are directed to the dealer where you made your purchase. We reserve the right to check a returned product before replacing it.

Can't find the answer you're looking for? Contact us at info@drapereurope.se and let us know how we can help you!

ICONS



MADE IN SWEDEN

Products with this symbol are designed and manufactured in Sweden.



SMART MOTOR - ELECTRIC

Our newly developed Smart Motor has a quiet, built in feature to optimise your Euroscreen experience.

SOFT&QUIET - MANUAL

A feature that retracts the surface slowly and smoothly into the case, slowing down even more as it approaches its upper limit. Prevents potential damages to the screen/screen surface through repeated impact with the case.



PORTABLE

PORTABLE

The screen is portable and no permanent installation is needed.



INSTALLATION

The screen is supplied with a hard wire cable only and the screen needs to be installed by an authorized installer.



PLUG N' PLAY

The product is available with Plug n' Play function; quick and easy installation where no authorized electrician is needed.



WALL or CEILING

WALL/CEILING INSTALLATION

The symbol indicates the installation required for the screen model.



CEILING

The products are installed on the wall, on the ceiling or on either wall or ceiling.




WALL



1:1 SQUARE

Height > width. Extra height gives additional flexibility, often suitable for educational applications. No black borders.




1:1 SQUARE

The projection width and height is in the aspect ratio of 1:1. No black borders.



4:3 VIDEO

The projection width and height is in the aspect ratio of 4:3. A part number followed by "-V" indicates the screen has black borders.



16:10 DATA

The projection width and height is in the aspect ratio of 16:10. Often suitable for business projectors. A part number followed by "-D" indicates the screen has black borders.



16:9 WIDE

The projection width and height is in the aspect ratio of 16:9, a commonly used format in movies. A part number followed by "-W" indicates the screen has black borders.




2.35:1 CINEMASCOPE

The projection width and height is in the aspect ratio of 2.35:1. Often suitable for home cinema applications. A part number followed by "-C" indicates the screen has black borders.



VALHALLA

Inspired by the powerful Norse gods who had their home based at Valhalla, the Euroscreen® Valhalla is an exciting projection screen development project.



TAB TENSION AVAILABLE

The tensioned version is offered with or without black borders. The black border is neatly welded onto the screen surface to create a powerful framework.



HIDDEN INSTALLATION

The recessed design of Freya makes it ideal when you want a discreet and stylish installation, with minimal intrusion of the surroundings.

FREYA

Freya is our newest addition to the Valhalla family, and is the perfect choice for hidden installations in large venues. The Freya projection screen is a recessed ceiling case and is available in a large range of standard sizes and screen surfaces, even as Tab Tension versions. Freya is made of aluminum and is developed and produced in Sweden.

As a key feature the screen is entirely hidden when not in use, with both screen and bottom dowel retracted in the recessed case. Moreover, Freya offers you the possibility to install the case first and the screen any time later,

therefore the screen surface is not at risk of damage during construction work. Sliding brackets on top of the case allow easy and unlimited adjustment when installing.

FREYA TAB TENSION

This model features all of the benefits mentioned above, and an additional selection of tensioned screen surfaces. The tensioning function makes it possible to adjust the flatness of the surface and therefore provide a perfectly flat viewing surface for years to come.

DETAILS: FREYA ELECTRIC

- Projection screen for recessed ceiling installations
- Possibility to install the case first and screen later
- Sliding brackets on top of the case allow unlimited adjustment during installation
- Adjustable inner brackets
- Bottom of case is removable without tools for screen installation or maintenance
- Delivered with 3 m hard wire cable
- Case size (W x H): 203 x 178 mm
- Case length: screen width + 280 mm
- Cut-out case size (W x H): 170 x 160 mm
- Cut-out length: screen width + 230 mm

DETAILS: FREYA TAB TENSION

- Heavy weight bottom dowel
- Case size (W x H): 203 x 178 mm
- Total case length (incl. flanges): screen width + 550 mm
- Cut-out case size (W x H): 170 x 160 mm
- Cut-out length: screen width + 500 mm
- 4:3, 16:10, 16:9 and 2.35:1 with black borders – all have 25-30 cm black drop as standard

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.





CEILING

XPERT

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR		EUR
W x H (cm)	W x H (cm)						
1:1 FORMAT				SMART (incl. RF remote)	INSTALLATION		
250 x 250	250 x 250	37		FXZ250	€ 2 983	FXIN250	€ 2 858
275 x 275	275 x 275	39		FXZ275	3 102	FXIN275	2 977
300 x 300	300 x 300	41		FXZ300	3 161	FXIN300	3 036
NO BLACK BORDERS							
250 x 187,5	250 x 187,5	36		FXZ250L	2 828	FXIN250L	2 702
275 x 206	275 x 206	37		FXZ275L	2 934	FXIN275L	2 809
300 x 225	300 x 225	38		FXZ300L	2 994	FXIN300L	2 868
325 x 244	325 x 244	39		FXZ325L	3 100	FXIN325L	2 975
350 x 255	350 x 255	39		FXZ350L	3 240	FXIN350L	3 115
4:3 FORMAT							
250 x 210	240 x 180	118	37	FXZ250-V	3 044	FXIN250-V	2 919
275 x 230	265 x 199	130	38	FXZ275-V	3 211	FXIN275-V	3 086
300 x 250	290 x 217,5	143	40	FXZ300-V	3 270	FXIN300-V	3 145
325 x 255	315 x 236	155	42	FXZ325-V	3 389	FXIN325-V	3 264
350 x 255	340 x 255	167	45	FXZ3530-V	3 409	FXIN3530-V	3 284
16:10 FORMAT							
250 x 180	240 x 150	111	36	FXZ250-D	3 044	FXIN250-D	2 919
275 x 195	265 x 165,5	123	38	FXZ275-D	3 211	FXIN275-D	3 086
300 x 210	290 x 181	135	38	FXZ300-D	3 270	FXIN300-D	3 145
325 x 230	315 x 197	146	39	FXZ325-D	3 389	FXIN325-D	3 264
350 x 245	340 x 212,5	158	40	FXZ350-D	3 409	FXIN350-D	3 284
375 x 255	365 x 228	170	42	FXZ375-D	3 465	FXIN375-D	3 340
400 x 255	390 x 244	181	46	FXZ400-D	3 522	FXIN400-D	3 396
16:9 FORMAT							
250 x 165	240 x 135	108	36	FXZ250-W	3 044	FXIN250-W	2 919
275 x 180	265 x 149	120	37	FXZ275-W	3 211	FXIN275-W	3 086
300 x 195	290 x 163	131	37	FXZ300-W	3 270	FXIN300-W	3 145
325 x 210	315 x 177	142	38	FXZ325-W	3 389	FXIN325-W	3 264
350 x 225	340 x 191	154	39	FXZ350-W	3 409	FXIN350-W	3 284
375 x 235	365 x 205	165	41	FXZ375-W	3 465	FXIN375-W	3 340
400 x 250	390 x 219,5	176	43	FXZ400-W	3 522	FXIN400-W	3 396
425 x 255	415 x 233,5	188	48	FXZ425-W	3 578	FXIN425-W	3 452



ARCTIQ

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	EUR
W x H (cm)	W x H (cm)					

1:1 FORMAT				SMART (incl. RF remote)		INSTALLATION	
250 x 250	250 x 250		37	FDZ250	€ 2 789	FDIN250	€ 2 664
275 x 275	275 x 275		39	FDZ275	2 886	FDIN275	2 760
300 x 300	300 x 300		41	FDZ300	2 945	FDIN300	2 819
NO BLACK BORDERS							
250 x 187,5	250 x 187,5		36	FDZ250L	2 676	FDIN250L	2 550
275 x 206	275 x 206		37	FDZ275L	2 721	FDIN275L	2 595
300 x 225	300 x 225		38	FDZ300L	2 779	FDIN300L	2 654
325 x 244	325 x 244		39	FDZ325L	2 855	FDIN325L	2 730
350 x 265	350 x 265		39	FDZ350L	3 023	FDIN350L	2 897
4:3 FORMAT							
250 x 210	240 x 180	118	37	FDZ250-V	2 830	FDIN250-V	2 704
275 x 230	265 x 199	130	38	FDZ275-V	3 016	FDIN275-V	2 890
300 x 250	290 x 217,5	143	40	FDZ300-V	3 074	FDIN300-V	2 949
325 x 270	315 x 236	155	42	FDZ325-V	3 171	FDIN325-V	3 045
350 x 285	340 x 255	167	45	FDZ350-V	3 191	FDIN350-V	3 065
16:10 FORMAT							
250 x 180	240 x 150	111	36	FDZ250-D	2 830	FDIN250-D	2 704
275 x 195	265 x 165,5	123	38	FDZ275-D	3 016	FDIN275-D	2 890
300 x 210	290 x 181	135	38	FDZ300-D	3 074	FDIN300-D	2 949
325 x 230	315 x 197	146	39	FDZ325-D	3 171	FDIN325-D	3 045
350 x 245	340 x 212,5	158	40	FDZ350-D	3 191	FDIN350-D	3 065
375 x 260	365 x 228	170	42	FDZ375-D	3 205	FDIN375-D	3 079
400 x 275	390 x 244	181	46	FDZ400-D	3 258	FDIN400-D	3 132
16:9 FORMAT							
250 x 165	240 x 135	108	36	FDZ250-W	2 830	FDIN250-W	2 704
275 x 180	265 x 149	120	37	FDZ275-W	3 016	FDIN275-W	2 890
300 x 195	290 x 163	131	37	FDZ300-W	3 074	FDIN300-W	2 949
325 x 210	315 x 177	142	38	FDZ325-W	3 171	FDIN325-W	3 045
350 x 225	340 x 191	154	39	FDZ350-W	3 191	FDIN350-W	3 065
375 x 235	365 x 205	165	41	FDZ375-W	3 205	FDIN375-W	3 079
400 x 250	390 x 219,5	176	43	FDZ400-W	3 258	FDIN400-W	3 132
425 x 265	415 x 233,5	188	48	FDZ425-W	3 311	FDIN425-W	3 185



FLEXWHITE

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch	Wt (kg)	Part No.	EUR	EUR
1:1 FORMAT				SMART (incl. RF remote)	INSTALLATION	
250 x 250	250 x 250	37		FFZ250	€ 2 789	FFIN250 € 2 663
275 x 275	275 x 275	39		FFZ275	2 868	FFIN275 2 742
300 x 300	300 x 300	41		FFZ300	290	FFIN300 164
325 x 325	325 x 325	42		FFZ325	2 966	FFIN325 2 840
350 x 350	350 x 350	43		FFZ350	2 985	FFIN350 2 859
375 x 375	375 x 375	45		FFZ375	3 083	FFIN375 2 957
400 x 400	400 x 400	51		FFZ400	3 138	FFIN400 3 013
425 x 425	425 x 425	56		FFZ425	3 236	FFIN425 3 111
NO BLACK BORDERS						
250 x 187,5	250 x 187,5	36		FFZ250L	2 702	FFIN250L 2 577
275 x 206	275 x 206	37		FFZ275L	2 782	FFIN275L 2 656
300 x 225	300 x 225	38		FFZ300L	2 812	FFIN300L 2 686
325 x 244	325 x 244	39		FFZ325L	2 879	FFIN325L 2 754
350 x 265	350 x 265	39		FFZ350L	2 942	FFIN350L 2 816
375 x 281	375 x 281	44		FFZ375L	2 997	FFIN375L 2 871
400 x 300	400 x 300	49		FFZ400L	3 052	FFIN400L 2 926
425 x 319	425 x 319	54		FFZ425L	3 150	FFIN425L 3 024
4:3 FORMAT						
250 x 210	240 x 180	118	37	FFZ250-V	2 946	FFIN250-V 2 820
275 x 230	265 x 199	130	38	FFZ275-V	3 025	FFIN275-V 2 899
300 x 250	290 x 217,5	143	40	FFZ300-V	3 055	FFIN300-V 2 930
325 x 270	315 x 236	155	42	FFZ325-V	3 122	FFIN325-V 2 997
350 x 285	340 x 255	167	45	FFZ350-V	3 142	FFIN350-V 3 016
375 x 305	365 x 274	180	48	FFZ375-V	3 240	FFIN375-V 3 114
400 x 325	390 x 292,5	192	51	FFZ400-V	3 295	FFIN400-V 3 169
425 x 345	415 x 311	204	54	FFZ425-V	3 350	FFIN425-V 3 224
16:10 FORMAT						
250 x 180	240 x 150	111	36	FFZ250-D	2 946	FFIN250-D 2 820
275 x 195	265 x 165,5	123	38	FFZ275-D	3 025	FFIN275-D 2 899
300 x 210	290 x 181	135	38	FFZ300-D	3 055	FFIN300-D 2 930
325 x 230	315 x 197	146	39	FFZ325-D	3 122	FFIN325-D 2 997
350 x 245	340 x 212,5	158	40	FFZ350-D	3 142	FFIN350-D 3 016
375 x 260	365 x 228	170	42	FFZ375-D	3 240	FFIN375-D 3 114
400 x 275	390 x 244	181	46	FFZ400-D	3 295	FFIN400-D 3 169
425 x 290	415 x 259	193	51	FFZ425-D	3 350	FFIN425-D 3 224
16:9 FORMAT						
250 x 165	240 x 135	108	36	FFZ250-W	2 946	FFIN250-W 2 820
275 x 180	265 x 149	120	37	FFZ275-W	3 025	FFIN275-W 2 899
300 x 195	290 x 163	131	37	FFZ300-W	3 055	FFIN300-W 2 930
325 x 210	315 x 177	142	38	FFZ325-W	3 122	FFIN325-W 2 997
350 x 225	340 x 191	154	39	FFZ350-W	3 142	FFIN350-W 3 016
375 x 235	365 x 205	165	41	FFZ375-W	3 240	FFIN375-W 3 114
400 x 250	390 x 219,5	176	43	FFZ400-W	3 295	FFIN400-W 3 169
425 x 265	415 x 233,5	188	48	FFZ425-W	3 350	FFIN425-W 3 224

FREYA TAB TENSION



CEILING

FLEXWHITE

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	EUR
W x H (cm)	W x H (cm)					
NO BLACK BORDERS				SMART (incl. RF remote)	INSTALLATION	
250 x 187,5	250 x 187,5	35		FFTZ250L	€ 3 083	FFTIN250L € 2 957
275 x 206	275 x 206	37		FFTZ275L	3 172	FFTIN275L 3 046
300 x 225	300 x 225	41		FFTZ300L	3 195	FFTIN300L 3 069
325 x 244	325 x 244	43		FFTZ325L	3 263	FFTIN325L 3 138
350 x 265	350 x 265	48		FFTZ350L	3 327	FFTIN350L 3 202
375 x 281	375 x 281	54		FFTZ375L	3 383	FFTIN375L 3 258
400 x 300	400 x 300	61		FFTZ400L	3 440	FFTIN400L 3 314
425 x 319	425 x 319	65		FFTZ425L	3 540	FFTIN425L 3 414
4:3 FORMAT						
250 x 210	240 x 180	118	35	FFTZ250-V	3 471	FFTIN250-V 3 345
275 x 230	265 x 199	130	37	FFTZ275-V	3 551	FFTIN275-V 3 426
300 x 250	290 x 217,5	143	41	FFTZ300-V	3 583	FFTIN300-V 3 457
325 x 270	315 x 236	155	43	FFTZ325-V	3 651	FFTIN325-V 3 526
350 x 285	340 x 255	167	48	FFTZ350-V	3 671	FFTIN350-V 3 546
375 x 305	365 x 274	180	54	FFTZ375-V	3 771	FFTIN375-V 3 646
400 x 325	390 x 292,5	192	61	FFTZ400-V	3 828	FFTIN400-V 3 702
425 x 345	415 x 311	204	65	FFTZ425-V	3 884	FFTIN425-V 3 758
16:10 FORMAT						
250 x 180	240 x 150	111	35	FFTZ250-D	3 471	FFTIN250-D 3 345
275 x 195	265 x 165,5	123	37	FFTZ275-D	3 551	FFTIN275-D 3 426
300 x 210	290 x 181	135	41	FFTZ300-D	3 583	FFTIN300-D 3 457
325 x 230	315 x 197	146	43	FFTZ325-D	3 651	FFTIN325-D 3 526
350 x 245	340 x 212,5	158	48	FFTZ350-D	3 671	FFTIN350-D 3 546
375 x 260	365 x 228	170	54	FFTZ375-D	3 771	FFTIN375-D 3 646
400 x 275	390 x 244	181	61	FFTZ400-D	3 828	FFTIN400-D 3 702
425 x 290	415 x 259	193	65	FFTZ425-D	3 884	FFTIN425-D 3 758
16:9 FORMAT						
250 x 165	240 x 135	108	35	FFTZ250-W	3 471	FFTIN250-W 3 345
275 x 180	265 x 149	120	37	FFTZ275-W	3 551	FFTIN275-W 3 426
300 x 195	290 x 163	131	41	FFTZ300-W	3 583	FFTIN300-W 3 457
325 x 210	315 x 177	142	43	FFTZ325-W	3 651	FFTIN325-W 3 526
350 x 225	340 x 191	154	48	FFTZ350-W	3 671	FFTIN350-W 3 546
375 x 235	365 x 205	165	54	FFTZ375-W	3 771	FFTIN375-W 3 646
400 x 250	390 x 219,5	176	61	FFTZ400-W	3 828	FFTIN400-W 3 702
425 x 265	415 x 233,5	188	65	FFTZ425-W	3 884	FFTIN425-W 3 758
2.35:1 FORMAT						
250 x 135	240 x 102	103	35	FFTZ250-C	3 471	FFTIN250-C 3 345
275 x 145	265 x 112,5	113	37	FFTZ275-C	3 551	FFTIN275-C 3 426
300 x 155	290 x 123,5	124	41	FFTZ300-C	3 583	FFTIN300-C 3 457
325 x 165	315 x 134	135	43	FFTZ325-C	3 651	FFTIN325-C 3 526
350 x 175	340 x 144,5	145	47	FFTZ350-C	3 671	FFTIN350-C 3 546
375 x 185	365 x 155	156	53	FFTZ375-C	3 771	FFTIN375-C 3 646
400 x 200	390 x 166	166	60	FFTZ400-C	3 828	FFTIN400-C 3 702
425 x 210	415 x 176,5	178	64	FFTZ425-C	3 884	FFTIN425-C 3 758

FREYA TAB TENSION



REACT 3.0

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
NO BLACK BORDERS				SMART (incl. RF remote)		INSTALLATION	
250 x 187,5	250 x 187,5	35		FSTZ250L	€ 3 389	FSTIN250L	€ 3 263
4:3 FORMAT							
250 x 210	240 x 180	118	35	FSTZ250-V	3 861	FSTIN250-V	3 735
275 x 230	265 x 199	130	37	FSTZ275-V	4 047	FSTIN275-V	3 922
16:10 FORMAT							
250 x 180	240 x 150	111	35	FSTZ250-D	3 861	FSTIN250-D	3 735
275 x 195	265 x 165,5	123	37	FSTZ275-D	4 047	FSTIN275-D	3 922
300 x 210	290 x 181	135	41	FSTZ300-D	4 106	FSTIN300-D	3 981
325 x 230	315 x 197	146	43	FSTZ325-D	4 293	FSTIN325-D	4 168
16:9 FORMAT							
250 x 165	240 x 135	108	35	FSTZ250-W	3 861	FSTIN250-W	3 735
275 x 180	265 x 149	120	37	FSTZ275-W	4 047	FSTIN275-W	3 922
300 x 195	290 x 163	131	41	FSTZ300-W	4 106	FSTIN300-W	3 981
325 x 210	315 x 177	142	43	FSTZ325-W	4 293	FSTIN325-W	4 168
350 x 225	340 x 191	154	48	FSTZ350-W	4 352	FSTIN350-W	4 227
375 x 235	365 x 205	165	54	FSTZ375-W	4 411	FSTIN375-W	4 286
2.35:1 FORMAT							
250 x 135	240 x 102	103	35	FSTZ250-C	3 861	FSTIN250-C	3 735
275 x 145	265 x 112,5	113	37	FSTZ275-C	4 047	FSTIN275-C	3 922
300 x 155	290 x 123,5	124	41	FSTZ300-C	4 106	FSTIN300-C	3 981
325 x 165	315 x 134	135	43	FSTZ325-C	4 293	FSTIN325-C	4 168
350 x 175	340 x 144,5	145	47	FSTZ350-C	4 352	FSTIN350-C	4 227
375 x 185	365 x 155	156	53	FSTZ375-C	4 411	FSTIN375-C	4 286
400 x 200	390 x 166	166	60	FSTZ400-C	4 644	FSTIN400-C	4 519
425 x 210	415 x 176,5	178	64	FSTZ425-C	4 754	FSTIN425-C	4 628

* Adjustable inner bracket not available.



CEILING

FLEXREAR

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
NO BLACK BORDERS				SMART (incl. RF remote)		INSTALLATION	
250 x 187,5	250 x 187,5	35		FRTZ250L	€ 3 267	FRTIN250L	€ 3 142
275 x 206	275 x 206	37		FRTZ275L	3 460	FRTIN275L	3 335
300 x 225	300 x 225	41		FRTZ300L	3 519	FRTIN300L	3 394
4:3 FORMAT							
250 x 210	240 x 180	118	35	FRTZ250-V	3 745	FRTIN250-V	3 619
275 x 230	265 x 199	130	37	FRTZ275-V	3 938	FRTIN275-V	3 812
300 x 250	290 x 217,5	143	41	FRTZ300-V	3 997	FRTIN300-V	3 871
325 x 270	315 x 236	155	43	FRTZ325-V	4 190	FRTIN325-V	4 064
16:10 FORMAT							
250 x 180	240 x 150	111	35	FRTZ250-D	3 745	FRTIN250-D	3 619
275 x 195	265 x 165,5	123	37	FRTZ275-D	3 938	FRTIN275-D	3 812
300 x 210	290 x 181	135	41	FRTZ300-D	3 997	FRTIN300-D	3 871
325 x 230	315 x 197	146	43	FRTZ325-D	4 190	FRTIN325-D	4 064
350 x 245	340 x 212,5	158	48	FRTZ350-D	4 249	FRTIN350-D	4 123
375 x 260	365 x 228	170	54	FRTZ375-D	4 308	FRTIN375-D	4 182
16:9 FORMAT							
250 x 165	240 x 135	108	35	FRTZ250-W	3 745	FRTIN250-W	3 619
275 x 180	265 x 149	120	37	FRTZ275-W	3 938	FRTIN275-W	3 812
300 x 195	290 x 163	131	41	FRTZ300-W	3 997	FRTIN300-W	3 871
325 x 210	315 x 177	142	43	FRTZ325-W	4 190	FRTIN325-W	4 064
350 x 225	340 x 191	154	48	FRTZ350-W	4 249	FRTIN350-W	4 123
375 x 235	365 x 205	165	54	FRTZ375-W	4 308	FRTIN375-W	4 182
400 x 250	390 x 219,5	176	61	FRTZ400-W	4 413	FRTIN400-W	4 287

THOR

The Thor motorised projection screen ranges from 250 cm and up in width and comes equipped with several popular features: a sleek, stylish aluminium case, and can include an integrated multifunctional Euroscreen® Control Box

A convenient inner bracket makes it easy to level the screen, keeping the surface flat and the bottom dowel even. By default, wall brackets and flexible mounting brackets for ceiling installation are included. Optional recessed ceiling brackets are also available. The Thor case, finished in a contemporary white colour with matching aluminium bottom dowel, has a convenient wall channel-

fixed fitting that reduces expensive installation time. When black borders are required, a true black border with a matt finish is welded onto the screen surface. This creates a powerful framework for the projected image.

THOR TAB TENSION

This model features all of the benefits mentioned above, and an additional selection of tensioned screen surfaces. The tensioning function makes it possible to adjust the flatness of the surface and therefore provide a perfectly flat viewing surface for years to come.

DETAILS: THOR ELECTRIC

- Case size (W x H): 160 x 160 mm
- Case length: screen width +290 mm
- Bottom dowel from wall: 5-10 mm

DETAILS: THOR TAB TENSION

- Case size (W x H): 160 x 160 mm
- Case length: screen width +440 mm
- Bottom dowel from wall: 5-10 mm 4:3, 16:10, 16:9 and 2.35:1 with black borders – all have 25-30 cm black drop as standard



QUICK INSTALLATION

*With the Valhalla bracket, no additional tools are needed and installation couldn't be easier!
The bracket is suitable for both ceiling and wall installations.*

Please note: The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.





FLEXWHITE

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	EUR
W x H (cm)	W x H (cm)					

1:1 FORMAT				CONTROL BOX	SMART (incl. RF remote)	INSTALLATION	
250 x 250	250 x 250		33	TFE250	TFZ250	€ 1 657	TFIN250 € 1 532
275 x 275	275 x 275		35	TFE275	TFZ275	1 737	TFIN275 1 611
300 x 300	300 x 300		38	TFE300	TFZ300	1 767	TFIN300 1 641
325 x 325	325 x 325		42	TFE325	TFZ325	1 834	TFIN325 1 709
350 x 350	350 x 350		46	TFE350	TFZ350	1 854	TFIN350 1 728
375 x 375	375 x 375		50	TFE375	TFZ375	1 952	TFIN375 1 826
400 x 400	400 x 400		57	TFE400	TFZ400	2 007	TFIN400 1 881
425 x 425	425 x 425		63	TFE425	TFZ425	2 105	TFIN425 1 980
NO BLACK BORDERS							
250 x 187,5	250 x 187,5		33	TFE250L	TFZ250L	1 571	TFIN250L 1 445
275 x 206	275 x 206		35	TFE275L	TFZ275L	1 650	TFIN275L 1 524
300 x 225	300 x 225		38	TFE300L	TFZ300L	1 680	TFIN300L 1 555
325 x 244	325 x 244		42	TFE325L	TFZ325L	1 748	TFIN325L 1 622
350 x 265	350 x 265		46	TFE350L	TFZ350L	1 810	TFIN350L 1 685
375 x 281	375 x 281		50	TFE375L	TFZ375L	1 865	TFIN375L 1 740
400 x 300	400 x 300		57	TFE400L	TFZ400L	1 921	TFIN400L 1 795
425 x 319	425 x 319		63	TFE425L	TFZ425L	2 019	TFIN425L 1 893
4:3 FORMAT							
250 x 210	240 x 180	118	33	TFE250-V	TFZ250-V	1 814	TFIN250-V 1 689
275 x 230	265 x 199	130	35	TFE275-V	TFZ275-V	1 893	TFIN275-V 1 768
300 x 250	290 x 217,5	143	38	TFE300-V	TFZ300-V	1 924	TFIN300-V 1 798
325 x 270	315 x 236	155	42	TFE325-V	TFZ325-V	1 991	TFIN325-V 1 866
350 x 285	340 x 255	167	46	TFE350-V	TFZ350-V	2 011	TFIN350-V 1 885
375 x 305	365 x 274	180	50	TFE375-V	TFZ375-V	2 109	TFIN375-V 1 983
400 x 325	390 x 292,5	192	57	TFE400-V	TFZ400-V	2 164	TFIN400-V 2 039
425 x 345	415 x 311	204	63	TFE425-V	TFZ425-V	2 219	TFIN425-V 2 094
16:10 FORMAT							
250 x 180	240 x 150	111	33	TFE250-D	TFZ250-D	1 814	TFIN250-D 1 689
275 x 195	265 x 165,5	123	35	TFE275-D	TFZ275-D	1 893	TFIN275-D 1 768
300 x 210	290 x 181	135	38	TFE300-D	TFZ300-D	1 924	TFIN300-D 1 798
325 x 230	315 x 197	146	42	TFE325-D	TFZ325-D	1 991	TFIN325-D 1 866
350 x 245	340 x 212,5	158	46	TFE350-D	TFZ350-D	2 011	TFIN350-D 1 885
375 x 260	365 x 228	170	50	TFE375-D	TFZ375-D	2 109	TFIN375-D 1 983
400 x 275	390 x 244	181	57	TFE400-D	TFZ400-D	2 164	TFIN400-D 2 039
425 x 290	415 x 259	193	63	TFE425-D	TFZ425-D	2 219	TFIN425-D 2 094
16:9 FORMAT							
250 x 165	240 x 135	108	33	TFE250-W	TFZ250-W	1 814	TFIN250-W 1 689
275 x 180	265 x 149	120	35	TFE275-W	TFZ275-W	1 893	TFIN275-W 1 768
300 x 195	290 x 163	131	38	TFE300-W	TFZ300-W	1 924	TFIN300-W 1 798
325 x 210	315 x 177	142	42	TFE325-W	TFZ325-W	1 991	TFIN325-W 1 866
350 x 225	340 x 191	154	46	TFE350-W	TFZ350-W	2 011	TFIN350-W 1 885
375 x 235	365 x 205	165	50	TFE375-W	TFZ375-W	2 109	TFIN375-W 1 983
400 x 250	390 x 219,5	176	57	TFE400-W	TFZ400-W	2 164	TFIN400-W 2 039
425 x 265	415 x 233,5	188	63	TFE425-W	TFZ425-W	2 219	TFIN425-W 2 094



CEILING

XPERT

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR		EUR	
W x H (cm)	W x H (cm)							
1:1 FORMAT				CONTROL BOX	SMART (incl. RF remote)	INSTALLATION		
250 x 250	250 x 250		32	TXE250	TXZ250	€ 1 778	TXIN250	€ 1 652
275 x 275	275 x 275		33	TXE275	TXZ275	1 894	TXIN275	1 768
300 x 300	300 x 300		38	TXE300	TXZ300	1 951	TXIN300	1 826
NO BLACK BORDERS								
250 x 187,5	250 x 187,5		33	TXE250L	TXZ250L	1 626	TXIN250L	1 712
275 x 206	275 x 206		35	TXE275L	TXZ275L	1 730	TXIN275L	1 875
300 x 225	300 x 225		38	TXE300L	TXZ300L	1 788	TXIN300L	1 932
325 x 244	325 x 244		42	TXE325L	TXZ325L	1 892	TXIN325L	2 048
350 x 265	350 x 265		46	TXE350L	TXZ350L	2 028	TXIN350L	1 762
4:3 FORMAT								
250 x 210	240 x 180	118	33	TXE250-V	TXZ250-V	1 838	TXIN250-V	1 585
275 x 230	265 x 199	130	35	TXE275-V	TXZ275-V	2 000	TXIN275-V	1 736
300 x 250	290 x 217,5	143	38	TXE300-V	TXZ300-V	2 057	TXIN300-V	1 789
325 x 270	315 x 236	155	42	TXE325-V	TXZ325-V	2 173	TXIN325-V	1 896
16:10 FORMAT								
250 x 180	240 x 150	111	33	TXE250-D	TXZ250-D	1 838	TXIN250-D	1 712
275 x 195	265 x 165,5	123	35	TXE275-D	TXZ275-D	2 000	TXIN275-D	1 875
300 x 210	290 x 181	135	38	TXE300-D	TXZ300-D	2 057	TXIN300-D	1 932
325 x 230	315 x 197	146	42	TXE325-D	TXZ325-D	2 173	TXIN325-D	2 048
350 x 245	340 x 212,5	158	46	TXE350-D	TXZ350-D	2 193	TXIN350-D	2 067
375 x 260	365 x 228	170	50	TXE375-D	TXZ375-D	2 247	TXIN375-D	2 122
400 x 275	390 x 244	181	57	TXE400-D	TXZ400-D	2 302	TXIN400-D	2 177
16:9 FORMAT								
250 x 165	240 x 135	108	33	TXE250-W	TXZ250-W	1 838	TXIN250-W	1 712
275 x 180	265 x 149	120	35	TXE275-W	TXZ275-W	2 000	TXIN275-W	1 875
300 x 195	290 x 163	131	38	TXE300-W	TXZ300-W	2 057	TXIN300-W	1 932
325 x 210	315 x 177	142	42	TXE325-W	TXZ325-W	2 173	TXIN325-W	2 048
350 x 225	340 x 191	154	46	TXE350-W	TXZ350-W	2 193	TXIN350-W	2 067
375 x 235	365 x 205	165	50	TXE375-W	TXZ375-W	2 247	TXIN375-W	2 122
400 x 250	390 x 219,5	176	57	TXE400-W	TXZ400-W	2 302	TXIN400-W	2 177
425 x 265	415 x 233,5	188	60	TXE425-W	TXZ425-W	2 357	TXIN425-W	2 231



CEILING

ARCTIQ

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR		EUR
W x H (cm)	W x H (cm)						
1:1 FORMAT				CONTROL BOX	SMART (incl. RF remote)	INSTALLATION	
250 x 250	250 x 250	32		TDE250	TDZ250	€ 1 632	TDIN250 € 1 506
275 x 275	275 x 275	33		TDE275	TDZ275	1 728	TDIN275 1 602
300 x 300	300 x 300	38		TDE300	TDZ300	1 786	TDIN300 1 661
NO BLACK BORDERS							
250 x 187,5	250 x 187,5	33		TDE250L	TDZ250L	1 519	TDIN250L 1 393
275 x 206	275 x 206	35		TDE275L	TDZ275L	1 563	TDIN275L 1 438
300 x 225	300 x 225	38		TDE300L	TDZ300L	1 622	TDIN300L 1 496
325 x 244	325 x 244	42		TDE325L	TDZ325L	1 697	TDIN325L 1 571
350 x 265	350 x 265	46		TDE350L	TDZ350L	1 864	TDIN350L 1 738
4:3 FORMAT							
250 x 210	240 x 180	118	33	TDE250-V	TDZ250-V	1 672	TDIN250-V 1 546
275 x 230	265 x 199	130	35	TDE275-V	TDZ275-V	1 857	TDIN275-V 1 731
300 x 250	290 x 217,5	143	38	TDE300-V	TDZ300-V	1 915	TDIN300-V 1 790
325 x 270	315 x 236	155	42	TDE325-V	TDZ325-V	2 012	TDIN325-V 1 886
350 x 285	340 x 255	167	46	TDE350-V	TDZ350-V	2 031	TDIN350-V 1 905
16:10 FORMAT							
250 x 180	240 x 150	111	33	TDE250-D	TDZ250-D	1 672	TDIN250-D 1 546
275 x 195	265 x 165,5	123	35	TDE275-D	TDZ275-D	1 857	TDIN275-D 1 731
300 x 210	290 x 181	135	38	TDE300-D	TDZ300-D	1 915	TDIN300-D 1 790
325 x 230	315 x 197	146	42	TDE325-D	TDZ325-D	2 012	TDIN325-D 1 886
350 x 245	340 x 212,5	158	46	TDE350-D	TDZ350-D	2 031	TDIN350-D 1 905
375 x 260	365 x 228	170	50	TDE375-D	TDZ375-D	2 045	TDIN375-D 1 919
400 x 275	390 x 244	181	57	TDE400-D	TDZ400-D	2 098	TDIN400-D 1 972
16:9 FORMAT							
250 x 165	240 x 135	108	33	TDE250-W	TDZ250-W	1 672	TDIN250-W 1 546
275 x 180	265 x 149	120	35	TDE275-W	TDZ275-W	1 857	TDIN275-W 1 731
300 x 195	290 x 163	131	38	TDE300-W	TDZ300-W	1 915	TDIN300-W 1 790
325 x 210	315 x 177	142	42	TDE325-W	TDZ325-W	2 012	TDIN325-W 1 886
350 x 225	340 x 191	154	46	TDE350-W	TDZ350-W	2 031	TDIN350-W 1 905
375 x 235	365 x 205	165	50	TDE375-W	TDZ375-W	2 045	TDIN375-W 1 919
400 x 250	390 x 219,5	176	57	TDE400-W	TDZ400-W	2 098	TDIN400-W 1 972
425 x 265	415 x 233,5	188	60	TDE425-W	TDZ425-W	2 151	TDIN425-W 2 025



FLEXWHITE

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch	Wt (kg)	Part No.	SEK	EUR
NO BLACK BORDERS				CONTROL BOX	SMART (incl. RF remote)	INSTALLATION
250 x 187,5	250 x 187,5	35		TFT250L	TFTZ250L	€ 1 885
275 x 206	275 x 206	37		TFT275L	TFTZ275L	1 972
300 x 225	300 x 225	41		TFT300L	TFTZ300L	1 994
325 x 244	325 x 244	43		TFT325L	TFTZ325L	2 061
350 x 265	350 x 265	48		TFT350L	TFTZ350L	2 124
375 x 281	375 x 281	54		TFT375L	TFTZ375L	2 179
400 x 300	400 x 300	61		TFT400L	TFTZ400L	2 234
425 x 319	425 x 319	65		TFT425L	TFTZ425L	2 332
FORMAT						
250 x 210	240 x 180	118	35	TFT250-V	TFTZ250-V	2 264
275 x 230	265 x 199	130	37	TFT275-V	TFTZ275-V	2 343
300 x 250	290 x 217,5	143	41	TFT300-V	TFTZ300-V	2 374
325 x 270	315 x 236	155	43	TFT325-V	TFTZ325-V	2 441
350 x 285	340 x 255	167	48	TFT350-V	TFTZ350-V	2 461
375 x 305	365 x 274	180	54	TFT375-V	TFTZ375-V	2 559
400 x 325	390 x 292,5	192	61	TFT400-V	TFTZ400-V	2 614
425 x 345	415 x 311	204	65	TFT425-V	TFTZ425-V	2 669
16:10 FORMAT						
250 x 180	240 x 150	111	35	TFT250-D	TFTZ250-D	2 264
275 x 195	265 x 165,5	123	37	TFT275-D	TFTZ275-D	2 343
300 x 210	290 x 181	135	41	TFT300-D	TFTZ300-D	2 374
325 x 230	315 x 197	146	43	TFT325-D	TFTZ325-D	2 441
350 x 245	340 x 212,5	158	48	TFT350-D	TFTZ350-D	2 461
375 x 260	365 x 228	170	54	TFT375-D	TFTZ375-D	2 559
400 x 275	390 x 244	181	61	TFT400-D	TFTZ400-D	2 614
425 x 290	415 x 259	193	65	TFT425-D	TFTZ425-D	2 669
16:9 FORMAT						
250 x 165	240 x 135	108	35	TFT250-W	TFTZ250-W	2 264
275 x 180	265 x 149	120	37	TFT275-W	TFTZ275-W	2 343
300 x 195	290 x 163	131	41	TFT300-W	TFTZ300-W	2 374
325 x 210	315 x 177	142	43	TFT325-W	TFTZ325-W	2 441
350 x 225	340 x 191	154	48	TFT350-W	TFTZ350-W	2 461
375 x 235	365 x 205	165	54	TFT375-W	TFTZ375-W	2 559
400 x 250	390 x 219,5	176	61	TFT400-W	TFTZ400-W	2 614
425 x 265	415 x 233,5	188	65	TFT425-W	TFTZ425-W	2 669
2.35:1 FORMAT						
250 x 135	240 x 102	103	35	TFT250-C	TFTZ250-C	2 264
275 x 145	265 x 112,5	113	37	TFT275-C	TFTZ275-C	2 343
300 x 155	290 x 123,5	124	41	TFT300-C	TFTZ300-C	2 374
325 x 165	315 x 134	135	43	TFT325-C	TFTZ325-C	2 441
350 x 175	340 x 144,5	145	47	TFT350-C	TFTZ350-C	2 461
375 x 185	365 x 155	156	53	TFT375-C	TFTZ375-C	2 559
400 x 200	390 x 166	166	60	TFT400-C	TFTZ400-C	2 614
425 x 210	415 x 176,5	178	64	TFT425-C	TFTZ425-C	2 669



REACT 3.0

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	EUR
W x H (cm)	W x H (cm)					
NO BLACK BORDERS						
250 x 187,5	250 x 187,5	35		TST250L	TSTZ250L	€ 2 184
4:3 FORMAT						
250 x 210	240 x 180	118	35	TST250-V	TSTZ250-V	2 646
275 x 230	265 x 199	130	37	TST275-V	TSTZ275-V	2 829
16:10 FORMAT						
250 x 180	240 x 150	111	35	TST250-D	TSTZ250-D	2 646
275 x 195	265 x 165,5	123	37	TST275-D	TSTZ275-D	2 829
300 x 210	290 x 181	135	41	TST300-D	TSTZ300-D	2 886
325 x 230	315 x 197	146	43	TST325-D	TSTZ325-D	3 070
16:9 FORMAT						
250 x 165	240 x 135	108	35	TST250-W	TSTZ250-W	2 646
275 x 180	265 x 149	120	37	TST275-W	TSTZ275-W	2 829
300 x 195	290 x 163	131	41	TST300-W	TSTZ300-W	2 886
325 x 210	315 x 177	142	43	TST325-W	TSTZ325-W	3 070
350 x 225	340 x 191	154	48	TST350-W	TSTZ350-W	3 127
375 x 235	365 x 205	165	54	TST375-W	TSTZ375-W	3 185
2.35:1 FORMAT						
250 x 135	240 x 102	103	35	TST250-C	TSTZ250-C	2 646
275 x 145	265 x 112,5	113	37	TST275-C	TSTZ275-C	2 829
300 x 155	290 x 123,5	124	41	TST300-C	TSTZ300-C	2 886
325 x 165	315 x 134	135	43	TST325-C	TSTZ325-C	3 070
350 x 175	340 x 144,5	145	47	TST350-C	TSTZ350-C	3 127
375 x 185	365 x 155	156	53	TST375-C	TSTZ375-C	3 185
400 x 200	390 x 166	166	60	TST400-C	TSTZ400-C	3 413
425 x 210	415 x 176,5	178	64	TST425-C	TSTZ425-C	3 520



CEILING

FLEXREAR

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR		EUR	
W x H (cm)	W x H (cm)							
NO BLACK BORDERS				CONTROL BOX	SMART (incl. RF remote)	INSTALLATION		
250 x 187,5	250 x 187,5	35		TRT250L	TRTZ250L	€ 2 065	TRTIN250L	€ 1 940
275 x 206	275 x 206	37		TRT275L	TRTZ275L	2 254	TRTIN275L	2 129
300 x 225	300 x 225	41		TRT300L	TRTZ300L	2 312	TRTIN300L	2 186
4:3 FORMAT								
250 x 210	240 x 180	118	35	TRT250-V	TRTZ250-V	2 533	TRTIN250-V	2 407
275 x 230	265 x 199	130	37	TRT275-V	TRTZ275-V	2 722	TRTIN275-V	2 596
300 x 250	290 x 217,5	143	41	TRT300-V	TRTZ300-V	2 780	TRTIN300-V	2 654
325 x 270	315 x 236	155	43	TRT325-V	TRTZ325-V	2 968	TRTIN325-V	2 843
16:10 FORMAT								
250 x 180	240 x 150	111	35	TRT250-D	TRTZ250-D	2 533	TRTIN250-D	2 407
275 x 195	265 x 165,5	123	37	TRT275-D	TRTZ275-D	2 722	TRTIN275-D	2 596
300 x 210	290 x 181	135	41	TRT300-D	TRTZ300-D	2 780	TRTIN300-D	2 654
325 x 230	315 x 197	146	43	TRT325-D	TRTZ325-D	2 968	TRTIN325-D	2 843
350 x 245	340 x 212,5	158	48	TRT350-D	TRTZ350-D	3 026	TRTIN350-D	2 900
375 x 260	365 x 228	170	54	TRT375-D	TRTZ375-D	3 084	TRTIN375-D	2 958
16:9 FORMAT								
250 x 165	240 x 135	108	35	TRT250-W	TRTZ250-W	2 533	TRTIN250-W	2 407
275 x 180	265 x 149	120	37	TRT275-W	TRTZ275-W	2 722	TRTIN275-W	2 596
300 x 195	290 x 163	131	41	TRT300-W	TRTZ300-W	2 780	TRTIN300-W	2 654
325 x 210	315 x 177	142	43	TRT325-W	TRTZ325-W	2 968	TRTIN325-W	2 843
350 x 225	340 x 191	154	48	TRT350-W	TRTZ350-W	3 026	TRTIN350-W	2 900
375 x 235	365 x 205	165	54	TRT375-W	TRTZ375-W	3 084	TRTIN375-W	2 958
400 x 250	390 x 219,5	176	61	TRT400-W	TRTZ400-W	3 187	TRTIN400-W	3 061
425 x 265	415 x 233,5	188	65	TRT425-W	TRTZ425-W	3 294	TRTIN425-W	3 168



SESAME 2.1



The Sesame 2.1 is Euroscreen®'s award winning model with an innovative recessed ceiling case design for installation within a ceiling void. It is very suitable for installation in suspended or plastered ceilings.

It is equipped with adjustable inner brackets which allow for fine-tuning of the bottom dowel for perfect flush closure when retracted up into case. The white aluminium case itself has a stylish appearance, and unique removable integrated external flange profiles for easy and quick service access. The case also features a concealed drop function of the complete screen section, which enables easy access and the possibility to install case first

and screen later. Brackets especially designed for Sesame 2.1 provide a trouble-free installation of the case in a prepared ceiling cut-out up to a 100 cm ceiling void.

SESAME 2.1 TAB TENSION

This model features all of the benefits mentioned above, and an additional selection of tensioned screen surfaces. The tensioning function makes it possible to adjust the flatness of the surface and therefore provide a perfectly flat viewing surface for years to come.



Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

DETAILS: SESAME 2.1 ELECTRIC

- Case size (W x H): 161 x 100 mm
- Case length: screen width + 345 mm
- Cut-out case size (W x H): 140 x 102 mm
- Cut-out length: screen width + 325 mm

DETAILS: SESAME 2.1 TAB TENSION

- Case size (W x H): 161 x 100 mm
- Total case length (incl. flanges): screen width + 525 mm
- Cut-out case size (W x H): 140 x 102 mm
- Cut-out length: screen width + 505 mm
- 4:3, 16:10 and 16:9 with black borders – all have 25-30 cm black drop as standard

SESAME 2.1 ELECTRIC



XPERT

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
Ultra Quiet motor available, add 885 SEK / 103 EUR							
1:1 FORMAT				SMART (incl. RF remote)		INSTALLATION	
160 x 160	160 x 160	17		SXZ160	€ 1 073	SXIN160	€ 947
180 x 180	180 x 180	18		SXZ180	1 092	SXIN180	967
200 x 200	200 x 200	20		SXZ200	1 157	SXIN200	1 032
220 x 220	220 x 220	21		SXZ220	1 290	SXIN220	1 164
240 x 240	240 x 240	23		SXZ240	1 367	SXIN240	1 241
4:3 FORMAT							
160 x 175	150 x 112,5	74	17	SXZ1617-V	1 248	SXIN1617-V	1 123
180 x 175	170 x 127,5	84	18	SXZ1817-V	1 266	SXIN1817-V	1 141
200 x 175	190 x 142,5	94	20	SXZ2017-V	1 306	SXIN2017-V	1 180
220 x 170	210 x 157,5	103	21	SXZ2217-V	1 398	SXIN2217-V	1 272
240 x 205	230 x 172,5	113	23	SXZ2420-V	1 484	SXIN2420-V	1 359
270 x 210	260 x 195	128	24	SXZ2724-V	1 607	SXIN2724-V	1 481
300 x 235	290 x 217,5	143	27	SXZ3024-V	1 649	SXIN3024-V	1 523
16:10 FORMAT							
160 x 175	150 x 94	70	17	SXZ1617-D	1 248	SXIN1617-D	1 123
180 x 175	170 x 106	79	18	SXZ1817-D	1 266	SXIN1817-D	1 141
200 x 175	190 x 119	88	20	SXZ2017-D	1 306	SXIN2017-D	1 180
220 x 170	210 x 131	97	21	SXZ2217-D	1 398	SXIN2217-D	1 272
240 x 170	230 x 144	107	23	SXZ2417-D	1 484	SXIN2417-D	1 359
270 x 205	260 x 162,5	121	24	SXZ2724-D	1 607	SXIN2724-D	1 481
300 x 205	290 x 181	135	27	SXZ3024-D	1 649	SXIN3024-D	1 523
16:9 FORMAT							
160 x 175	150 x 84,5	68	17	SXZ1617-W	1 248	SXIN1617-W	1 123
180 x 175	170 x 95,5	77	18	SXZ1817-W	1 266	SXIN1817-W	1 141
200 x 175	190 x 107	86	20	SXZ2017-W	1 306	SXIN2017-W	1 180
220 x 170	210 x 118	95	21	SXZ2217-W	1 398	SXIN2217-W	1 272
240 x 170	230 x 129,5	104	23	SXZ2417-W	1 484	SXIN2417-W	1 359
270 x 205	260 x 146	117	24	SXZ2724-W	1 607	SXIN2724-W	1 481
300 x 205	290 x 163	131	27	SXZ3024-W	1 649	SXIN3024-W	1 523

RECESSED CEILING BRACKETS

Recessed ceiling brackets especially designed for Sesame 2.1 provide a trouble-free installation of the case in a prepared ceiling cut-out up to a 100 cm ceiling void.

- Adjustable height for extra flexibility
- Join two threaded rods to achieve increased length
- Delivered as pair

	Part No.	SEK	EUR
Recessed ceiling bracket, Sesame 2.1	930 200	kr 674	€ 79



Use one or two brackets depending on installation.

SESAME 2.1

ELECTRIC SMART MOTOR



				ARCTIQ		GREYLIGHT	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)			Ultra Quiet motor available, add 885 SEK / 103 EUR			
1:1 FORMAT				SMART (incl. RF remote)		SMART (incl. RF remote)	
160 x 160	160 x 160		17	SEZ160	€ 978	SEGZ160	€ 1 071
180 x 180	180 x 180		18	SEZ180	998	SEGZ180	1 111
200 x 200	200 x 200		20	SEZ200	1 032	SEGZ200	1 129
220 x 220	220 x 220		21	SEZ220	1 166	SEGZ220	1 225
240 x 240	240 x 240		23	SEZ240	1 243	SEGZ240	1 292
4:3 FORMAT							
160 x 175	150 x 112,5	74	17	SEZ1617-V	1 077	SEGZ1617-V	1 175
180 x 175	170 x 127,5	84	18	SEZ1817-V	1 095	SEGZ1817-V	1 210
200 x 175	190 x 142,5	94	20	SEZ2017-V	1 135	SEGZ2017-V	1 241
220 x 170	210 x 157,5	103	21	SEZ2217-V	1 196	SEGZ2217-V	1 339
240 x 205	230 x 172,5	113	23	SEZ2420-V	1 283	SEGZ2420-V	1 417
270 x 210	260 x 195	128	24	SEZ2724-V	1 407		
300 x 235	290 x 217,5	143	27	SEZ3024-V	1 449		
16:10 FORMAT							
160 x 175	150 x 94	70	17	SEZ1617-D	1 077	SEGZ1617-D	1 175
180 x 175	170 x 106	79	18	SEZ1817-D	1 095	SEGZ1817-D	1 210
200 x 175	190 x 119	88	20	SEZ2017-D	1 135	SEGZ2017-D	1 241
220 x 170	210 x 131	97	21	SEZ2217-D	1 196	SEGZ2217-D	1 339
240 x 170	230 x 144	107	23	SEZ2417-D	1 283	SEGZ2417-D	1 417
270 x 205	260 x 162,5	121	24	SEZ2724-D	1 407		
300 x 205	290 x 181	135	27	SEZ3024-D	1 449		
16:9 FORMAT							
160 x 175	150 x 84,5	68	17	SEZ1617-W	1 077	SEGZ1617-W	1 175
180 x 175	170 x 95,5	77	18	SEZ1817-W	1 095	SEGZ1817-W	1 210
200 x 175	190 x 107	86	20	SEZ2017-W	1 135	SEGZ2017-W	1 241
220 x 170	210 x 118	95	21	SEZ2217-W	1 196	SEGZ2217-W	1 339
240 x 170	230 x 129,5	104	23	SEZ2417-W	1 283	SEGZ2417-W	1 417
270 x 205	260 x 146	117	24	SEZ2724-W	1 407		
300 x 205	290 x 163	131	27	SEZ3024-W	1 449		

SESAME 2.1

ELECTRIC INSTALLATION



				ARCTIQ		GREYLIGHT	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
1:1 FORMAT				INSTALLATION		INSTALLATION	
160 x 160	160 x 160		17	SEIN160	€ 853	SEGIN160	946
180 x 180	180 x 180		18	SEIN180	872	SEGIN180	985
200 x 200	200 x 200		20	SEIN200	907	SEGIN200	1 003
220 x 220	220 x 220		21	SEIN220	1 040	SEGIN220	1 100
240 x 240	240 x 240		23	SEIN240	1 118	SEGIN240	1 166
4:3 FORMAT							
160 x 175	150 x 112,5	74	17	SEIN1617-V	951	SEGIN1617-V	1 050
180 x 175	170 x 127,5	84	18	SEIN1817-V	969	SEGIN1817-V	1 084
200 x 175	190 x 142,5	94	20	SEIN2017-V	1 009	SEGIN2017-V	1 115
220 x 170	210 x 157,5	103	21	SEIN2217-V	1 071	SEGIN2217-V	1 213
240 x 205	230 x 172,5	113	23	SEIN2420-V	1 158	SEGIN2420-V	1 291
270 x 210	260 x 195	128	24	SEIN2724-V	1 281		
300 x 235	290 x 217,5	143	27	SEIN3024-V	1 323		
16:10 FORMAT							
160 x 175	150 x 94	70	17	SEIN1617-D	951	SEGIN1617-D	1 050
180 x 175	170 x 106	79	18	SEIN1817-D	969	SEGIN1817-D	1 084
200 x 175	190 x 119	88	20	SEIN2017-D	1 009	SEGIN2017-D	1 115
220 x 170	210 x 131	97	21	SEIN2217-D	1 071	SEGIN2217-D	1 213
240 x 170	230 x 144	107	23	SEIN2417-D	1 158	SEGIN2417-D	1 291
270 x 205	260 x 162.5	121	24	SEIN2724-D	1 281		
300 x 205	290 x 181	135	27	SEIN3024-D	1 323		
16:9 FORMAT							
160 x 175	150 x 84,5	68	17	SEIN1617-W	951	SEGIN1617-W	1 050
180 x 175	170 x 95,5	77	18	SEIN1817-W	969	SEGIN1817-W	1 084
200 x 175	190 x 107	86	20	SEIN2017-W	1 009	SEGIN2017-W	1 115
220 x 170	210 x 118	95	21	SEIN2217-W	1 071	SEGIN2217-W	1 213
240 x 170	230 x 129,5	104	23	SEIN2417-W	1 158	SEGIN2417-W	1 291
270 x 205	260 x 146	117	24	SEIN2724-W	1 281		
300 x 205	290 x 163	131	27	SEIN3024-W	1 323		

SESAME 2.1

TAB TENSION SMART MOTOR



				FLEXWHITE		REACT 3.0	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)			Ultra Quiet motor available, add 885 SEK / 103 EUR			
NO BLACK BORDERS				SMART (incl. RF remote)		SMART (incl. RF remote)	
160 x 150	160 x 150		21	SETZ1617	€ 1 324	SESTZ1617	€ 1 655
180 x 165	180 x 165		22	SETZ1817	1 345	SESTZ1817	1 695
200 x 180	200 x 180		24	SETZ2017	1 383	SESTZ2017	1 867
220 x 195	220 x 195		25	SETZ2217	1 529	SESTZ2217	1 987
240 x 200	240 x 200		27	SETZ2420	1 613	SESTZ2420	2 258
4:3 FORMAT							
160 x 150	150 x 112,5	74	21	SETZ1617-V	1 563	SESTZ1617-V	2 081
180 x 165	170 x 127,5	84	22	SETZ1817-V	1 581	SESTZ1817-V	2 139
200 x 180	190 x 142,5	94	24	SETZ2017-V	1 623	SESTZ2017-V	2 193
220 x 195	210 x 157,5	103	25	SETZ2217-V	1 689	SESTZ2217-V	2 344
240 x 200	230 x 172,5	113	27	SETZ2420-V	1 781	SESTZ2420-V	2 448
16:10 FORMAT							
160 x 130	150 x 94	70	21	SETZ1617-D	1 563	SESTZ1617-D	2 081
180 x 140	170 x 106	79	22	SETZ1817-D	1 581	SESTZ1817-D	2 139
200 x 155	190 x 119	88	24	SETZ2017-D	1 623	SESTZ2017-D	2 193
220 x 165	210 x 131	97	25	SETZ2217-D	1 689	SESTZ2217-D	2 344
240 x 180	230 x 144	107	27	SETZ2417-D	1 781	SESTZ2417-D	2 448
16:9 FORMAT							
160 x 120	150 x 84,5	68	21	SETZ1617-W	1 563	SESTZ1617-W	2 081
180 x 130	170 x 95,5	77	22	SETZ1817-W	1 581	SESTZ1817-W	2 139
200 x 140	190 x 107	86	24	SETZ2017-W	1 623	SESTZ2017-W	2 193
220 x 155	210 x 118	95	25	SETZ2217-W	1 689	SESTZ2217-W	2 344
240 x 165	230 x 129,5	104	27	SETZ2417-W	1 781	SESTZ2417-W	2 448

SESAME 2.1

TAB TENSION INSTALLATION



FLEXWHITE					REACT 3.0		
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
NO BLACK BORDERS				INSTALLATION		INSTALLATION	
160 x 150	160 x 150		21	SETIN1617	€ 1 198	SESTIN1617	€ 1 529
180 x 165	180 x 165		22	SETIN1817	1 220	SESTIN1817	1 570
200 x 180	200 x 180		24	SETIN2017	1 257	SESTIN2017	1 741
220 x 195	220 x 195		25	SETIN2217	1 403	SESTIN2217	1 862
240 x 200	240 x 200		27	SETIN2420	1 487	SESTIN2420	2 133
4:3 FORMAT							
160 x 150	150 x 112,5	74	21	SETIN1617-V	1 437	SESTIN1617-V	1 955
180 x 165	170 x 127,5	84	22	SETIN1817-V	1 455	SESTIN1817-V	2 013
200 x 180	190 x 142,5	94	24	SETIN2017-V	1 498	SESTIN2017-V	2 067
220 x 195	210 x 157,5	103	25	SETIN2217-V	1 563	SESTIN2217-V	2 219
240 x 200	230 x 172,5	113	27	SETIN2420-V	1 656	SESTIN2420-V	2 323
16:10 FORMAT							
160 x 130	150 x 94	70	21	SETIN1617-D	1 437	SESTIN1617-D	1 955
180 x 140	170 x 106	79	22	SETIN1817-D	1 455	SESTIN1817-D	2 013
200 x 155	190 x 119	88	24	SETIN2017-D	1 498	SESTIN2017-D	2 067
220 x 165	210 x 131	97	25	SETIN2217-D	1 563	SESTIN2217-D	2 219
240 x 180	230 x 144	107	27	SETIN2417-D	1 656	SESTIN2417-D	2 323
16:9 FORMAT							
160 x 120	150 x 84,5	68	21	SETIN1617-W	1 437	SESTIN1617-W	1 955
180 x 130	170 x 95,5	77	22	SETIN1817-W	1 455	SESTIN1817-W	2 013
200 x 140	190 x 107	86	24	SETIN2017-W	1 498	SESTIN2017-W	2 067
220 x 155	210 x 118	95	25	SETIN2217-W	1 563	SESTIN2217-W	2 219
240 x 165	230 x 129,5	104	27	SETIN2417-W	1 656	SESTIN2417-W	2 323

● FlexRear surface also available upon request

LINEA

The Linea model has a uniquely designed case with a classic yet contemporary shape. The gently rounded aluminium case has no exposed mounting fixtures or fasteners, and all attachment points are completely invisible. The case is finished in white and the heavy weight bottom dowel retracts completely inside the case when the screen is not in use.

LINEA TAB TENSION

This model features all of the benefits mentioned above, and an additional selection of tensioned screen surfaces. The tensioning function makes it possible to adjust the flatness of the surface and therefore provide a perfectly flat viewing surface for years to come.

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as blackout, or sun protection, contact sales office for more information about window shades.



DETAILS: LINEA ELECTRIC

- Uniquely designed, gently rounded aluminium cassette
- Bottom dowel retracts completely into case
- Heavy weight bottom dowel
- Delivered with Euroscreen® Control Box
- Case size (W x H): 121 x 153 mm
- Case length: screen width + 285 mm

DETAILS: LINEA TAB TENSION


- Perfectly flat screen surface
- Easy to adjust surface flatness when required
- Heavy weight bottom dowel
- Case size (W x H): 121 x 153 mm
- Case length: screen width + 409 mm
- 4:3, 16:10, 16:9 and 2.35:1 with black borders – all have 25-30 cm black drop as standard



WALL or CEILING

XPERT

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch	Wt (kg)	Part No.		EUR
NO BLACK BORDERS				CONTROL BOX	SMART (incl. RF remote)	
220 x 195	220 x 195	116	30	LEX2217	LEXZ2217	€ 1 485
240 x 195	240 x 195	122	32	LEX2417	LEXZ2417	1 551
270 x 195	270 x 195	131	36	LEX2717	LEXZ2717	1 718
4:3 FORMAT						
180 x 165	170 x 127,5	84	24	LEX1817-V	LEXZ1817-V	1 512
200 x 180	190 x 142,5	94	27	LEX2017-V	LEXZ2017-V	1 665
220 x 195	210 x 157,5	103	30	LEX2217-V	LEXZ2217-V	1 767
240 x 210	230 x 172,5	113	32	LEX2420-V	LEXZ2420-V	1 832
270 x 230	260 x 195	128	36	LEX2724-V	LEXZ2724-V	2 000
300 x 255	290 x 217,5	143	38	LEX3024-V	LEXZ3024-V	2 541
16:10 FORMAT						
180 x 140	170 x 106	79	24	LEX1817-D	LEXZ1817-D	1 512
200 x 155	190 x 119	88	27	LEX2017-D	LEXZ2017-D	1 665
220 x 165	210 x 131	97	30	LEX2217-D	LEXZ2217-D	1 767
240 x 180	230 x 143,5	107	32	LEX2417-D	LEXZ2417-D	1 832
270 x 195	260 x 162,5	121	36	LEX2724-D	LEXZ2724-D	2 000
300 x 195	290 x 181	135	38	LEX3024-D	LEXZ3024-D	2 541
16:9 FORMAT						
180 x 130	170 x 95,5	77	24	LEX1817-W	LEXZ1817-W	1 512
200 x 140	190 x 107	86	27	LEX2017-W	LEXZ2017-W	1 665
220 x 155	210 x 118	95	30	LEX2217-W	LEXZ2217-W	1 767
240 x 165	230 x 129,5	104	32	LEX2417-W	LEXZ2417-W	1 832
270 x 180	260 x 146	117	36	LEX2724-W	LEXZ2724-W	2 000
300 x 195	290 x 163	131	38	LEX3024-W	LEXZ3024-W	2 541
2.35:1 FORMAT						
180 x 110	170 x 72,5	73	24	LEX1817-C	LEXZ1817-C	1 512
200 x 115	190 x 81	81	27	LEX2017-C	LEXZ2017-C	1 665
220 x 125	210 x 89,5	90	30	LEX2217-C	LEXZ2217-C	1 767
240 x 135	230 x 98	98	32	LEX2417-C	LEXZ2417-C	1 832
270 x 145	260 x 110	111	36	LEX2724-C	LEXZ2724-C	2 000
300 x 160	290 x 123,5	124	38	LEX3024-C	LEXZ3024-C	2 541



Elegant case design with no exposed fasteners and retracted bottom bar.

LINEA

TAB TENSION



REACT 3.0

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.		EUR
W x H (cm)	W x H (cm)					
NO BLACK BORDERS				CONTROL BOX	SMART (incl. RF remote)	
220 x 195	220 x 195	116	30	LET2217	LETZ2217	€ 1 857
240 x 195	240 x 195	122	32	LET2417	LETZ2417	1 913
270 x 195	270 x 195	131	36	LET2717	LETZ2717	2 067
4:3 FORMAT				CONTROL BOX	SMART MOTOR	
180 x 165	170 x 127,5	84	24	LETS1817-V	LETSZ1817-V	2 435
200 x 180	190 x 142,5	94	27	LETS2017-V	LETSZ2017-V	2 637
220 x 195	210 x 157,5	103	30	LETS2217-V	LETSZ2217-V	2 785
240 x 210	230 x 172,5	113	32	LETS2417-V	LETSZ2417-V	2 894
270 x 210	260 x 195	128	36	LETS2724-V	LETSZ2724-V	3 172
16:10 FORMAT						
180 x 140	170 x 106	79	24	LETS1817-D	LETSZ1817-D	2 435
200 x 155	190 x 119	88	27	LETS2017-D	LETSZ2017-D	2 637
220 x 165	210 x 131	97	30	LETS2217-D	LETSZ2217-D	2 785
240 x 180	230 x 143,5	107	32	LETS2417-D	LETSZ2417-D	2 894
270 x 200	260 x 162,5	121	36	LETS2724-D	LETSZ2724-D	3 172
300 x 210	290 x 181	135	38	LETS3024-D	LETSZ3024-D	3 586
16:9 FORMAT						
180 x 130	170 x 95,5	77	24	LETS1817-W	LETSZ1817-W	2 435
200 x 140	190 x 107	86	27	LETS2017-W	LETSZ2017-W	2 637
220 x 155	210 x 118	95	30	LETS2217-W	LETSZ2217-W	2 785
240 x 165	230 x 129,5	104	32	LETS2417-W	LETSZ2417-W	2 894
270 x 180	260 x 146	117	36	LETS2724-W	LETSZ2724-W	3 172
300 x 200	290 x 163	131	38	LETS3024-W	LETSZ3024-W	3 586
2.35:1 FORMAT						
180 x 110	170 x 72,5	73	24	LETS1817-C	LETSZ1817-C	2 435
200 x 115	190 x 81	81	27	LETS2017-C	LETSZ2017-C	2 637
220 x 125	210 x 89,5	90	30	LETS2217-C	LETSZ2217-C	2 785
240 x 135	230 x 98	98	32	LETS2417-C	LETSZ2417-C	2 894
270 x 145	260 x 110	110	36	LETS2724-C	LETSZ2724-C	3 172
300 x 160	290 x 123,5	124	38	LETS3024-C	LETSZ3024-C	3 586

LINEA

TAB TENSION



FLEXWHITE

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR
W x H (cm)	W x H (cm)				

NO BLACK BORDERS				CONTROL BOX	SMART (incl. RF remote)	
220 x 195	220 x 195	116	30	LET2217	LETZ2217	€ 1 857
240 x 195	240 x 195	122	32	LET2417	LETZ2417	1 913
270 x 195	270 x 195	131	36	LET2717	LETZ2717	2 067
4:3 FORMAT						
180 x 165	170 x 127,5	84	24	LET1817-V	LETZ1817-V	1 903
200 x 180	190 x 142,5	94	27	LET2017-V	LETZ2017-V	2 048
220 x 195	210 x 157,5	103	30	LET2217-V	LETZ2217-V	2 141
240 x 210	230 x 172,5	113	32	LET2420-V	LETZ2420-V	2 197
270 x 230	260 x 195	128	36	LET2724-V	LETZ2724-V	2 351
300 x 255	290 x 217,5	143	38	LET3024-V	LETZ3024-V	2 881
16:10 FORMAT						
180 x 140	170 x 106	79	24	LET1817-D	LETZ1817-D	1 903
200 x 155	190 x 119	88	27	LET2017-D	LETZ2017-D	2 048
220 x 165	210 x 131	97	30	LET2217-D	LETZ2217-D	2 141
240 x 180	230 x 143,5	107	32	LET2417-D	LETZ2417-D	2 197
270 x 195	260 x 162,5	121	36	LET2724-D	LETZ2724-D	2 351
300 x 195	290 x 181	135	38	LET3024-D	LETZ3024-D	2 881
16:9 FORMAT						
180 x 130	170 x 95,5	77	24	LET1817-W	LETZ1817-W	1 903
200 x 140	190 x 107	86	27	LET2017-W	LETZ2017-W	2 048
220 x 155	210 x 118	95	30	LET2217-W	LETZ2217-W	2 141
240 x 165	230 x 129,5	104	32	LET2417-W	LETZ2417-W	2 197
270 x 180	260 x 146	117	36	LET2724-W	LETZ2724-W	2 351
300 x 195	290 x 163	131	38	LET3024-W	LETZ3024-W	2 881
2.35:1 FORMAT						
180 x 110	170 x 72,5	73	24	LET1817-C	LETZ1817-C	1 903
200 x 115	190 x 81	81	27	LET2017-C	LETZ2017-C	2 048
220 x 125	210 x 89,5	90	30	LET2217-C	LETZ2217-C	2 141
240 x 135	230 x 98	98	32	LET2417-C	LETZ2417-C	2 197
270 x 145	260 x 110	111	36	LET2724-C	LETZ2724-C	2 351
300 x 160	290 x 123,5	124	38	LET3024-C	LETZ3024-C	2 881

LINEA

TAB TENSION



WALL or CEILING

FLEXPERF

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	EUR
W x H (cm)	W x H (cm)	(")	(kg)		
16:9 FORMAT			SMART (incl. RF remote)		
180 x 130	170 x 95,5	77	24	LETPZ1817-W	€ 2 435
200 x 140	190 x 107	86	27	LETPZ2017-W	2 637
220 x 155	210 x 118	95	30	LETPZ2217-W	2 785
240 x 165	230 x 129,5	104	32	LETPZ2417-W	2 894
270 x 180	260 x 146	117	36	LETPZ2724-W	3 172
300 x 195	290 x 163	131	38	LETPZ3024-W	3 586
2.35:1 FORMAT					
180 x 110	170 x 72,5	73	24	LETPZ1817-C	2 435
200 x 115	190 x 81	81	27	LETPZ2017-C	2 637
220 x 125	210 x 89,5	90	30	LETPZ2217-C	2 785
240 x 135	230 x 98	98	32	LETPZ2417-C	2 894
270 x 145	260 x 110	111	36	LETPZ2724-C	3 172
300 x 160	290 x 123,5	124	38	LETPZ3024-C	3 586

FLEXREAR

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	EUR
W x H (cm)	W x H (cm)	(")	(kg)		
NO BLACK BORDERS			SMART (incl. RF remote)		
200 x 180		94	27	LETRZ2017	€ 2 189
220 x 195		103	30	LETRZ2217	2 284
240 x 210		113	32	LETRZ2420	2 353
270 x 210		128	36	LETRZ2720	2 687
300 x 225		148	42	LETRZ3024	2 996



DIPLOMAT



Diplomat is one of Euroscreen's best-selling projection screens with white contemporary aluminium cassette and channel-fixed installation. The channel-fixed feature makes it one of the market's most flexible and easy screens to install. Thanks to its functional design the Diplomat is suitable for any application; especially popular in conference and education facilities, as well as in home theatres.

DIPLOMAT TAB TENSION


This model features all of the benefits mentioned above, and an additional selection of tensioned screen surfaces. The tensioning function makes it possible to adjust the flatness of the surface and therefore provide a perfectly flat viewing surface for years to come.

DETAILS: DIPLOMAT ELECTRIC

- White cylindrical shaped aluminium cassette
- Channel-fixed and flexible installation
- Case size (W x H): 101 x 105 mm
- Case length: screen width + 125 mm
- Bottom dowel from wall: 48 mm

DETAILS: DIPLOMAT TAB TENSION

- Heavy weight bottom dowel
- Case size (W x H): 101 x 105 mm
- Case length: screen width + 285 mm
- 4:3, 16:10 and 16:9 with black borders – all have 25-30 cm black drop as standard




Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.



XPERT

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
<i>Ultra Quiet motor available, add 885 SEK / 103 EUR</i>							
1:1 FORMAT				SMART (incl. RF remote)	INSTALLATION		
180 x 180	180 x 180	9		MDXZ180	€ 822	MDXIN180	€ 696
200 x 200	200 x 200	11		MDXZ200	894	MDXIN200	769
220 x 220	220 x 220	13		MDXZ220	984	MDXIN220	858
240 x 240	240 x 240	14		MDXZ240	1 044	MDXIN240	919
NO BLACK BORDERS							
270 x 225	270 x 225	16		MDXZ2725	1 178	MDXIN2725	1 052
300 x 250	300 x 250	17		MDXZ3025	1 335	MDXIN3025	1 209
4:3 FORMAT							
160 x 180	150 x 112,5	74	8	MDXZ1617-V	969	MDXIN1617-V	843
180 x 180	170 x 127,5	84	10	MDXZ1817-V	983	MDXIN1817-V	857
200 x 180	190 x 142,5	94	11	MDXZ2017-V	1 013	MDXIN2017-V	887
220 x 210	210 x 157,5	103	13	MDXZ2217-V	1 146	MDXIN2217-V	1 020
240 x 210	230 x 172,5	113	14	MDXZ2420-V	1 231	MDXIN2420-V	1 106
270 x 230	260 x 195	128	16	MDXZ2724-V	1 368	MDXIN2724-V	1 242
300 x 255	290 x 217,5	143	18	MDXZ3024-V	1 382	MDXIN3024-V	1 256
16:10 FORMAT							
160 x 180	150 x 94	70	8	MDXZ1617-D	969	MDXIN1617-D	843
180 x 180	170 x 106	79	10	MDXZ1817-D	983	MDXIN1817-D	857
200 x 180	190 x 119	88	11	MDXZ2017-D	1 013	MDXIN2017-D	887
220 x 180	210 x 131	97	13	MDXZ2217-D	1 146	MDXIN2217-D	1 020
240 x 180	230 x 144	107	13	MDXZ2417-D	1 231	MDXIN2417-D	1 106
270 x 200	260 x 162,5	121	16	MDXZ2724-D	1 368	MDXIN2724-D	1 242
300 x 220	290 x 181	135	17	MDXZ3024-D	1 382	MDXIN3024-D	1 256
16:9 FORMAT							
160 x 180	150 x 84,5	68	8	MDXZ1617-W	969	MDXIN1617-W	843
180 x 180	170 x 95,5	77	10	MDXZ1817-W	983	MDXIN1817-W	857
200 x 180	190 x 107	86	11	MDXZ2017-W	1 013	MDXIN2017-W	887
220 x 180	210 x 118	95	13	MDXZ2217-W	1 146	MDXIN2217-W	1 020
240 x 180	230 x 129,5	104	14	MDXZ2417-W	1 231	MDXIN2417-W	1 106
270 x 200	260 x 146	117	16	MDXZ2724-W	1 368	MDXIN2724-W	1 242
300 x 205	290 x 163	131	18	MDXZ3024-W	1 382	MDXIN3024-W	1 256



Tensioning function for flattest surface possible.

DIPLOMAT

ELECTRIC SMART MOTOR



				ARCTIQ		GREYLIGHT	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR		EUR
W x H (cm)	W x H (cm)						
Ultra Quiet motor available, add 885 SEK / 103 EUR							
NORDIC			SMART (incl. RF remote)		SMART (incl. RF remote)		
140 x 200	140 x 200	6	MDZ1420	669	MGZ1420	669	
150 x 200	150 x 200	7	MDZ1520	683	MGZ1520	683	
160 x 200	160 x 200	8	MDZ1620	691	MGZ1620	691	
180 x 200	180 x 200	9	MDZ1820	723	MGZ1820	723	
NO BLACK BORDERS							
270 x 210	270 x 210	16	MDZ2724	1 101			
300 x 210	300 x 210	17	MDZ3024	1 115			
1:1 FORMAT							
125 x 125	125 x 125	5	MDZ125	645	MGZ125	752	
150 x 150	150 x 150	7	MDZ150	668	MGZ150	771	
180 x 180	180 x 180	9	MDZ180	723	MGZ180	839	
200 x 200	200 x 200	11	MDZ200	765	MGZ200	847	
220 x 220	220 x 220	13	MDZ220	854	MGZ220	930	
240 x 240	240 x 240	14	MDZ240	915	MGZ240	992	
4:3 FORMAT							
160 x 175	150 x 112,5	74	8	MDZ1617-V	795	MGZ1617-V	895
180 x 175	170 x 127,5	84	10	MDZ1817-V	809	MGZ1817-V	922
200 x 175	190 x 142,5	94	11	MDZ2017-V	839	MGZ2017-V	948
220 x 170	210 x 157,5	103	13	MDZ2217-V	941	MGZ2217-V	1 035
240 x 205	230 x 172,5	113	14	MDZ2420-V	1 027	MGZ2420-V	1 103
270 x 210	260 x 195	128	16	MDZ2724-V	1 163		
300 x 235	290 x 217,5	143	18	MDZ3024-V	1 177		
16:10 FORMAT							
160 x 175	150 x 94	70	8	MDZ1617-D	795	MGZ1617-D	895
180 x 175	170 x 106	79	10	MDZ1817-D	809	MGZ1817-D	922
200 x 175	190 x 119	88	11	MDZ2017-D	839	MGZ2017-D	948
220 x 170	210 x 131	97	13	MDZ2217-D	941	MGZ2217-D	1 035
240 x 170	230 x 144	107	13	MDZ2417-D	1 027	MGZ2417-D	1 103
270 x 210	260 x 162.5	121	16	MDZ2724-D	1 163		
300 x 210	290 x 181	135	17	MDZ3024-D	1 177		
16:9 FORMAT							
160 x 175	150 x 84,5	68	8	MDZ1617-W	795	MGZ1617-W	895
180 x 175	170 x 95,5	77	10	MDZ1817-W	809	MGZ1817-W	922
200 x 175	190 x 107	86	11	MDZ2017-W	839	MGZ2017-W	948
220 x 170	210 x 118	95	13	MDZ2217-W	941	MGZ2217-W	1 035
240 x 170	230 x 129,5	104	14	MDZ2417-W	1 027	MGZ2417-W	1 103
270 x 205	260 x 146	117	16	MDZ2724-W	1 163		
300 x 205	290 x 163	131	18	MDZ3024-W	1 177		

DIPLOMAT

ELECTRIC INSTALLATION



WALL or CEILING

				ARCTIQ		GREYLIGHT	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
NORDIC				INSTALLATION		INSTALLATION	
140 x 200	140 x 200	6		MDIN1420	€ 544	MGIN1420	€ 632
150 x 200	150 x 200	7		MDIN1520	558	MGIN1520	645
160 x 200	160 x 200	8		MDIN1620	565	MGIN1620	665
180 x 200	180 x 200	9		MDIN1820	597	MGIN1820	694
NO BLACK BORDERS							
270 x 210	270 x 210	16		MDIN2724	975		
300 x 210	300 x 210	17		MDIN3024	990		
1:1 FORMAT							
125 x 125	125 x 125	5		MDIN125	519	MGIN125	626
150 x 150	150 x 150	7		MDIN150	542	MGIN150	645
180 x 180	180 x 180	9		MDIN180	597	MGIN180	713
200 x 200	200 x 200	11		MDIN200	639	MGIN200	721
220 x 220	220 x 220	13		MDIN220	729	MGIN220	804
240 x 240	240 x 240	14		MDIN240	789	MGIN240	867
4:3 FORMAT							
160 x 175	150 x 112,5	74	8	MDIN1617-V	669	MGIN1617-V	769
180 x 175	170 x 127,5	84	10	MDIN1817-V	683	MGIN1817-V	796
200 x 175	190 x 142,5	94	11	MDIN2017-V	713	MGIN2017-V	822
220 x 170	210 x 157,5	103	13	MDIN2217-V	816	MGIN2217-V	909
240 x 205	230 x 172,5	113	14	MDIN2420-V	901	MGIN2420-V	977
270 x 210	260 x 195	128	16	MDIN2724-V	1 037		
300 x 235	290 x 217,5	143	18	MDIN3024-V	1 052		
16:10 FORMAT							
160 x 175	150 x 94	70	8	MDIN1617-D	669	MGIN1617-D	769
180 x 175	170 x 106	79	10	MDIN1817-D	683	MGIN1817-D	796
200 x 175	190 x 119	88	11	MDIN2017-D	713	MGIN2017-D	822
220 x 170	210 x 131	97	13	MDIN2217-D	816	MGIN2217-D	909
240 x 170	230 x 144	107	13	MDIN2417-D	901	MGIN2417-D	977
270 x 210	260 x 162,5	121	16	MDIN2724-D	1 037		
300 x 210	290 x 181	135	17	MDIN3024-D	1 052		
16:9 FORMAT							
160 x 175	150 x 84,5	68	8	MDIN1617-W	669	MGIN1617-W	769
180 x 175	170 x 95,5	77	10	MDIN1817-W	683	MGIN1817-W	796
200 x 175	190 x 107	86	11	MDIN2017-W	713	MGIN2017-W	822
220 x 170	210 x 118	95	13	MDIN2217-W	816	MGIN2217-W	909
240 x 170	230 x 129,5	104	14	MDIN2417-W	901	MGIN2417-W	977
270 x 205	260 x 146	117	16	MDIN2724-W	1 037		
300 x 205	290 x 163	131	18	MDIN3024-W	1 052		

DIPLOMAT

TAB TENSION SMART MOTOR



				FLEXWHITE		REACT 3.0	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
Ultra Quiet motor available, add 885 SEK / 103 EUR							
NO BLACK BORDERS				SMART (incl. RF remote)		SMART (incl. RF remote)	
160 x 150	160 x 150		11	MDTZ1617	€ 1 030	MSTZ1617	€ 1 331
180 x 165	180 x 165		13	MDTZ1817	1 066	MSTZ1817	1 358
200 x 180	200 x 180		15	MDTZ2017	1 089	MSTZ2017	1 457
220 x 195	220 x 195		17	MDTZ2217	1 170	MSTZ2217	1 538
240 x 200	240 x 200		19	MDTZ2420	1 347	MSTZ2420	1 913
4:3 FORMAT							
160 x 150	150 x 112,5	74	11	MDTZ1617-V	1 314	MSTZ1617-V	1 822
180 x 165	170 x 127,5	84	13	MDTZ1817-V	1 328	MSTZ1817-V	1 880
200 x 180	190 x 142,5	94	15	MDTZ2017-V	1 364	MSTZ2017-V	1 933
220 x 195	210 x 157,5	103	17	MDTZ2217-V	1 480	MSTZ2217-V	2 083
240 x 200	230 x 172,5	113	19	MDTZ2420-V	1 577	MSTZ2420-V	2 185
16:10 FORMAT							
160 x 130	150 x 94	70	11	MDTZ1617-D	1 314	MSTZ1617-D	1 822
180 x 140	170 x 106	79	13	MDTZ1817-D	1 328	MSTZ1817-D	1 880
200 x 155	190 x 119	88	15	MDTZ2017-D	1 364	MSTZ2017-D	1 933
220 x 165	210 x 131	97	17	MDTZ2217-D	1 480	MSTZ2217-D	2 083
240 x 180	230 x 144	107	19	MDTZ2417-D	1 577	MSTZ2417-D	2 185
16:9 FORMAT							
160 x 120	150 x 84,5	68	11	MDTZ1617-W	1 314	MSTZ1617-W	1 822
180 x 130	170 x 95,5	77	13	MDTZ1817-W	1 328	MSTZ1817-W	1 880
200 x 140	190 x 107	86	15	MDTZ2017-W	1 364	MSTZ2017-W	1 933
220 x 155	210 x 118	95	17	MDTZ2217-W	1 480	MSTZ2217-W	2 083
240 x 165	230 x 129,5	104	19	MDTZ2417-W	1 577	MSTZ2417-W	2 185

				FLEXPERF	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR
W x H (cm)	W x H (cm)				
Ultra Quiet motor available, add 885 SEK / 103 EUR					
16:9 FORMAT				SMART (incl. RF remote)	
160 x 120	150 x 84,5	68	11	MPTZ1617-W	€ 1 822
180 x 130	170 x 95,5	77	13	MPTZ1817-W	1 880
200 x 140	190 x 107	86	15	MPTZ2017-W	1 933
220 x 155	210 x 118	95	17	MPTZ2217-W	2 083
240 x 165	230 x 129,5	104	19	MPTZ2417-W	2 185

DIPLOMAT

TAB TENSION INSTALLATION



				FLEXWHITE		REACT 3.0	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
NO BLACK BORDERS				INSTALLATION		INSTALLATION	
160 x 150	160 x 150		11	MDTIN1617	€ 904	MSTIN1617	€ 1 206
180 x 165	180 x 165		13	MDTIN1817	941	MSTIN1817	1 232
200 x 180	200 x 180		15	MDTIN2017	964	MSTIN2017	1 332
220 x 195	220 x 195		17	MDTIN2217	1 045	MSTIN2217	1 413
240 x 200	240 x 200		19	MDTIN2420	1 222	MSTIN2420	1 787
4:3 FORMAT							
160 x 150	150 x 112,5	74	11	MDTIN1617-V	1 188	MSTIN1617-V	1 697
180 x 165	170 x 127,5	84	13	MDTIN1817-V	1 202	MSTIN1817-V	1 754
200 x 180	190 x 142,5	94	15	MDTIN2017-V	1 238	MSTIN2017-V	1 808
220 x 195	210 x 157,5	103	17	MDTIN2217-V	1 354	MSTIN2217-V	1 957
240 x 200	230 x 172,5	113	19	MDTIN2420-V	1 451	MSTIN2420-V	2 060
16:10 FORMAT							
160 x 130	150 x 94	70	11	MDTIN1617-D	1 188	MSTIN1617-D	1 697
180 x 140	170 x 106	79	13	MDTIN1817-D	1 202	MSTIN1817-D	1 754
200 x 155	190 x 119	88	15	MDTIN2017-D	1 238	MSTIN2017-D	1 808
220 x 165	210 x 131	97	17	MDTIN2217-D	1 354	MSTIN2217-D	1 957
240 x 180	230 x 144	107	19	MDTIN2417-D	1 451	MSTIN2417-D	2 060
16:9 FORMAT							
160 x 120	150 x 84,5	68	11	MDTIN1617-W	1 188	MSTIN1617-W	1 697
180 x 130	170 x 95,5	77	13	MDTIN1817-W	1 202	MSTIN1817-W	1 754
200 x 140	190 x 107	86	15	MDTIN2017-W	1 238	MSTIN2017-W	1 808
220 x 155	210 x 118	95	17	MDTIN2217-W	1 354	MSTIN2217-W	1 957
240 x 165	230 x 129,5	104	19	MDTIN2417-W	1 451	MSTIN2417-W	2 060

FLEXPERF					
Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch	Wt (kg)	Part No.	EUR
16:9 FORMAT				INSTALLATION	
160 x 120	150 x 84,5	68	11	MPTIN1617-W	€ 1 697
180 x 130	170 x 95,5	77	13	MPTIN1817-W	1 754
200 x 140	190 x 107	86	15	MPTIN2017-W	1 808
220 x 155	210 x 118	95	17	MPTIN2217-W	1 957
240 x 165	230 x 129,5	104	19	MPTIN2417-W	2 060

DIPLOMAT XL

Diplomat XL is a large electric projection screen available in several projection formats. The model has a white cylindrically shaped aluminium case, equipped with sturdy brackets for a rigid installation. Surface areas are seamed together with a fine lined seam to match desired screen size. The bottom dowel has extra weight to obtain the flattest viewing surface possible.

DETAILS: DIPLOMAT XL ELECTRIC

- White cylindrically shaped aluminium case
- Heavy weight bottom dowel for flat surface
- Delivered with 3 m hard wire cable
- Case size (W x H): 165 x 170 mm
- Case length: screen width +121 mm
- Bottom dowel from wall: 30 mm
- Recommended control options: Control Box, AutoLink RF or RF remote control



White aluminium case with sturdy brackets.

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	FLEXWHITE		ARCTIQ	
				Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
1:1 FORMAT				INSTALLATION		INSTALLATION	
350 x 350	350 x 350		55	MF350	€ 2 146	-	-
400 x 400	400 x 400		65	MF400	2 402	-	-
NO BLACK BORDERS							
450 x 410	450 x 410		75	MF450	2 883	-	-
500 x 460	500 x 460*		135	MDF500	6 712	-	-
550 x 510	550 x 510*		150	MDF550	7 357	-	-
NO BLACK BORDERS							
350 x 265	350 x 265		54	MF3530	2 021	MD3530	€ 2 021
400 x 300	400 x 300		62	MF4030	2 150	-	-
450 x 350	450 x 350		67	MF4535	2 625	-	-
500 x 375	500 x 375*		130	MDF5040	5 473	-	-
550 x 415	550 x 415*		148	MDF5545	6 011	-	-
600 x 450	600 x 450*		162	MDF6050	6 650	-	-
4:3 FORMAT							
350 x 265	340 x 255	167	55	MF3530-V	2 184	MD3530-V	2 184
400 x 310	390 x 292,5	192	65	MF4030-V	2 311	-	-
450 x 360	440 x 330	217	67	MF4535-V	2 773	-	-
16:10 FORMAT							
350 x 235	340 x 212,5	158	55	MF3530-D	2 184	MD3530-D	2 184
400 x 265	390 x 244	181	65	MF4030-D	2 311	MD4030-D	2 311
450 x 295	440 x 275	204	67	MF4535-D	2 773	MD4535-D	2 773
16:9 FORMAT							
350 x 210	340 x 191	154	55	MF3530-W	2 184	MD3530-W	2 184
400 x 240	390 x 219,5	176	62	MF4030-W	2 311	MD4030-W	2 311
450 x 265	440 x 247,5	199	67	MF4535-W	2 773	MD4535-W	2 773

* Wooden case

CONNECT

The Connect electric projection screen is the longest established model within the Euroscreen® range. The case has a square design with soft edges, and the white steel case is equipped with matching end caps, which can be used for an easy mounting directly onto the wall or the ceiling.

DETAILS: CONNECT ELECTRIC

- White square shaped steel case
- Matching white end caps for easy mounting directly onto wall or ceiling
- Case size (W x H): 74 x 74 mm
- Case length: screen width + 91 mm
- Bottom dowel very close wall
- Optional wall brackets allow keystone correction



Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

CONNECT

ELECTRIC INSTALLATION



ARCTIQ

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR
W x H (cm)	W x H (cm)				
NORDIC			INSTALLATION		
140 x 200	140 x 200	7		CELIN1420	€ 367
150 x 200	150 x 200	7		CELIN1520	378
160 x 200	160 x 200	8		CELIN1620	384
180 x 200	180 x 200	8		CELIN1820	408
1:1 FORMAT					
125 x 125	125 x 125	6		CELIN125	332
150 x 150	150 x 150	7		CELIN150	353
180 x 180	180 x 180	8		CELIN180	383
200 x 200	200 x 200	10		CELIN200	413
220 x 220	220 x 220	11		CELIN220	471
240 x 240	240 x 240	12		CELIN240	504
NO BLACK BORDERS					
180 x 135	180 x 135	9		CELIN1814	358
200 x 150	200 x 150	10		CELIN2015	382
220 x 165	220 x 165	11		CELIN2217	438
240 x 180	240 x 180	11		CELIN2418	469
4:3 FORMAT					
160 x 165	150 x 112,5	74	8	CELIN1617-V	385
180 x 165	170 x 127,5	84	9	CELIN1817-V	399
200 x 165	190 x 142,5	94	10	CELIN2017-V	425
220 x 165	210 x 157,5	103	11	CELIN2217-V	471
240 x 180	230 x 172,5	113	11	CELIN2417-V	519
16:10 FORMAT					
160 x 165	150 x 94	70	8	CELIN1617-D	385
180 x 165	170 x 106	79	9	CELIN1817-D	399
200 x 165	190 x 119	88	10	CELIN2017-D	425
220 x 165	210 x 131	97	11	CELIN2217-D	471
240 x 180	230 x 144	107	11	CELIN2417-D	519
16:9 FORMAT					
160 x 165	150 x 84,5	68	8	CELIN1617-W	385
180 x 165	170 x 95,5	77	9	CELIN1817-W	399
200 x 165	190 x 107	86	10	CELIN2017-W	425
220 x 165	210 x 118	95	11	CELIN2217-W	471
240 x 165	230 x 129,5	104	11	CELIN2417-W	519

ROYAL

Royal electric by Euroscreen® is an alternative for large venue installations. It is delivered with the Euroscreen® Astranova screen surface which has a white front projection surface and black backing. Royal is available in sizes up to 600 cm in width. A cylindrically shaped aluminium case in white finish characterizes the Royal projection screens up to 450 cm wide, while larger sizes are delivered with a square shaped wooden case finished in white. Sturdy brackets for wall or ceiling installation are included. The bottom dowel has extra weight to obtain the flattest viewing surface possible.

DETAILS: ROYAL ELECTRIC

- Available in sizes up to 600 cm width
- Astranova surface (one piece fabric, no seams)
- Heavy weight bottom dowel
- White aluminium case for width up to 450 cm
- White wooden case for sizes over 450 cm (*)
- Delivered with 3 m hard wire cable
- Case size (W x H): 165 x 170 mm ($\leq$ 450 cm)
- Case size (W x H): 220 x 220 mm ($>$ 500 cm)
- Recommended control options: Control Box, AutoLink RF or RF remote control



Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.



WALL or CEILING

ASTRANOVA

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR
W x H (cm)	W x H (cm)				

1:1 FORMAT			INSTALLATION		
300 x 300	300 x 300	36	MD300U	€ 3 063	
350 x 350	350 x 350	42	MD350U	3 393	
400 x 400	400 x 400	48	MD400U	3 797	
NO BLACK BORDERS					
300 x 225	300 x 225	33	MD3025U	2 858	
350 x 265	350 x 265	38	MD3530U	3 193	
400 x 300	400 x 300	42	MD4030U	3 398	
450 x 350	450 x 350	65	MD4535U	4 146	
NO BLACK BORDERS					
500 x 350	500 x 350	125	MD5040U	5 760	
NO BLACK BORDERS					
600 x 350	600 x 350	145	MD6040U	5 868	

1



2*



White aluminium case up to 450 cm width (1) and white wooden case in sizes above 450 cm (2).

LODO

For the absolute largest electric screen option LODO is offered, available in sizes up to 700 cm in width. LODO is a large sized professional electric screen with a strong square shaped aluminium case in matt white finish. The screen is supplied with safety chains which provide an upper-grade of safety. The screen surface is a white flexible front projection surface with a gain of 1.1.

DETAILS: LODO ELECTRIC

- Available in sizes up to 700 cm width
- Square shaped white aluminium case
- Supplied with extra safety chains
- Case size (W x H): 210 x 204 mm
- White flexible screen surface



WALL or CEILING

WHITE SURFACE

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR
W x H (cm)	W x H (cm)				

1:1 FORMAT			INSTALLATION	
450x450	450x450	100	LODO450	€ 5 840
500x500	500x500	111	LODO500	6 621
550x550	550x550	115	LODO550	7 196
NO BLACK BORDERS				
500x375	500x375	111	LODO5040	5 517
550x412	550x412	115	LODO5545	5 997
600x450	600x450	119	LODO6050	6 566
650x487	650x487	123	LODO6550	7 402
700x400	700x400	127	LODO7040	7 998



PORTABLE PROJECTION SCREENS

CONNECT FLOOR

The portable Connect Floor is one of our best-selling products, and is a favourite with many customers. Compared to other portable screens the Connect Floor is sturdier, often more practical, and contains fewer parts than a tripod screen.

The steel case rests steadily on the floor supported by a “foot” and provides an available viewing area from the case to the top of the raised viewing surface. The model is very easy to set up, and the light weight and the integrated handle makes it easy to carry along. Connect Floor is also perfect for displaying custom printed messages to a large audience.

DETAILS: CONNECT FLOOR

- Mobile projection screen suitable for presentations on the road
- Perfect screen model for displaying custom printed messages
- Light-weight steel case in white finish
- Easy to set up
- Very slim when not in use
- Case size (W x H): 110 x 130 mm
- Case length: screen width + 72 mm
- Padded protective carrying case available



ARCTIQ

Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch	Wt (kg)	Part No.	EUR
1:1 FORMAT					
125 x 180	125 x 180	86	7	CFW125	€ 178
150 x 210	150 x 210	102	7	CFW150	193
160 x 210	160 x 210	104	8	CFW160	199
180 x 210	180 x 210	109	10	CFW180	211
200 x 210	200 x 210	114	11	CFW200	235
4:3 FORMAT					
125 x 180	115 x 86	57	7	CFW125-V	213
150 x 210	140 x 105	59	7	CFW150-V	228
160 x 210	150 x 112,5	74	8	CFW160-V	233
180 x 210	170 x 127,5	84	10	CFW180-V	246
200 x 210	190 x 142,5	94	11	CFW200-V	269
16:10 FORMAT					
125 x 180	115 x 72	53	7	CFW125-D	213
150 x 210	140 x 87,5	65	7	CFW150-D	228
160 x 210	150 x 94	70	8	CFW160-D	233
180 x 210	170 x 106	79	10	CFW180-D	246
200 x 210	190 x 119	88	11	CFW200-D	269



CARRYING CASE

- Protective padded black carrying case
- Supplied with zipper and handle
- Suitable for Euroscreen® Connect Floor



CARRYING CASE FOR SCREEN MODEL:	PART NO.	EUR
CFW125	540 000	€ 41
CFW150	540 001	46
CFW160/CFW180	540 002	50
CFW200	540 003	54

FRAME VISION LIGHT

Frame Vision Light is a permanently tensioned projection screen that achieves an optimal flat viewing surface. The Frame Vision Light has a clever construction that makes it easy to assemble the 5 cm wide frame profiles and attach the screen surface.

Easy-mounted wall brackets to hang the complete screen onto are included. The frame design puts equal tension on each part of the viewing surface, making it perfectly smooth. The light-weight black aluminium border frames the projected image nicely. For an even more fantastic viewing experience, the Vel-Tex® option is highly recommended.

VEL-TEX®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Not only does the Vel-Tex® give the screen a more luxurious impression and conceals all trace of joints in the frame. It is also more forgiving to any incorrect adjustment of the projected image since every small edge of the images beyond the inner frames are visually absorbed by the Vel-Tex®. At the same time it helps reducing reflection from surroundings lights.

DETAILS: FRAME VISION LIGHT

- 5 cm wide black aluminium frame
- Perfectly flat viewing surface
- Easy to assemble frame parts
- Screen surface attaches to the frame without snaps or tools
- Easily mounted wall brackets included

DETAILS: VEL-TEX®

- Black, velvety textile covering
- Provides a luxurious impression
- Conceals all trace of joints in the frame
- Incorrect adjustment visually absorbed
- Reduces reflection from surroundings lights



FRAME VISION LIGHT



				FLEXWHITE		REACT 3.0	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
4:3 FORMAT							
170 x 130	160 x 120	79	7	VL160-V	€ 524	VLS160-V	€ 998
180 x 137,5	170 x 127,5	84	8	VL170-V	531	VLS170-V	1 029
190 x 145	180 x 135	89	9	VL180-V	535	VLS180-V	1 057
200 x 152,5	190 x 142,5	94	10	VL190-V	541	VLS190-V	1 087
210 x 160	200 x 150	98	11	VL200-V	545	VLS200-V	1 115
220 x 167,5	210 x 157,5	103	12	VL210-V	549	VLS210-V	1 143
230 x 175	220 x 165	108	13	VL220-V	555	VLS220-V	1 172
240 x 182,5	230 x 172,5	113	14	VL230-V	560	VLS230-V	1 203
16:10 FORMAT							
170 x 110	160 x 100	74	7	VL160-D	524	VLS160-D	998
180 x 116	170 x 106	79	8	VL170-D	531	VLS170-D	1 029
190 x 122,5	180 x 112,5	84	9	VL180-D	535	VLS180-D	1 057
200 x 129	190 x 119	88	10	VL190-D	541	VLS190-D	1 087
210 x 135	200 x 125	93	11	VL200-D	545	VLS200-D	1 115
220 x 141	210 x 131	97	12	VL210-D	549	VLS210-D	1 143
230 x 147,5	220 x 137,5	102	13	VL220-D	555	VLS220-D	1 172
240 x 154	230 x 144	107	14	VL230-D	560	VLS230-D	1 203
16:9 FORMAT							
170 x 100	160 x 90	72	7	VL160-W	524	VLS160-W	998
180 x 105,5	170 x 95,5	77	8	VL170-W	531	VLS170-W	1 029
190 x 111	180 x 101	81	9	VL180-W	535	VLS180-W	1 057
200 x 117	190 x 107	86	10	VL190-W	541	VLS190-W	1 087
210 x 122,5	200 x 112,5	90	11	VL200-W	545	VLS200-W	1 115
220 x 128	210 x 118	95	12	VL210-W	549	VLS210-W	1 143
230 x 133,5	220 x 123,5	99	13	VL220-W	555	VLS220-W	1 172
240 x 139,5	230 x 129,5	104	14	VL230-W	560	VLS230-W	1 203
2.35:1 FORMAT							
170 x 78	160 x 68	68	7	VL160-C	524	VLS160-C	998
180 x 82,5	170 x 72,5	73	8	VL170-C	531	VLS170-C	1 029
190 x 86,5	180 x 76,5	77	9	VL180-C	535	VLS180-C	1 057
200 x 91	190 x 81	81	10	VL190-C	541	VLS190-C	1 087
210 x 95	200 x 85	85	11	VL200-C	545	VLS200-C	1 115
220 x 99,5	210 x 89,5	90	12	VL210-C	549	VLS210-C	1 143
230 x 103,5	220 x 93,5	94	13	VL220-C	555	VLS220-C	1 172
240 x 108	230 x 98	98	14	VL230-C	560	VLS230-C	1 203

FRAME VISION LIGHT



				FLEXREAR		FLEXPERF	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
4:3 FORMAT							
170 x 130	160 x 120	79	7	VLR160-V	€ 804	-	-
180 x 137,5	170 x 127,5	84	8	VLR170-V	814	-	-
190 x 145	180 x 135	89	9	VLR180-V	822	-	-
200 x 152,5	190 x 142,5	94	10	VLR190-V	832	-	-
210 x 160	200 x 150	98	11	VLR200-V	841	-	-
220 x 167,5	210 x 157,5	103	12	VLR210-V	848	-	-
230 x 175	220 x 165	108	13	VLR220-V	858	-	-
240 x 182,5	230 x 172,5	113	14	VLR230-V	867	-	-
16:10 FORMAT							
170 x 110	160 x 100	74	7	VLR160-D	804	-	-
180 x 116	170 x 106	79	8	VLR170-D	814	-	-
190 x 122,5	180 x 112,5	84	9	VLR180-D	822	-	-
200 x 129	190 x 119	88	10	VLR190-D	832	-	-
210 x 135	200 x 125	93	11	VLR200-D	841	-	-
220 x 141	210 x 131	97	12	VLR210-D	848	-	-
230 x 147,5	220 x 137,5	102	13	VLR220-D	858	-	-
240 x 154	230 x 144	107	14	VLR230-D	867	-	-
16:9 FORMAT							
170 x 100	160 x 90	72	7	VLR160-W	804	VLP160-W	€ 998
180 x 105,5	170 x 95,5	77	8	VLR170-W	814	VLP170-W	1 029
190 x 111	180 x 101	81	9	VLR180-W	822	VLP180-W	1 057
200 x 117	190 x 107	86	10	VLR190-W	832	VLP190-W	1 087
210 x 122,5	200 x 112,5	90	11	VLR200-W	841	VLP200-W	1 115
220 x 128	210 x 118	95	12	VLR210-W	848	VLP210-W	1 143
230 x 133,5	220 x 123,5	99	13	VLR220-W	858	VLP220-W	1 172
240 x 139,5	230 x 129,5	104	14	VLR230-W	867	VLP230-W	1 201
2.35:1 FORMAT							
170 x 78	160 x 68	68	7	-	-	VLP160-C	998
180 x 82,5	170 x 72,5	73	8	-	-	VLP170-C	1 029
190 x 86,5	180 x 76,5	77	9	-	-	VLP180-C	1 057
200 x 91	190 x 81	81	10	-	-	VLP190-C	1 087
210 x 95	200 x 85	85	11	-	-	VLP200-C	1 115
220 x 99,5	210 x 89,5	90	12	-	-	VLP210-C	1 143
230 x 103,5	220 x 93,5	94	13	-	-	VLP220-C	1 172
240 x 108	230 x 98	98	14	-	-	VLP230-C	1 201

FRAME VISION LIGHT

VEL-TEX®



The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Vel-Tex® gives the screen a luxurious impression and reduces reflection from surrounding light. Incorrect adjustment is visually absorbed.

				FLEXWHITE		REACT 3.0	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
4:3 FORMAT							
170 x 130	160 x 120	79	7	VLD160-V	€ 637	VLSD160-V	€ 1 140
180 x 137,5	170 x 127,5	84	8	VLD170-V	644	VLSD170-V	1 171
190 x 145	180 x 135	89	9	VLD180-V	648	VLSD180-V	1 198
200 x 152,5	190 x 142,5	94	10	VLD190-V	653	VLSD190-V	1 227
210 x 160	200 x 150	98	11	VLD200-V	658	VLSD200-V	1 255
220 x 167,5	210 x 157,5	103	12	VLD210-V	663	VLSD210-V	1 283
230 x 175	220 x 165	108	13	VLD220-V	668	VLSD220-V	1 313
240 x 182,5	230 x 172,5	113	14	VLD230-V	673	VLSD230-V	1 342
16:10 FORMAT							
170 x 110	160 x 100	74	7	VLD160-D	637	VLSD160-D	1 140
180 x 116	170 x 106	79	8	VLD170-D	644	VLSD170-D	1 171
190 x 122,5	180 x 112,5	84	9	VLD180-D	648	VLSD180-D	1 198
200 x 129	190 x 119	88	10	VLD190-D	653	VLSD190-D	1 227
210 x 135	200 x 125	93	11	VLD200-D	658	VLSD200-D	1 255
220 x 141	210 x 131	97	12	VLD210-D	663	VLSD210-D	1 283
230 x 147,5	220 x 137,5	102	13	VLD220-D	668	VLSD220-D	1 313
240 x 154	230 x 144	107	14	VLD230-D	673	VLSD230-D	1 342
16:9 FORMAT							
170 x 100	160 x 90	72	7	VLD160-W	637	VLSD160-W	1 140
180 x 105,5	170 x 95,5	77	8	VLD170-W	644	VLSD170-W	1 171
190 x 111	180 x 101	81	9	VLD180-W	648	VLSD180-W	1 198
200 x 117	190 x 107	86	10	VLD190-W	653	VLSD190-W	1 227
210 x 122,5	200 x 112,5	90	11	VLD200-W	658	VLSD200-W	1 255
220 x 128	210 x 118	95	12	VLD210-W	663	VLSD210-W	1 283
230 x 133,5	220 x 123,5	99	13	VLD220-W	668	VLSD220-W	1 313
240 x 139,5	230 x 129,5	104	14	VLD230-W	673	VLSD230-W	1 342
2.35:1 FORMAT							
170 x 78	160 x 68	68	7	VLD160-C	637	VLSD160-C	1 140
180 x 82,5	170 x 72,5	73	8	VLD170-C	644	VLSD170-C	1 171
190 x 86,5	180 x 76,5	77	9	VLD180-C	648	VLSD180-C	1 198
200 x 91	190 x 81	81	10	VLD190-C	653	VLSD190-C	1 227
210 x 95	200 x 85	85	11	VLD200-C	658	VLSD200-C	1 255
220 x 99,5	210 x 89,5	90	12	VLD210-C	663	VLSD210-C	1 283
230 x 103,5	220 x 93,5	94	13	VLD220-C	668	VLSD220-C	1 313
240 x 108	230 x 98	98	14	VLD230-C	673	VLSD230-C	1 342

FRAME VISION LIGHT

VEL-TEX®



The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Vel-Tex® gives the screen a luxurious impression and reduces reflection from surrounding light. Incorrect adjustment is visually absorbed.

FLEXREAR						FLEXPERF	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
4:3 FORMAT							
170 x 130	160 x 120	79	7	VLRD160-V	€ 942	-	-
180 x 137,5	170 x 127,5	84	8	VLRD170-V	954	-	-
190 x 145	180 x 135	89	9	VLRD180-V	962	-	-
200 x 152,5	190 x 142,5	94	10	VLRD190-V	972	-	-
210 x 160	200 x 150	98	11	VLRD200-V	981	-	-
220 x 167,5	210 x 157,5	103	12	VLRD210-V	987	-	-
230 x 175	220 x 165	108	13	VLRD220-V	999	-	-
240 x 182,5	230 x 172,5	113	14	VLRD230-V	1 007	-	-
16:10 FORMAT							
170 x 110	160 x 100	74	7	VLRD160-D	942	-	-
180 x 116	170 x 106	79	8	VLRD170-D	954	-	-
190 x 122,5	180 x 112,5	84	9	VLRD180-D	962	-	-
200 x 129	190 x 119	88	10	VLRD190-D	972	-	-
210 x 135	200 x 125	93	11	VLRD200-D	981	-	-
220 x 141	210 x 131	97	12	VLRD210-D	987	-	-
230 x 147,5	220 x 137,5	102	13	VLRD220-D	999	-	-
240 x 154	230 x 144	107	14	VLRD230-D	1 007	-	-
16:9 FORMAT							
170 x 100	160 x 90	72	7	VLRD160-W	942	VLPD160-W	€ 1 140
180 x 105,5	170 x 95,5	77	8	VLRD170-W	954	VLPD170-W	1 171
190 x 111	180 x 101	81	9	VLRD180-W	962	VLPD180-W	1 198
200 x 117	190 x 107	86	10	VLRD190-W	972	VLPD190-W	1 227
210 x 122,5	200 x 112,5	90	11	VLRD200-W	981	VLPD200-W	1 255
220 x 128	210 x 118	95	12	VLRD210-W	987	VLPD210-W	1 283
230 x 133,5	220 x 123,5	99	13	VLRD220-W	999	VLPD220-W	1 313
240 x 139,5	230 x 129,5	104	14	VLRD230-W	1 007	VLPD230-W	1 342
2.35:1 FORMAT							
170 x 78	160 x 68	68	7	-	-	VLPD160-C	1 140
180 x 82,5	170 x 72,5	73	8	-	-	VLPD170-C	1 171
190 x 86,5	180 x 76,5	77	9	-	-	VLPD180-C	1 198
200 x 91	190 x 81	81	10	-	-	VLPD190-C	1 227
210 x 95	200 x 85	85	11	-	-	VLPD200-C	1 255
220 x 99,5	210 x 89,5	90	12	-	-	VLPD210-C	1 283
230 x 103,5	220 x 93,5	94	13	-	-	VLPD220-C	1 313
240 x 108	230 x 98	98	14	-	-	VLPD230-C	1 342

FRAME VISION

Frame Vision is Euroscreen®'s largest permanently tensioned projection screen, available up to 420 cm width. The surface is stretched on the back of the 10 cm wide black aluminium frame, which provides an attractive and powerful black framework to the projected image.

The Vel-Tex® option is highly recommended to obtain an even greater viewing experience. The frame puts equal tension on each part of the viewing surface and the flexible screen surface can be adjusted into three different channels to ensure optimal flatness. The frame profiles are easily assembled and easy-mounted wall brackets are included for a trouble-free installation onto the wall.

VEL-TEX®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Not only does the Vel-Tex® give the screen a more luxurious impression and conceals all trace of joints in the frame. It is also more forgiving to any incorrect adjustment of the projected image since every small edge of the images beyond the inner frames are visually absorbed by the Vel-Tex®. At the same time it helps reducing reflection from surroundings lights.

DETAILS: FRAME VISION

- 10 cm wide black aluminium frame
- Perfectly flat viewing surface
- Easy to assemble frame parts
- Screen surface attaches to the frame without snaps or tools
- Easily mounted wall brackets included

DETAILS: VEL-TEX®

- Black, velvety textile covering
- Provides a luxurious impression
- Conceals all trace of joints in the frame
- Incorrect adjustment visually absorbed
- Reduces reflection from surroundings lights



Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

FRAME VISION



FLEXWHITE						REACT 3.0	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
4:3 FORMAT							
180 x 140	160 x 120	79	15	V160-V	596	VS160-V	€ 1 163
200 x 155	180 x 135	89	17	V180-V	631	VS180-V	1 256
220 x 170	200 x 150	98	19	V200-V	665	VS200-V	1 349
240 x 185	220 x 165	108	20	V220-V	768	VS220-V	1 533
270 x 210	250 x 190	123	24	V250-V	872	VS250-V	1 741
295 x 226	275 x 206	135	25	V275-V	1 042	VS275-V	2 012
320 x 245	300 x 225	148	28	V300-V	1 133	-	-
370 x 282,5	350 x 262,5	172	32	V350-V	1 280	-	-
405 x 309	385 x 289	190	36	V400-V	1 428	-	-
16:10 FORMAT							
180 x 120	160 x 100	74	13	V160-D	596	VS160-D	1 077
200 x 132,5	180 x 112,5	84	15	V180-D	631	VS180-D	1 163
220 x 145	200 x 125	93	16	V200-D	665	VS200-D	1 249
240 x 157,5	220 x 137,5	102	18	V220-D	768	VS220-D	1 420
270 x 176	250 x 156	116	21	V250-D	872	VS250-D	1 612
295 x 192	275 x 172	128	23	V275-D	1 042	VS275-D	1 863
320 x 207,5	300 x 187,5	139	25	V300-D	1 133	VS300-D	2 039
370 x 239	350 x 219	163	30	V350-D	1 280	-	-
420 x 270	400 x 250	179	34	V400-D	1 428	-	-
16:9 FORMAT							
180 x 110	160 x 90	72	13	V160-W	596	VS160-W	1 163
200 x 121	180 x 101	81	15	V180-W	631	VS180-W	1 256
220 x 132,5	200 x 112,5	90	16	V200-W	665	VS200-W	1 349
240 x 143,5	220 x 123,5	99	18	V220-W	768	VS220-W	1 533
270 x 160,5	250 x 140,5	113	21	V250-W	872	VS250-W	1 741
295 x 174,5	275 x 154,5	124	23	V275-W	1 042	VS275-W	2 012
320 x 189	300 x 169	135	25	V300-W	1 133	VS300-W	2 203
370 x 217	350 x 197	158	30	V350-W	1 280	VS350-W	2 394
420 x 245	400 x 225	181	34	V400-W	1 428	-	-
2.35:1 FORMAT							
180 x 88	160 x 68	68	13	V160-C	596	VS160-C	1 163
200 x 96,5	180 x 76,5	77	15	V180-C	631	VS180-C	1 256
220 x 105	200 x 85	85	16	V200-C	665	VS200-C	1 349
240 x 113,5	220 x 93,5	94	18	V220-C	768	VS220-C	1 533
270 x 126,5	250 x 106,5	107	21	V250-C	872	VS250-C	1 741
295 x 137	275 x 117	117	23	V275-C	1 042	VS275-C	2 012
320 x 147,5	300 x 127,5	128	25	V300-C	1 133	VS300-C	2 203
370 x 169	350 x 149	149	30	V350-C	1 280	VS350-C	2 394
420 x 190	400 x 170	170	34	V400-C	1 428	VS400-C	2 827

FRAME VISION



				FLEXREAR		FLEXPERF	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
4:3 FORMAT							
180 x 140	160 x 120	79	15	VR160-V	€ 1 005	-	-
200 x 155	180 x 135	89	17	VR180-V	1 088	-	-
220 x 170	200 x 150	98	19	VR200-V	1 172	-	-
240 x 185	220 x 165	108	20	VR220-V	1 373	-	-
270 x 210	250 x 190	123	24	VR250-V	1 573	-	-
295 x 226	275 x 206	135	25	VR275-V	1 655	-	-
320 x 245	300 x 225	148	28	VR300-V	1 734	-	-
16:10 FORMAT							
180 x 120	160 x 100	74	13	VR160-D	1 005	-	-
200 x 132,5	180 x 112,5	84	15	VR180-D	1 088	-	-
220 x 145	200 x 125	93	16	VR200-D	1 172	-	-
240 x 157,5	220 x 137,5	102	18	VR220-D	1 373	-	-
270 x 176	250 x 156	116	21	VR250-D	1 573	-	-
295 x 196	275 x 172	128	23	VR275-D	1 655	-	-
320 x 207,5	300 x 187,5	139	25	VR300-D	1 734	-	-
370 x 239	350 x 219	163	30	VR350-D	1 404	-	-
16:9 FORMAT							
180 x 110	160 x 90	72	13	VR160-W	751	VP160-W	€ 869
200 x 121	180 x 101	81	15	VR180-W	813	VP180-W	939
220 x 132,5	200 x 112,5	90	16	VR200-W	876	VP200-W	1 008
240 x 143,5	220 x 123,5	99	18	VR220-W	1 026	VP220-W	1 146
270 x 160,5	250 x 140,5	113	21	VR250-W	1 176	VP250-W	1 301
295 x 174,5	275 x 154,5	124	23	VR275-W	1 237	VP275-W	1 504
320 x 189	300 x 169	135	25	VR300-W	1 296	VP300-W	1 646
370 x 217	350 x 197	158	30	VR350-W	1 404	VP350-W	1 789
420 x 245	400 x 225	181	34	VR400-W	1 831	-	-
2.35:1 FORMAT							
180 x 88	160 x 68	68	13	VR160-C	751	VP160-C	869
200 x 96,5	180 x 76,5	77	15	VR180-C	813	VP180-C	939
220 x 105	200 x 85	85	16	VR200-C	876	VP200-C	1 008
240 x 113,5	220 x 93,5	94	18	VR220-C	1 026	VP220-C	1 146
270 x 126,5	250 x 106,5	107	21	VR250-C	1 176	VP250-C	1 301
295 x 137	275 x 117	117	23	VR275-C	1 237	VP275-C	1 504
320 x 147,5	300 x 127,5	128	25	VR300-C	1 296	VP300-C	1 646
370 x 169	350 x 149	149	30	VR350-C	1 404	VP350-C	1 789
420 x 190	400 x 170	170	34	VR400-C	1 831	VP400-C	2 112

FRAME VISION

VEL-TEX®



The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Vel-Tex® gives the screen a luxurious impression and reduces reflection from surrounding light. Incorrect adjustment is visually absorbed.

FLEXWHITE					REACT 3.0		
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
4:3 FORMAT							
180 x 140	160 x 120	79	15	VD160-V	€ 559	VSD160-V	€ 978
200 x 155	180 x 135	89	17	VD180-V	588	VSD180-V	1 049
220 x 170	200 x 150	98	19	VD200-V	614	VSD200-V	1 117
240 x 185	220 x 165	108	20	VD220-V	697	VSD220-V	1 255
270 x 210	250 x 190	123	24	VD250-V	779	VSD250-V	1 411
295 x 226	275 x 206	135	25	VD275-V	914	VSD275-V	1 614
320 x 245	300 x 225	148	28	VD300-V	986	-	-
370 x 282,5	350 x 262,5	172	32	VD350-V	1 102	-	-
405 X 309	385 x 289	190	36	VD400-V	1 220	-	-
16:10 FORMAT							
180 x 120	160 x 100	74	13	VD160-D	559	VSD160-D	978
200 x 132,5	180 x 112,5	84	15	VD180-D	588	VSD180-D	1 049
220 x 145	200 x 125	93	16	VD200-D	614	VSD200-D	1 117
240 x 157,5	220 x 137,5	102	18	VD220-D	697	VSD220-D	1 255
270 x 176	250 x 156	116	21	VD250-D	779	VSD250-D	1 411
295 x 192	275 x 172	128	23	VD275-D	914	VSD275-D	1 614
320 x 207,5	300 x 187,5	139	25	VD300-D	986	VSD300-D	1 756
370 x 239	350 x 219	163	30	VD350-D	1 102	-	-
420 x 270	400 x 250	179	34	VD400-D	1 220	-	-
16:9 FORMAT							
180 x 110	160 x 90	72	13	VD160-W	559	VSD160-W	978
200 x 121	180 x 101	81	15	VD180-W	588	VSD180-W	1 049
220 x 132,5	200 x 112,5	90	16	VD200-W	614	VSD200-W	1 117
240 x 143,5	220 x 123,5	99	18	VD220-W	697	VSD220-W	1 255
270 x 160,5	250 x 140,5	113	21	VD250-W	779	VSD250-W	1 411
295 x 174,5	275 x 154,5	124	23	VD275-W	914	VSD275-W	1 614
320 x 189	300 x 169	135	25	VD300-W	986	VSD300-W	1 756
370 x 217	350 x 197	158	30	VD350-W	1 102	VSD350-W	1 899
420 x 245	400 x 225	181	34	VD400-W	1 220	-	-
2.35:1 FORMAT							
180 x 88	160 x 68	68	13	VD160-C	559	VSD160-C	978
200 x 96,5	180 x 76,5	77	15	VD180-C	588	VSD180-C	1 049
220 x 105	200 x 85	85	16	VD200-C	614	VSD200-C	1 117
240 x 113,5	220 x 93,5	94	18	VD220-C	697	VSD220-C	1 255
270 x 126,5	250 x 106,5	107	21	VD250-C	779	VSD250-C	1 411
295 x 137	275 x 117	117	23	VD275-C	914	VSD275-C	1 614
320 x 147,5	300 x 127,5	128	25	VD300-C	986	VSD300-C	1 756
370 x 169	350 x 149	149	30	VD350-C	1 102	VSD350-C	1 899
420 x 190	400 x 170	170	34	VD400-C	1 220	VSD400-C	2 223

FRAME VISION

VEL-TEX®



The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Vel-Tex® gives the screen a luxurious impression and reduces reflection from surrounding light. Incorrect adjustment is visually absorbed.

				FLEXREAR		FLEXPERF	
Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	Part No.	EUR	Part No.	EUR
W x H (cm)	W x H (cm)						
4:3 FORMAT							
180 x 140	160 x 120	79	15	VRD160-V	€ 860	-	-
200 x 155	180 x 135	89	17	VRD180-V	899	-	-
220 x 170	200 x 150	98	19	VRD200-V	983	-	-
240 x 185	220 x 165	108	20	VRD220-V	1 134	-	-
270 x 210	250 x 190	123	24	VRD250-V	1 284	-	-
295 x 226	275 x 206	135	25	VRD275-V	1 344	-	-
320 x 245	300 x 225	148	28	VRD300-V	1 404	-	-
16:10 FORMAT							
180 x 120	160 x 100	74	13	VRD160-D	860	-	-
200 x 132,5	180 x 112,5	84	15	VRD180-D	899	-	-
220 x 145	200 x 125	93	16	VRD200-D	983	-	-
240 x 157,5	220 x 137,5	102	18	VRD220-D	1 134	-	-
270 x 176	250 x 156	116	21	VRD250-D	1 284	-	-
295 x 196	275 x 172	128	23	VRD275-D	1 344	-	-
320 x 207,5	300 x 187,5	139	25	VRD300-D	1 404	-	-
16:9 FORMAT							
180 x 110	160 x 90	72	13	VRD160-W	860	VPD160-W	€ 978
200 x 121	180 x 101	81	15	VRD180-W	899	VPD180-W	1 049
220 x 132,5	200 x 112,5	90	16	VRD200-W	983	VPD200-W	1 117
240 x 143,5	220 x 123,5	99	18	VRD220-W	1 134	VPD220-W	1 255
270 x 160,5	250 x 140,5	113	21	VRD250-W	1 284	VPD250-W	1 411
295 x 174,5	275 x 154,5	124	23	VRD275-W	1 344	VPD275-W	1 614
320 x 189	300 x 169	135	25	VRD300-W	1 404	VPD300-W	1 756
370 x 217	350 x 197	158	30	VRD350-W	1 896	VPD350-W	1 899
420 x 245	400 x 225	181	34	VRD400-W	1 940	-	-
2.35:1 FORMAT							
180 x 88	160 x 68	68	13	VRD160-C	860	VPD160-C	978
200 x 96,5	180 x 76,5	77	15	VRD180-C	899	VPD180-C	1 049
220 x 105	200 x 85	85	16	VRD200-C	983	VPD200-C	1 117
240 x 113,5	220 x 93,5	94	18	VRD220-C	1 134	VPD220-C	1 255
270 x 126,5	250 x 106,5	107	21	VRD250-C	1 284	VPD250-C	1 411
295 x 137	275 x 117	117	23	VRD275-C	1 344	VPD275-C	1 614
320 x 147,5	300 x 127,5	128	25	VRD300-C	1 404	VPD300-C	1 756
370 x 169	350 x 149	149	30	VRD350-C	1 896	VPD350-C	1 899
420 x 190	400 x 170	170	34	VRD400-C	1 940	VPD400-C	2 223

MOTOR OPTIONS

SMART MOTOR

As an alternative to our installation motor, we have also developed a new, quiet, smart motor, with built in radio receiver and Dry Contact function. This means that the motor can be controlled directly from most control systems, and/or with our remote controls/wall transmitters via radio. The new smart motor operates comfortably quietly, just like our previous Quiet Motor, thanks to its innovative design.



Part No. 210 944



Part No. 210 963



Part No. 210 965



Part No. 210 939

	Part No.	EUR
SMART MOTOR		
RF-remote control, 3-positions (Up - stop - down)	210 944	€ 65
RF Wall switch transmitter	210 963	65
Dry contact transmitter	210 965	65
Trigger key 12V RF transmitter	210939	80

ACCESSORIES

	Part No.	EUR
WALL / CEILING BRACKETS		
15 cm wall brackets, pair	485 015	€ 43
30 cm wall brackets, pair	485 030	48
50 cm wall brackets, pair	485 050	53
75 cm wall brackets, pair	485 075	63
Recessed ceiling bracket for Sesame 2.1, pair	930 200	79



Wall brackets: 75, 50, 30 and 15 cm



Part No. 930 200

CONTROL BOX

AND OTHER CONTROL OPTIONS

The Control Box is a multifunctional unit for easy and trouble free operation of electrical projection screens. The device features the most usual versions of operations such as RF, IR, Dry Contact/Contact Closure, 12V trigger and RS232. Euroscreen® offers optional transmitters for communication with the box; RF AutoLink trigger, RF or IR remote control, and RF wall switch transmitter. The Control Box is equipped with a 300 cm cord to power outlet, a 150 cm screen cord, and a 30 cm Dry Contact/RS232 cable is included.



	Part No.	EUR
EUROSCREEN® CONTROL BOX KITS		
RF remote control kit (incl. 210 730 + 210 787)	210 760-1	€ 230
RF AutoLink kit (incl. 210 730 + 210 722-2)	210 750-2	250
IR remote control kit (incl. 210 730 + 210 788)	210 740-1	229
CONTROL OPTIONS FOR ELECTRIC SCREENS		
Control Box (RF, IR, Contact Closure, RS232, trigger)	210 730	€ 134
RF remote control, 3-positions (up - stop - down)	210 787	76
AutoLink trigger (RF)	210 722-2	96
RF wall switch transmitter	210 724	76
IR remote control, 3-positions (up - stop - down)	210 788	76
External Switch, 2-positions (up -down)	210 603	59
Key switch, 3-positions (up - stop - down)	210 604	156
CABLES		
IR Eye, 1m	210 734	€ 84
12 V trigger, 15m	210 733	66
Dry Contact/RS232, 15 m	210 930	58
Dry Contact/RS232, 30cm	210 933	49
Serial Adaptor (DB9 to RJ11)	DRC103.042	41



Part No. 210 787



Part No. 210 788



Part No. 210 603



Part No. 210 724



AV CABINET

Store all valuable AV equipment safely in this high quality Euroscreen® AV Cabinet in stylish Scandinavian design. The AV cabinet has three shelves; the two bottom ones have adjustable heights. The cabinet is equipped with two solid lockable doors, both front and back for easy installation access. Other features are integrated cable management for easy installation and a clean appearance, two sturdy cable-ties to wrap cables around, and large ventilation grills to keep the inside of the cabinet cool. We have recently upgraded the AV Cabinet with new sets of wheels, to make it even sturdier and more easy to manoeuvre.

DETAILS: AV CABINET

- Store all your AV equipment in one place
- Designed with usability in mind, blends in well in most modern environments
- 3 shelves: the two bottom ones have adjustable heights
- Top shelf slides out up to 26 cm
- Two solid lockable doors front and back
- Integrated cable management throughout cabinet for easy installation
- Two sturdy cable-ties to wrap cables around
- Ventilation grills assist airflow to cool equipment inside
- Other finishes available upon request
- Overall size (W x L x H): 55 x 60 x 91 cm
- Optional 19" rack available



	Wt (kg)	Part No.	EUR
AV Cabinet, Beech	42	962 100	€ 651
AV Cabinet, Grey	42	962 101	651
AV Cabinet, White	42	962 103	651
19" rack, pair	1,5	930 210	32

New wheels!



Optional 19" rack for a secure storage of all electrical equipment.



LECTERN TOP

Transform the AV cabinet in just a few seconds to a professional lectern with the clever solution of a Lectern Top. The light weight top is easy to place onto the cabinet and no mounting is required.

To ensure an easy installation, the Lectern Top has an integrated cable management throughout the unit which provides the opportunity to place a computer either on the very top or out of sight in the void below. As an extra professional detail and appreciated feature, a “mini screen” can be ordered to complete the AV unit. The mini screen is a perfect choice for company logos or message exposure in 4-colour print, and at the same time hide ventilation grills and cable-tidies from the audience.

DETAILS: LECTERN TOP

- Mobile lectern top for a flexible use of the AV Cabinet
- Robust and stable top
- No mounting is needed - just lift top on/off the AV Cabinet
- Integrated cable management for ability to place laptop on top area
- Fold down top board for support of notes or hiding of objects
- Total size (W x H x D): 57 x 66 x 17 cm

DETAILS: MINI SCREEN

- Perfect for logo or message exposure
- Hides ventilation grills and cable-tidies
- 4-colour print
- Printing area (W x H): 51 x 80 cm



Fold down top board for support of notes or hiding of objects.

	Wt (kg)	Part No.	EUR
Lectern top for AV Cabinet, Beech	10	962 110	€ 163
Lectern top for AV Cabinet, Grey	10	962 111	163
Lectern top for AV Cabinet, White	10	962 113	163
Mini Screen (incl. layout + print)		962 200	111

SCREEN ACCESSORIES

MANUAL

WALL BRACKETS

Euroscreen® wall brackets in white finish are available in four lengths; 15 cm, 30 cm, 50 cm and 75 cm. The brackets are easily adjusted and delivered as pair.

MAGNETS

The magnet strip is permanently attached on the back of the bottom bar to attach to a white board for example.

DRAW STICK

Draw sticks for manual projection screens in two lengths; 100 cm and 140 cm.

PULLING CORD


Black pulling cord for manual projection screens, 75 cm. Often a suitable complement to draw sticks.



Wall brackets: 75, 50, 30 and 15 cm



Draw stick, 2 lengths.



Part No. EUR

WALL / CEILING BRACKETS

15 cm wall brackets, pair	485 015	€ 43
30 cm wall brackets, pair	485 030	48
50 cm wall brackets, pair	485 050	53
75 cm wall brackets, pair	485 075	63

ACCESSORIES MANUAL SCREENS

Magnetic strip 60 cm	340 000	€ 24
Draw stick 100 cm	400 100	26
Draw stick 140 cm	400 140	29
Pulling cord 75 cm	410 285	9

ABOUT



Euroscreen® stands for high quality and customised AV products manufactured in Sweden. Within the brand you find a large choice of products with the heart set on complete solutions of projection screens in public environments, business areas and home installations. We fine-tune our products to fit your needs, while maintaining short lead times, high quality and competitive prices.

Euroscreen® products are developed and manufactured by Draper Europe AB. Our aim is to serve you in the best way possible. If you have any questions or just want to share your views with us, please feel free to contact us. Euroscreen® offices with sales representatives are located in:

HALMSTAD, SWEDEN

STOCKHOLM, SWEDEN

HAARLEM, THE NETHERLANDS

CORBY, UNITED KINGDOM

SPICELAND, IN, USA



CONTACT

PRODUCTS WITHIN THE TRADEMARK EUROSCREEN® ARE MANUFACTURED AND/OR DISTRIBUTED BY DRAPER EUROPE AB. FEEL FREE TO CONTACT US SHOULD YOU HAVE ANY ENQUIRIES!

DRAPER EUROPE AB
VÄSTERVALLVÄGEN 6
SE-302 41 HALMSTAD
SWEDEN

TEL: +46 35 14 42 90
FAX: +46 35 14 42 91
INFO@DRAPEREUROPE.SE
WWW.DRAPEREUROPE.SE

Terms of sale

ORDERING AND DELIVERY

Orders in writing, by fax or by e-mail are accepted and deliveries are made Ex Works, Draper Europe AB, Halmstad, Sweden, in accordance with Incoterms® 2010.

PRICE

All invoices are based on the current price list of Draper Europe AB in SEK, EUR or GBP currency. The prices are DAP, Draper Europe AB, Halmstad, Sweden, in accordance with Incoterms® 2010. On each shipment we add a freight charge. For Mid Europe: We add 30€ for screens up to 3 m wide. For screens up to 4.5 m width we add 50€. For Spain/Portugal: We add 50€ for screens up to 3 m wide. For screens up to 4.5 m width we add 70€. Larger screens are subject for quotation of transportation cost. The prices are excluding VAT.

PAYMENT

Prepayment or confirmed irrevocable letter of credit as indicated by Draper Europe AB unless otherwise agreed. All payments are to be made without deduction and with all charges paid.

BIC: ESSESESS Skandinaviska Enskilda Banken

SEK: SE9550000000051011053659

Account 5101-10 536 59

EURO: Iban SE94 5000 0000 0542 3826 8121

Account 5423-8268121

VAT number: SE556630280701

Should payment not be effected in accordance with terms of the payment, interest according to the Swedish Law of Interest shall be charged for delays.

DELIVERY

Delivery will be made within approximately 14 days after receipt of order and payment or approved L/C.

FREIGHT DAMAGE

All deliveries should be inspected immediately upon receipt. It is always the recipient's responsibility to file a freight claim within 7 days upon receiving goods.

WARRANTY

All products are warranted for two years against defects in material and workmanship in accordance with Draper Europe AB's special warranty conditions.

RETURNS

In case of any returns, the customer must contact Draper Europe AB before returning any products. Note that we do not accept returns from third party dealers or the end user. Products may be returned only by the original dealer after contacting Draper Europe AB.

Index

ELECTRIC PROJECTION SCREENS

Freya 13
Thor 20
Sesame 2.1 27
Linea 33
Diplomat Electric 38
Diplomat XL 44
Connect Electric 45
Royal 47
LODO 48

FIXED FRAME SCREENS

Frame Vision Light 49
Frame Vision 58

PORTABLE PROJECTION SCREENS

Carrying Case 50
Connect Floor 55

ACCESSORIES

60 Smart Motor
61 Control Box
62 Screen Accessories – Electric
63 Screen Accessories – Manualories
64 Lectern Top for AV Cabinet
65 RAL Colour

SCREEN SURFACES

8 Arctiq
8 Astranova
9 FlexPerf
9 FlexRear
9 FlexWhite
9 Grey Light
9 ReAct 3.0
8 Xpert

6 Custom Graphic Prints

euroscreen®

DRAPER EUROPE AB, VÄSTERVALLVÄGEN 6, 302 50 HALMSTAD, SWEDEN, +46 35 14 42 90, INFO@DRAPEREUROPE.SE WWW.EUROSCREENS.SE

