


PRICE BOOK - SEK & EUR

RECOMMENDED RETAIL PRICE
EFFECTIVE APRIL 2016

PRICE BOOK



euroscreen®

AUDIO VISUAL EQUIPMENT • BUSINESS • HOME • EDUCATION

Contents

THIS PRICE BOOK IS DEVELOPED BY DRAPER EUROPE AB, HALMSTAD, SWEDEN

2016

03

WELCOME

- Screen selection 04
- Custom Graphic Print 06
- Screen Surfaces 07
- FAQ 10

12

ELECTRIC PROJECTION SCREENS

- Freya 12
- Thor 18
- Sesame 2.1 23
- Linea 29
- Diplomat 32
- Diplomat XL 38
- BlackLine 39
- Connect 42
- Royal 44
- Lodo 45

46

MANUAL PROJECTION SCREENS

- Diplomat manual 46
- BlackLine manual 49
- Connect manual 51
- Excello 2000 52

53

PORTABLE SCREENS

- Connect Floor 53

54

FIXED FRAME SCREENS

- Frame Vision Light 54
- Frame Vision 59

64

ACCESSORIES

- Control Box & Screen Accessories 64
- Smart Motor 65
- AV Cabinet 67
- Lectern Top for AV Cabinet 68

69

ABOUT

- Terms of Sale 70
- Index 71

euroscreen®

DRAPER EUROPE AB, VÄSTERVALLVÄGEN 6, 302 50 HALMSTAD, SWEDEN, +46 35 14 42 90, INFO@DRAPEREUROPE.SE

UP TO DATE



01 NEW VALHALLA ADDITION: FREYA

It's a girl! Our newest addition to the Valhalla family is called Freya, from the Norse goddess famous for her passion for love, beauty and magic. Our Freya has a bit of it all! In today's modern design environments, more and more of our clients ask for discreet and stylish installations that don't clash with the rest of the room, and Freya is absolutely perfect for that. Being a recessed projection screen, it is almost completely invisible when not in use.



02 REACT 3.0

Coloured slightly darker than its predecessor, ReAct 3.0 is Full HD and 4K compatible, and the flexible fabric ensures an excellent, flat viewing surface for fixed frame and Tab Tension screens. With a gain of 1.0 and a viewing area of 76°, ReAct 3.0 offers universal benefits, and is an excellent choice for many AV installations.

03 TECHNICAL INFO


More detailed information and updated technical data sheets are always available on our website www.euroscreens.se

04 PORTABLE TRIPODS

Are you in search for tripod projection screens? Let us help you with that! Though not in our standard range, contact our sales office and find out what we can offer.

05 PROJECTOR LIFTS

We offer projector lifts to go with your projection screen. We have a selection of different types of models; scissor lifts, ceiling concealed, and mirror based. Contact our sales office for more detailed information.



SCREEN size

One of the most important decisions in projection screen selection is determining the size of screen based upon the dimensions of the audience area.

WIDTH

The general rule to be applied is that the screen should be of a width that is 2/3 the distance between the screen itself and the front row of the audience. To put it in another way, the closest people should be placed at a distance of what is 1.5 times the width of the screen. When in doubt, use the PISCR standard, which provides metrics for measurement and requirements for minimum contrast ratios for rear and front projection audiovisual projected image systems.

VIEWING HEIGHT

The bottom of the screen should be approximately 100-120 cm above the floor in a room with a level floor and several rows of seats. In rooms with theatre seating or only one or two rows, such as a home theatre, the bottom of the screen should usually be 60-90 cm above the floor. Try to make sure that the lower part of the screen will be visible from all seats. Extra drop may be required to position the screen at a comfortable viewing level in a room with a high ceiling.

HEIGHT

Screen height is generally determined by the width of the screen and the projection formats to be used. The height should not be exaggerated, but correctly estimated. Extra unused screen surface can cause issues with the screens mechanism and surface flatness, which will not fall under any manufacture faults clause.

DOES IT REALLY MATTER?

Each Euroscreen® screen leaving our factory is crafted and mechanically optimized for the given settings during the time of the order. Therefore, we cannot stress enough how important it is to order the correct screen size and projection format from the beginning. This is even more crucial when it comes to Tab Tension models. To make sure we deliver the flattest screen surface possible, the screen limits are individually set on each roller screen and optimized for usage with full height stretched. With pre-set screen limits end-customers should not find it necessary to tamper mechanically with the limits. If screen limits are tampered with anyway this will not fall under any manufacture faults clause.




Not only does Euroscreen® offer a broad range of projection screens in standard sizes with high quality and clever designs. In addition, custom made projection screens are our signature. Choose custom height, width, screen surface, or even custom printed graphics for unparalleled options in selecting your projection screens.

AUDIENCE AREA

The audience area can help you identify what type of projection screen is right for your unique installation. In determining the correct screen size in relation to the audience area, the goal is to make the screen large enough so those in the rear of the audience area can read the subject matter easily, but not so large that those in the front of the audience area have a problem seeing the full width of the projected image. Euroscreen® has a wide range of products and offers the following projection screen types:

- Roller projection screens, manual or electric where the latter is most popular, and Tab Tension, for installation either in the ceiling or the wall
- Fixed frame screens for a permanent installation on wall
- Portable projection screens for installations that will be transported, or built up and taken down frequently



Projection Format

Once you have determined the correct size of screen for the audience area, that size may be modified based on the type(s) of projection equipment to be used. If the screen will only be used with one type of projector, it is easy to determine exact screen dimensions based on the projection format of that projector. Projection formats are expressed in terms of aspect ratio, which is the relationship of the width of the projected image to its height. Euroscreen® also offers several projection screen models in Nordic projection format, where the format is taller than it's wide.



PROJECTOR PERFORMANCE

The projector's performance is also a highly significant factor to consider when determining what type of screen and screen surface should be used. For a Full HD or a Short Throw projector it is extremely important with a perfectly flat viewing area in order for it to perform as intended. Therefore these high technology projectors are used with a fixed frame screens with a permanently tensioned viewing surface, or Tab Tension screens where the adjustable tensioning system provides a flat surface.



CUSTOM GRAPHIC PRINT

We print logos, backgrounds or promotional messages onto the screen surface. No matter if it's a manual, electric or portable projection screen, the details of the print will be at the focal point of the audience's attention. Both the Diplomat electric and manual screens, and the Connect Floor model, are suitable for graphic prints. Standard surface used is our matt white Arctiq. We also offer the environmentally friendly surface Xpert for graphic prints for Diplomat.

- MAXIMUM EXPOSURE OF MESSAGE AND OR LOGO
- ELECTRIC, MANUAL OR PORTABLE SCREEN
- XPERT SCREEN SURFACE AVAILABLE 4-COLOUR PRINT
- LAYOUT INCLUDED IN PRINT CHARGE
- PREFERRED FORMAT FOR LOGO/ARTWORK: EPS

SEK	EUR
Printing charge for custom print, incl. layout	kr 1 568 € 180



SCREEN SURFACES

The projector makes the image, but it is the screen surface that shows it. We can not stress enough how important it is to have the correct screen surface in every unique application for you to get the best and most out of your money.

Your selection of screen surfaces is essentially based on what type of projection screen you have concluded would be the best option for your application. Please note that in general, projection screen surfaces are sensitive to heat and are not suitable as black-out, or sun protection. Do not install the projection screen close to heat sources like radiators, amplifiers or turned on TV-sets.

Basically there are two types of screen surfaces: the unsupported vinyl which is characterised by its flexible qualities, and the textile backed with its reflective front surface laminated to a woven textile base.

The tensioned unsupported vinyl screen surfaces, whether for front or rear projection, need to be correctly tensioned to achieve sufficient flatness for optimal performance. These surfaces are used on fixed frame and Tab Tension screens, which provide the necessary support.

The non-tensioned textile backed screen surfaces are used on spring-roller operated and motorized projection screens. The screen hangs flat by virtue of the dimensional

stability of the material and the weight of the dowel in the bottom of the screen. As a general rule, a white screen surface is used when most of the surrounding lights can be blocked out. The white areas of the projected image are shown as truly white, and the colours are authentically reflected on the screen surface.

However, in many cases blocking out all surrounding light is a difficult (if not impossible) task, and therefore a grey screen surface might be a better choice. A grey screen surface enhances the darker image areas even when ambient light sources tend to make it brighter, and a better contrast between colours and black/white is perceived. Euroscreen® ReAct 3.0 is the superior high contrast surface and is an outstanding choice for projection in ambient or even brightly lit environments. ReAct 3.0 is a tensioned screen surface and available in fixed frame and Tab Tension screens. It is suitable for installations such as home theatres and business applications.

SCREEN SURFACE CHART

NON-TENSIONED SURFACES					TENSIONED SURFACES			
	XPERT	ARCTIQ	GREYLIGHT	ASTRANOVA	FLEXPERF	REACT 3.0	FLEXWHITE	FLEXREAR
Thor	•	•					•	
Sesame 2.1	•	•	•			•	•	•
Linea	•	•						
Diplomat	•	•	•					
BlackLine	•	•	•					
Connect		•						
Freya	•	•						
Diplomat XL		•						
Royal				•				
Connect Floor		•	•					
Do-It-Yourself		•	•				•	•

OUR SURFACE MATERIALS

All surface materials have different qualities and are suitable for different environments. Here's a little guide to what material is the best option for your installation.

NON-TENSIONED



1. ARCTIQ Euroscreen's standard matt white surface has got fibreglass support and is black-backed. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0. Requires control of ambient light in the audience area. Suitable for "wear & tear" installations, such as restaurants and pubs. Washable. Flame and mildew resistant.



3. GREYLIGHT Matt light grey front projection surface, fibreglass supported and black-backed. It diffuses projected light in all directions, so the image can be seen from any angle. Performs well in ambient light condition. Gain 0.75. Same base construction as Arctiq, with the same toughness against "wear & tear". Washable. Flame and mildew resistant.

2. ASTRANOVA A white, black-backed front projection surface. For use with some of Euroscreen's larger projection screens. Thickness 0.57 mm. Provides a flat viewing surface. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0.



4. XPERT Euroscreen® Xpert surface is 100% PVC free, and is manufactured without using hazardous substances. While it is a more environmentally friendly viewing surface, Xpert does not sacrifice quality and effectiveness. Xpert provides excellent viewing flatness and colour rendition (colour temp. 6430 K). It is supplied with a white black-out backing for superior blocking of incoming light from behind. Gain 1.0. Flame retardancy B1.



GREENGUARD Children and SchoolsSM certified, meeting the strictest standards and contribute to healthier indoor air quality for school age children.



REACH controls the registration, evaluation, authorisation and limitation of chemicals. All Euroscreen® screen surfaces are approved by the REACH regulation.



European Chemicals Agency (ECHA) gathers information on chemical substances. All Euroscreen® projection screens are printed with colours approved by ECHA.



TENSIONED

REACH
The new EU chemical legislation
RECHA

5. REACT 3.0 Euroscren® happily introduces the 3.0 version of ReAct. ReAct is a superior screen surface that presents an excellent viewing experience even with bright light in the audience area. The structure and finish of the silver grey material boost colour contrast and black levels in the projected image (colour temp. 6508 K). ReAct 3.0 ensures an excellent flat viewing surface. Full HD and 4K compliant. Gain 1.0.

6. FLEXPERF The FlexPerf surface is a vinyl reflective fabric with microscopic perforations which create a sound transparent projection surface. Home theatre enthusiasts find a new best friend in the FlexPerf surface since speakers can be placed behind the screen without any compromising the audio quality. The picture quality isn't compromised either, since FlexPerf's white front projection surface provides a complete viewing experience with full contrast and accurate colour rendition. Gain 0.8.

REACH
The new EU chemical legislation

REACH
The new EU chemical legislation
RECHA

7. FLEXREAR Neutral grey rear projection diffusing surface allows placement of projector behind the screen. FlexRear provides high resolution and excellent contrast even in ambient light. Gain 2.5.

8. FLEXWHITE Pliable matt white surface which provides excellent flat viewing area and superb colour rendition (colour temp. 6565 K). Full HD compliant. It diffuses projected light in all directions, so the image can be seen from any angle. Gain 1.0. The black-backed FlexWhite M1 presents same high quality features, and in addition to its M1 fire resistant rating it also allows less light to pass through from behind the screen.

REACH
The new EU chemical legislation
RECHA



DO IT YOURSELF

Euroscren® gives you the opportunity to do-it-yourself, by getting the screen fabric only! The fabric is cut to desired size and delivered on a roll. See chart on page 7 for surfaces available as Do-It-Yourself.

FAQ

WHERE CAN I BUY A EUROSCEEN® PRODUCT?

Euroscreen® products are only sold by qualified AV dealers. Contact our sales office to find your closest dealer (see the last page of this catalogue for contact information).

ARE EUROSCEEN® PRODUCTS KEPT IN STOCK?

Euroscreen® products are manufactured only by orders. The normal lead time is 1-2 weeks.

ARE EUROSCEEN® PRODUCTS CE APPROVED?

Yes.

ARE THE SCREEN LIMITS SET IN THE FACTORY?

Yes, please note that the projection screen is set at its outer limits when delivered. Incorrect adjustment of the screen limits may damage the product and eliminate the warranty. Make sure to always order correct screen size for each specific installation to avoid tampering with the screen limits afterwards and therefore jeopardise the functionality of the screen.

ON WHICH SIDE ARE THE MOTOR AND CABLE ATTACHED ON PROJECTION SCREENS?

By default, the motor and cable are mounted on the left side of Euroscreen® projection screens. Sesame 2.1 is an exception, where motor and cable are mounted on the right side (facing the front of the screen).

I NEED A PROJECTOR LIFT – CAN YOU HELP?

We have a selection of different types of projector lift models; scissor lifts, ceiling concealed and mirror based. Contact our sales office for more information.



WHAT IS A TAB TENSION SCREEN?

A projection screen type that has connections on all sides of the screen material, which pull it taut in order to achieve a flat screen surface. Please note that the surfaces used in Tab Tension screens are sensitive to heat and are not suitable as black-out, or sun protection. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets.

WHAT IS GAIN?

As it applies to projectors, gain is the measurement of a projection screen's light reflectance with unity gain being one. A high gain screen will reflect more light along a narrower path than lower gain screen. Screen gains under one use a grey screen to absorb ambient light to help maintain contrast ratios.

HOW DO I MAINTAIN AND CLEAN A PROJECTION SCREEN?

To protect the screen when not in use, store it in fully retracted position. Do not install the screen close to heat sources like radiators, amplifiers or turned on TV-sets. To clean the screen surface, carefully use only neutral cleaning such as water and soap. Stains like paint or ink might be impossible to remove, but contact sales office should you need advice. Projection screens are generally not suitable as black-out or sun protection. Contact sales office for more information about window shades.

DO EUROSCEEN® PRODUCTS HAVE ANY WARRANTY?

Euroscreen® products are covered by 2 year warranty from invoice date. The warranty is valid for any damage caused by wrong manufacturing. Please note that any incorrect tampering with the screen limit may discontinue the warranty of the product. The warranty does not cover any damages for transport; please contact the company responsible for the transportation.

WHERE SHOULD I TURN TO WITH ANY COMPLAINT?

Any complaints are directed to the dealer where you made your purchase. We reserve the right to check a returned product before replacing it.

Can't find the answer you're looking for? Contact us at info@drapereurope.se and let us know how we can help you!

ICONS



MADE IN SWEDEN

Products with this symbol are designed and manufactured in Sweden.



SMART MOTOR - ELECTRIC

Our newly developed Smart Motor has a quiet, built in feature to optimise your Euroscreen experience.



PORTABLE

The screen is portable and no permanent installation is needed.



INSTALLATION

The screen is supplied with a hard wire cable only and the screen needs to be installed by an authorized installer.



PLUG N' PLAY

The product is available with Plug n' Play function; quick and easy installation where no authorized electrician is needed.



WALL/CEILING INSTALLATION

The symbol indicates the installation required for the screen model.



The products are installed on the wall, on the ceiling or on either wall or ceiling.



1:1 SQUARE

Height > width. Extra height gives additional flexibility, often suitable for educational applications. No black borders.



1:1 SQUARE

The projection width and height is in the aspect ratio of 1:1. No black borders.



4:3 VIDEO

The projection width and height is in the aspect ratio of 4:3. A part number followed by "-V" indicates the screen has black borders.



16:10 DATA

The projection width and height is in the aspect ratio of 16:10. Often suitable for business projectors. A part number followed by "-D" indicates the screen has black borders.



16:9 WIDE

The projection width and height is in the aspect ratio of 16:9, a commonly used format in movies. A part number followed by "-W" indicates the screen has black borders.



2.35:1 CINEMASCOPE

The projection width and height is in the aspect ratio of 2.35:1. Often suitable for home cinema applications. A part number followed by "-C" indicates the screen has black borders.



VALHALLA

Inspired by the powerful Norse gods who had their home based at Valhalla, the Euroscreen® Valhalla is an exciting projection screen development project.



ADJUSTABLE INNER BRACKETS

With help of the inner brackets you can easily adjust the tube to make sure it is perfectly levelled.



TAB TENSION AVAILABLE

The tensioned version is offered with or without black borders. The black border is neatly welded onto the screen surface to create a powerful framework.



HIDDEN INSTALLATION

The recessed design of Freya makes it ideal when you want a discreet and stylish installation, with minimal intrusion of the surroundings.

FREYA

Freya is our newest addition to the Valhalla family, and is the perfect choice for hidden installations in large venues. The Freya projection screen is a recessed ceiling case and is available in a large range of standard sizes and screen surfaces, even as Tab Tension versions. Freya is made of aluminum and is developed and produced in Sweden.

As a key feature the screen is entirely hidden when not in use, with both screen and bottom dowel retracted in the recessed case. Moreover, Freya offers you the possibility to install the case first and the screen any time later,

therefore the screen surface is not at risk of damage during construction work. Sliding brackets on top of the case allow easy and unlimited adjustment when installing.

FREYA TAB TENSION

This model features all of the benefits mentioned above, and an additional selection of tensioned screen surfaces. The tensioning function makes it possible to adjust the flatness of the surface and therefore provide a perfectly flat viewing surface for years to come.

DETAILS: FREYA ELECTRIC

- Projection screen for recessed ceiling installations
- Possibility to install the case first and screen later
- Sliding brackets on top of the case allow unlimited adjustment during installation
- Adjustable inner brackets
- Bottom of case is removable without tools for screen installation or maintenance
- Delivered with 3 m hard wire cable
- Case size (W x H): 203 x 178 mm
- Case length: screen width + 280 mm
- Cut-out case size (W x H): 170 x 160 mm
- Cut-out length: screen width + 230 mm

DETAILS: FREYA TAB TENSION

- Heavy weight bottom dowel
- Case size (W x H): 203 x 178 mm
- Total case length (incl. flanges): screen width + 450 mm
- Cut-out case size (W x H): 170 x 160 mm
- Cut-out length: screen width + 400 mm
- 4:3, 16:10, 16:9 and 2.35:1 with black borders – all have 25-30 cm black drop as standard

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.





Screen Size	Viewing Area	Diag. /Inch	Wt	XPERT			ARCTIQ		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor				Smart Motor	
1:1 FORMAT									
250 x 250	250 x 250		37	ACXE250-1	kr 22 788	€ 2 656	ACDE250-1	kr 21 307	€ 2 483
275 x 275	275 x 275		39	ACXE275-1	23 698	2 762	ACDE275-1	22 045	2 569
300 x 300	300 x 300		41	ACXE300-1	24 149	2 815	ACDE300-1	22 493	2 622
4:3 NO BLACK BORDERS									
250 x 187,5	250 x 187,5		36	ACXE2522-1	kr 21 599	€ 2 517	ACDE2522-1	kr 20 440	€ 2 382
275 x 206	275 x 206		37	ACXE2822-1	22 416	2 613	ACDE2822-1	20 783	2 422
300 x 225	300 x 225		38	ACXE3024-1	22 868	2 665	ACDE3024-1	21 231	2 475
325 x 244	325 x 244		39	ACXE3326-1	23 683	2 760	ACDE3326-1	21 810	2 542
350 x 265	350 x 265		39	ACXE3530-1	24 751	2 885	ACDE3530-1	23 090	2 691
375 x 281	375 x 281		44	ACXE3830-1	25 180	2 935	-		
4:3 FORMAT									
250 x 210	240 x 180	118	37	ACXE2522-V-1	kr 23 256	€ 2 711	ACDE2522-V-1	kr 21 618	€ 2 520
275 x 230	265 x 199	130	38	ACXE2822-V-1	24 532	2 859	ACDE2822-V-1	23 037	2 685
300 x 250	290 x 217,5	143	40	ACXE3024-V-1	24 982	2 912	ACDE3024-V-1	23 485	2 737
325 x 270	315 x 236	155	42	ACXE3326-V-1	25 892	3 018	ACDE3326-V-1	24 223	2 823
350 x 285	340 x 255	167	45	ACXE3530-V-1	26 043	3 035	ACDE3530-V-1	24 373	2 841
16:10 FORMAT									
250 x 180	240 x 150	111	36	ACXE2522-D-1	kr 23 256	€ 2 711	ACDE2522-D-1	kr 21 618	€ 2 520
275 x 195	265 x 165,5	123	38	ACXE2822-D-1	24 532	2 859	ACDE2822-D-1	23 037	2 685
300 x 210	290 x 181	135	38	ACXE3024-D-1	24 982	2 912	ACDE3024-D-1	23 485	2 737
325 x 230	315 x 197	146	39	ACXE3326-D-1	25 892	3 018	ACDE3326-D-1	24 223	2 823
350 x 245	340 x 212,5	158	40	ACXE3530-D-1	26 043	3 035	ACDE3530-D-1	24 373	2 841
375 x 260	365 x 228	170	42	ACXE3830-D-1	26 472	3 085	ACDE3830-D-1	24 480	2 853
400 x 275	390 x 244	181	46	ACXE4033-D-1	26 902	3 135	ACDE4033-D-1	24 886	2 900
16:9 FORMAT									
250 x 165	240 x 135	108	36	ACXE2522-W-1	kr 23 256	€ 2 711	ACDE2522-W-1	kr 21 618	€ 2 520
275 x 180	265 x 149	120	37	ACXE2822-W-1	24 532	2 859	ACDE2822-W-1	23 037	2 685
300 x 195	290 x 163	131	37	ACXE3024-W-1	24 982	2 912	ACDE3024-W-1	23 485	2 737
325 x 210	315 x 177	142	38	ACXE3326-W-1	25 892	3 018	ACDE3326-W-1	24 223	2 823
350 x 225	340 x 191	154	39	ACXE3530-W-1	26 043	3 035	ACDE3530-W-1	24 373	2 841
375 x 235	365 x 205	165	41	ACXE3830-W-1	26 472	3 085	ACDE3830-W-1	24 480	2 853
400 x 250	390 x 219,5	176	43	ACXE4033-W-1	26 902	3 135	ACDE4033-W-1	24 886	2 900
425 x 265	415 x 233,5	188	48	ACXE4333-W-1	27 331	3 185	ACDE4333-W-1	25 291	2 948
450 x 280	440 x 247,5	199	55	ACXE4535-W-1	27 762	3 236	ACDE4535-W-1	25 696	2 995



WALL or CEILING

FLEXWHITE						
Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor		
1:1 FORMAT						
250 x 250	250 x 250		37	ACFE250-1	kr 21 304	€ 2 483
275 x 275	275 x 275		39	ACFE275-1	21 907	2 553
300 x 300	300 x 300		41	ACFE300-1	22 139	2 580
325 x 325	325 x 325		42	ACFE325-1	22 654	2 640
350 x 350	350 x 350		43	ACFE350-1	22 801	2 657
375 x 375	375 x 375		45	ACFE375-1	23 551	2 745
400 x 400	400 x 400		51	ACFE400-1	23 972	2 794
425 x 425	425 x 425		56	ACFE425-1	24 722	2 881
4:3 NO BLACK BORDERS						
250 x 187,5	250 x 187,5		36	ACFE2522-1	kr 20 644	€ 2 406
275 x 206	275 x 206		37	ACFE2822-1	21 248	2 476
300 x 225	300 x 225		38	ACFE3024-1	21 480	2 503
325 x 244	325 x 244		39	ACFE3326-1	21 994	2 563
350 x 265	350 x 265		39	ACFE3530-1	22 471	2 619
375 x 281	375 x 281		44	ACFE3830-1	22 892	2 668
400 x 300	400 x 300		49	ACFE4033-1	23 312	2 717
425 x 319	425 x 319		54	ACFE4333-1	24 062	2 804
450 x 337,5	450 x 337,5		59	ACFE4535-1	25 480	2 970
4:3 FORMAT						
250 x 210	240 x 180	118	37	ACFE2522-V-1	kr 22 501	€ 2 622
275 x 230	265 x 199	130	38	ACFE2822-V-1	23 106	2 693
300 x 250	290 x 217,5	143	40	ACFE3024-V-1	23 338	2 720
325 x 270	315 x 236	155	42	ACFE3326-V-1	23 851	2 780
350 x 285	340 x 255	167	45	ACFE3530-V-1	23 999	2 797
375 x 305	365 x 274	180	48	ACFE3830-V-1	24 750	2 885
400 x 325	390 x 292,5	192	51	ACFE4033-V-1	25 170	2 934
425 x 345	415 x 311	204	54	ACFE4333-V-1	25 590	2 983
440 x 360	430 x 322,5	212	57	ACFE4435-V-1	27 480	3 203
16:10 FORMAT						
250 x 180	240 x 150	111	36	ACFE2522-D-1	kr 22 501	€ 2 622
275 x 195	265 x 165,5	123	38	ACFE2822-D-1	23 106	2 693
300 x 210	290 x 181	135	38	ACFE3024-D-1	23 338	2 720
325 x 230	315 x 197	146	39	ACFE3326-D-1	23 851	2 780
350 x 245	340 x 212,5	158	40	ACFE3530-D-1	23 999	2 797
375 x 260	365 x 228	170	42	ACFE3830-D-1	24 750	2 885
400 x 275	390 x 244	181	46	ACFE4033-D-1	25 170	2 934
425 x 290	415 x 259	193	51	ACFE4333-D-1	25 590	2 983
440 x 305	430 x 269	200	56	ACFE4435-D-1	27 480	3 203
16:9 FORMAT						
250 x 165	240 x 135	108	36	ACFE2522-W-1	kr 22 501	€ 2 622
275 x 180	265 x 149	120	37	ACFE2822-W-1	23 106	2 693
300 x 195	290 x 163	131	37	ACFE3024-W-1	23 338	2 720
325 x 210	315 x 177	142	38	ACFE3326-W-1	23 851	2 780
350 x 225	340 x 191	154	39	ACFE3530-W-1	23 999	2 797
375 x 235	365 x 205	165	41	ACFE3830-W-1	24 750	2 885
400 x 250	390 x 219,5	176	43	ACFE4033-W-1	25 170	2 934
425 x 265	415 x 233,5	188	48	ACFE4333-W-1	25 590	2 983
440 x 280	430 x 242	194	54	ACFE4435-W-1	27 480	3 203

FREYA TAB TENSION



WALL or CEILING

FLEXWHITE

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	"")	(kg)	Smart Motor		
4:3 NO BLACK BORDERS						
250 x 187,5	250 x 187,5		35	ACFT2522-1	kr 23 550	€ 2 745
275 x 206	275 x 206		37	ACFT2822-1	24 231	2 824
300 x 225	300 x 225		41	ACFT3024-1	24 405	2 844
325 x 244	325 x 244		43	ACFT3326-1	24 929	2 905
350 x 265	350 x 265		48	ACFT3530-1*	25 417	2 962
375 x 281	375 x 281		54	ACFT3830-1*	25 846	3 012
400 x 300	400 x 300		61	ACFT4033-1*	26 276	3 062
425 x 319	425 x 319		65	ACFT4333-1*	27 042	3 152
4:3 FORMAT						
250 x 210	240 x 180	118	35	ACFT2522-V-1	kr 26 513	€ 3 090
275 x 230	265 x 199	130	37	ACFT2822-V-1	27 129	3 162
300 x 250	290 x 217,5	143	41	ACFT3024-V-1	27 368	3 190
325 x 270	315 x 236	155	43	ACFT3326-V-1	27 892	3 251
350 x 285	340 x 255	167	48	ACFT3530-V-1*	28 044	3 268
375 x 305	365 x 274	180	54	ACFT3830-V-1*	28 810	3 358
400 x 325	390 x 292,5	192	61	ACFT4033-V-1*	29 240	3 408
425 x 345	415 x 311	204	65	ACFT4333-V-1*	29 669	3 458
16:10 FORMAT						
250 x 180	240 x 150	111	35	ACFT2522-D-1	kr 26 513	€ 3 090
275 x 195	265 x 165,5	123	37	ACFT2822-D-1	27 129	3 162
300 x 210	290 x 181	135	41	ACFT3024-D-1	27 368	3 190
325 x 230	315 x 197	146	43	ACFT3326-D-1	27 892	3 251
350 x 245	340 x 212,5	158	48	ACFT3530-D-1*	28 044	3 268
375 x 260	365 x 228	170	54	ACFT3830-D-1*	28 810	3 358
400 x 275	390 x 244	181	61	ACFT4033-D-1*	29 240	3 408
425 x 290	415 x 259	193	65	ACFT4333-D-1*	29 669	3 458
16:9 FORMAT						
250 x 165	240 x 135	108	35	ACFT2522-W-1	kr 26 513	€ 3 090
275 x 180	265 x 149	120	37	ACFT2822-W-1	27 129	3 162
300 x 195	290 x 163	131	41	ACFT3024-W-1	27 368	3 190
325 x 210	315 x 177	142	43	ACFT3326-W-1	27 892	3 251
350 x 225	340 x 191	154	48	ACFT3530-W-1*	28 044	3 268
375 x 235	365 x 205	165	54	ACFT3830-W-1*	28 810	3 358
400 x 250	390 x 219,5	176	61	ACFT4033-W-1*	29 240	3 408
425 x 265	415 x 233,5	188	65	ACFT4333-W-1*	29 669	3 458
2.35:1 FORMAT						
250 x 135	240 x 102	103	35	ACFT2522-C-1	kr 26 513	€ 3 090
275 x 145	265 x 112,5	113	37	ACFT2822-C-1	27 129	3 162
300 x 155	290 x 123,5	124	41	ACFT3024-C-1	27 368	3 190
325 x 165	315 x 134	135	43	ACFT3326-C-1	27 892	3 251
350 x 175	340 x 144,5	145	47	ACFT3530-C-1*	28 044	3 268
375 x 185	365 x 155	156	53	ACFT3830-C-1*	28 810	3 358
400 x 200	390 x 166	166	60	ACFT4033-C-1*	29 240	3 408
425 x 210	415 x 176,5	178	64	ACFT4333-C-1*	29 669	3 458

* Adjustable inner bracket not available.



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	REACT 3.0			FLEXREAR		
				Part No.	SEK	EUR	Part No.	SEK	EUR
				Smart Motor			Smart Motor		
4:3 NO BLACK BORDERS									
250 x 187,5	250 x 187,5		35	ACST2522-1	25 889	3 017	ACRT2522-1	24 960	2 909
275 x 206	275 x 206		37	-	-	-	ACRT2822-1	26 433	3 081
300 x 225	300 x 225		41	-	-	-	ACRT3024-1	26 884	3 133
4:3 FORMAT									
250 x 210	240 x 180	118	35	ACST2522-V-1	29 491	3 437	ACRT2522-V-1	28 608	3 334
275 x 230	265 x 199	130	37	ACST2822-V-1	30 916	3 603	ACRT2822-V-1	30 082	3 506
300 x 250	290 x 217,5	143	41	-	-	-	ACRT3024-V-1	30 533	3 559
325 x 270	315 x 236	155	43	-	-	-	ACRT3326-V-1	32 007	3 730
16:10 FORMAT									
250 x 180	240 x 150	111	35	ACST2522-D-1	29 491	3 437	ACRT2522-D-1	28 608	3 334
275 x 195	265 x 165,5	123	37	ACST2822-D-1	30 916	3 603	ACRT2822-D-1	30 082	3 506
300 x 210	290 x 181	135	41	ACST3024-D-1	31 367	3 656	ACRT3024-D-1	30 533	3 559
325 x 230	315 x 197	146	43	ACST3326-D-1	32 795	3 822	ACRT3326-D-1	32 007	3 730
350 x 245	340 x 212,5	158	48	-	-	-	ACRT3530-D-1*	32 456	3 783
375 x 260	365 x 228	170	54	-	-	-	ACRT3830-D-1*	32 908	3 835
16:9 FORMAT									
250 x 165	240 x 135	108	35	ACST2522-W-1	29 491	3 437	ACRT2522-W-1	28 608	3 334
275 x 180	265 x 149	120	37	ACST2822-W-1	30 916	3 603	ACRT2822-W-1	30 082	3 506
300 x 195	290 x 163	131	41	ACST3024-W-1	31 367	3 656	ACRT3024-W-1	30 533	3 559
325 x 210	315 x 177	142	43	ACST3326-W-1	32 795	3 822	ACRT3326-W-1	32 007	3 730
350 x 225	340 x 191	154	48	ACST3530-W-1*	33 247	3 875	ACRT3530-W-1	32 456	3 783
375 x 235	365 x 205	165	54	ACST3830-W-1*	33 698	3 928	ACRT3830-W-1*	32 908	3 835
400 x 250	390 x 219,5	176	61	-	-	-	ACRT4033-W-1*	33 710	3 929
2.35:1 FORMAT									
250 x 135	240 x 102	103	35	ACST2522-C-1	29 491	3 437	-	-	-
275 x 145	265 x 112,5	113	37	ACST2822-C-1	30 916	3 603	-	-	-
300 x 155	290 x 123,5	124	41	ACST3024-C-1	31 367	3 656	-	-	-
325 x 165	315 x 134	135	43	ACST3326-C-1	32 795	3 822	-	-	-
350 x 175	340 x 144,5	145	47	ACST3530-C-1*	33 247	3 875	-	-	-
375 x 185	365 x 155	156	53	ACST3830-C-1*	33 698	3 928	-	-	-
400 x 200	390 x 166	166	60	ACST4033-C-1*	35 476	4 135	-	-	-
425 x 210	415 x 176,5	178	64	ACST4333-C-1*	36 314	4 232	-	-	-

* Adjustable inner bracket not available.

THOR

The Thor motorised projection screen ranges from 250 cm and up in width and comes equipped with several popular features: an adjustable inner bracket for easy levelling of the screen*, a sleek, stylish aluminium case, and can include an integrated multifunctional Euroscreen® Control Box

A convenient inner bracket makes it easy to level the screen, keeping the surface flat and the bottom dowel even. By default, wall brackets and flexible mounting brackets for ceiling installation are included. Optional recessed ceiling brackets are also available. The Thor case, finished in a contemporary white colour with

matching aluminium bottom dowel, has a convenient wall channel-fixed fitting that reduces expensive installation time. When black borders are required, a true black border with a matt finish is welded onto the screen surface. This creates a powerful framework for the projected image.

THOR TAB TENSION

This model features all of the benefits mentioned above, and an additional selection of tensioned screen surfaces. The tensioning function makes it possible to adjust the flatness of the surface and therefore provide a perfectly flat viewing surface for years to come.

DETAILS: THOR ELECTRIC

- Case size (W x H): 160 x 160 mm
- Case length: screen width +290 mm
- Bottom dowel from wall: 5-10 mm

DETAILS: THOR TAB TENSION

- Case size (W x H): 160 x 160 mm
- Case length: screen width +440 mm
- Bottom dowel from wall: 5-10 mm 4:3, 16:10, 16:9 and 2.35:1 with black borders – all have 25-30 cm black drop as standard

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.





FLEXWHITE

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR	
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor			
1:1 FORMAT							
250 x 250	250 x 250		33	TFE250	kr 12 661	€ 1 476	
275 x 275	275 x 275		35	TFE275	13 266	1 546	
300 x 300	300 x 300		38	TFE300	13 498	1 573	
325 x 325	325 x 325		42	TFE325	14 012	1 633	
350 x 350	350 x 350		46	TFE350 *	14 160	1 650	
375 x 375	375 x 375		50	TFE375 *	14 911	1 738	
400 x 400	400 x 400		57	TFE400 *	15 331	1 787	
425 x 425	425 x 425		63	TFE425 *	16 083	1 874	
4:3 NO BLACK BORDERS							
250 x 187,5	250 x 187,5		33	TFE2522	kr 12 001	€ 1 399	
275 x 206	275 x 206		35	TFE2822	12 605	1 469	
300 x 225	300 x 225		38	TFE3024	12 837	1 496	
325 x 244	325 x 244		42	TFE3326	13 351	1 556	
350 x 265	350 x 265		46	TFE3530 *	13 830	1 612	
375 x 281	375 x 281		50	TFE3830 *	14 250	1 661	
400 x 300	400 x 300		57	TFE4033 *	14 672	1 710	
425 x 319	425 x 319		63	TFE4333 *	15 423	1 798	
4:3 FORMAT							
250 x 210	240 x 180	118	33	TFE2522-V	kr 13 859	€ 1 615	
275 x 230	265 x 199	130	35	TFE2822-V	14 464	1 686	
300 x 250	290 x 217,5	143	38	TFE3024-V	14 697	1 713	
325 x 270	315 x 236	155	42	TFE3326-V	15 211	1 773	
350 x 285	340 x 255	167	46	TFE3530-V *	15 360	1 790	
375 x 305	365 x 274	180	50	TFE3830-V *	16 110	1 878	
400 x 325	390 x 292,5	192	57	TFE4033-V *	16 532	1 927	
425 x 345	415 x 311	204	63	TFE4333-V *	16 952	1 976	
440 x 360	430 x 322,5	212	68	TFE4435-V *	18 844	2 196	
16:10 FORMAT							
250 x 180	240 x 150	111	33	TFE2522-D	kr 13 859	€ 1 615	
275 x 195	265 x 165,5	123	35	TFE2822-D	14 464	1 686	
300 x 210	290 x 181	135	38	TFE3024-D	14 697	1 713	
325 x 230	315 x 197	146	42	TFE3326-D	15 211	1 773	
350 x 245	340 x 212,5	158	46	TFE3530-D *	15 360	1 790	
375 x 260	365 x 228	170	50	TFE3830-D *	16 110	1 878	
400 x 275	390 x 244	181	57	TFE4033-D *	16 532	1 927	
425 x 290	415 x 259	193	63	TFE4333-D *	16 952	1 976	
440 x 305	430 x 269	200	68	TFE4435-D *	18 844	2 196	
16:9 FORMAT							
250 x 165	240 x 135	108	33	TFE2522-W	kr 13 859	€ 1 615	
275 x 180	265 x 149	120	35	TFE2822-W	14 464	1 686	
300 x 195	290 x 163	131	38	TFE3024-W	14 697	1 713	
325 x 210	315 x 177	142	42	TFE3326-W	15 211	1 773	
350 x 225	340 x 191	154	46	TFE3530-W *	15 360	1 790	
375 x 235	365 x 205	165	50	TFE3830-W *	16 110	1 878	
400 x 250	390 x 219,5	176	57	TFE4033-W *	16 532	1 927	
425 x 265	415 x 233,5	188	63	TFE4333-W *	16 952	1 976	
440 x 280	430 x 242	194	68	TFE4435-W *	18 844	2 196	



QUICK INSTALLATION

With the Valhalla console, no additional tools are needed and installation couldn't be easier! The console is suitable for both ceiling and wall installations.



WALL or CEILING

Screen Size	Viewing Area	Diag. /Inch	Wt	XPERT			ARCTIQ		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor				Smart Motor	
1:1 FORMAT									
250 x 250	250 x 250		32	TXE250	kr 13 582	€ 1 583	TDE250	kr 12 463	€ 1 453
275 x 275	275 x 275		33	TXE275	14 467	1 686	TDE275	13 198	1 538
300 x 300	300 x 300		38	TXE300	14 906	1 737	TDE300	13 644	1 590
4:3 NO BLACK BORDERS									
250 x 187,5	250 x 187,5		33	TXE2522	kr 12 423	€ 1 448	TDE2522	kr 11 602	€ 1 352
275 x 206	275 x 206		35	TXE2822	13 219	1 541	TDE2822	11 943	1 392
300 x 225	300 x 225		38	TXE3024	13 659	1 592	TDE3024	12 388	1 444
325 x 244	325 x 244		42	TXE3326	14 453	1 684	TDE3326	12 964	1 511
350 x 265	350 x 265		46	TXE3530	15 492	1 806	TDE3530	14 238	1 659
375x281	375x281		50	TXE3830	15 911	1 854			
4:3 FORMAT									
250 x 210	240 x 180	118	33	TXE2522-V	kr 14 038	€ 1 636	TDE2522-V	kr 12 773	€ 1 489
275 x 230	265 x 199	130	35	TXE2822-V	15 279	1 781	TDE2822-V	14 185	1 653
300 x 250	290 x 217,5	143	38	TXE3024-V	15 717	1 832	TDE3024-V	14 631	1 705
325 x 270	315 x 236	155	42	TXE3326-V	16 603	1 935	TDE3326-V	15 366	1 791
350 x 285	340 x 255	167	46	TXE3530-V	16 750	1 952	TDE3530-V	15 515	1 808
16:10 FORMAT									
250 x 180	240 x 150	111	33	TXE2522-D	kr 14 038	€ 1 636	TDE2522-D	kr 12 773	€ 1 489
275 x 195	265 x 165,5	123	35	TXE2822-D	15 279	1 781	TDE2822-D	14 185	1 653
300 x 210	290 x 181	135	38	TXE3024-D	15 717	1 832	TDE3024-D	14 631	1 705
325 x 230	315 x 197	146	42	TXE3326-D	16 603	1 935	TDE3326-D	15 366	1 791
350 x 245	340 x 212,5	158	46	TXE3530-D	16 750	1 952	TDE3530-D	15 515	1 808
375 x 260	365 x 228	170	50	TXE3830-D	17 168	2 001	TDE3830-D	15 622	1 821
400 x 275	390 x 244	181	57	TXE4033-D*	17 586	2 050	TDE4033-D*	16 026	1 868
16:9 FORMAT									
250 x 165	240 x 135	108	33	TXE2522-W	kr 14 038	€ 1 636	TDE2522-W	kr 12 773	€ 1 489
275 x 180	265 x 149	120	35	TXE2822-W	15 279	1 781	TDE2822-W	14 185	1 653
300 x 195	290 x 163	131	38	TXE3024-W	15 717	1 832	TDE3024-W	14 631	1 705
325 x 210	315 x 177	142	42	TXE3326-W	16 603	1 935	TDE3326-W	15 366	1 791
350 x 225	340 x 191	154	46	TXE3530-W	16 750	1 952	TDE3530-W	15 515	1 808
375 x 235	365 x 205	165	50	TXE3830-W	17 168	2 001	TDE3830-W	15 622	1 821
400 x 250	390 x 219,5	176	57	TXE4033-W*	17 586	2 050	TDE4033-W*	16 026	1 868
425 x 265	415 x 233,5			TXE4333-W	18 005	2 098	TDE4333-W	16 429	1 915
450 x 280	440 x 247,5			TXE4535-W	18 423	2 147	TDE4535-W	16 832	1 962

* Adjustable inner bracket not available.



FLEXWHITE

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor		

4:3 NO BLACK BORDERS

250 x 187,5	250 x 187,5	35	TFT2522	kr 14 397	€ 1 678
275 x 206	275 x 206	37	TFT2822	15 064	1 756
300 x 225	300 x 225	41	TFT3024	15 234	1 775
325 x 244	325 x 244	43	TFT3326	15 747	1 835
350 x 265	350 x 265	48	TFT3530 *	16 225	1 891
375 x 281	375 x 281	54	TFT3830 *	16 646	1 940
400 x 300	400 x 300	61	TFT4033 *	17 066	1 989
425 x 319	425 x 319	65	TFT4333 *	17 816	2 077

* Adjustable inner bracket not available.

4:3 FORMAT

250 x 210	240 x 180	118	35	TFT2522-V	kr 17 297	€ 2 016
275 x 230	265 x 199	130	37	TFT2822-V	17 901	2 086
300 x 250	290 x 217,5	143	41	TFT3024-V	18 134	2 114
325 x 270	315 x 236	155	43	TFT3326-V	18 647	2 173
350 x 285	340 x 255	167	48	TFT3530-V *	18 796	2 191
375 x 305	365 x 274	180	54	TFT3830-V *	19 546	2 278
400 x 325	390 x 292,5	192	61	TFT4033-V *	19 966	2 327
425 x 345	415 x 311	204	65	TFT4333-V *	20 387	2 376
440 x 360	430 x 322,5	212	71	TFT4435-V *	22 276	2 596

16:10 FORMAT

250 x 180	240 x 150	111	35	TFT2522-D	kr 17 297	€ 2 016
275 x 195	265 x 165,5	123	37	TFT2822-D	17 901	2 086
300 x 210	290 x 181	135	41	TFT3024-D	18 134	2 114
325 x 230	315 x 197	146	43	TFT3326-D	18 647	2 173
350 x 245	340 x 212,5	158	48	TFT3530-D *	18 796	2 191
375 x 260	365 x 228	170	54	TFT3830-D *	19 546	2 278
400 x 275	390 x 244	181	61	TFT4033-D *	19 966	2 327
425 x 290	415 x 259	193	65	TFT4333-D *	20 387	2 376
440 x 305	430 x 269	200	71	TFT4435-D *	22 276	2 596

16:9 FORMAT

250 x 165	240 x 135	108	35	TFT2522-W	kr 17 297	€ 2 016
275 x 180	265 x 149	120	37	TFT2822-W	17 901	2 086
300 x 195	290 x 163	131	41	TFT3024-W	18 134	2 114
325 x 210	315 x 177	142	43	TFT3326-W	18 647	2 173
350 x 225	340 x 191	154	48	TFT3530-W *	18 796	2 191
375 x 235	365 x 205	165	54	TFT3830-W *	19 546	2 278
400 x 250	390 x 219,5	176	61	TFT4033-W *	19 966	2 327
425 x 265	415 x 233,5	188	65	TFT4333-W *	20 387	2 376
440 x 280	430 x 242	194	71	TFT4435-W *	22 276	2 596

2.35:1 FORMAT

250 x 135	240 x 102	103	35	TFT2522-C	kr 17 297	€ 2 016
275 x 145	265 x 112,5	113	37	TFT2822-C	17 901	2 086
300 x 155	290 x 123,5	124	41	TFT3024-C	18 134	2 114
325 x 165	315 x 134	135	43	TFT3326-C	18 647	2 173
350 x 175	340 x 144,5	145	47	TFT3530-C *	18 796	2 191
375 x 185	365 x 155	156	53	TFT3830-C *	19 546	2 278
400 x 200	390 x 166	166	60	TFT4033-C *	19 966	2 327
425 x 210	415 x 176,5	178	64	TFT4333-C *	20 387	2 376
440 x 220	430 x 183	184	70	TFT4435-C *	22 276	2 596



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	REACT 3.0			FLEXREAR		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor				Smart Motor	
4:3 NO BLACK BORDERS									
250 x 187,5	250 x 187,5		35	TST2522	kr 16 686	€ 1 945	TRT2522	kr 15 777	€ 1 839
275 x 206	275 x 206		37	-	-	-	TRT2822	17 220	2 007
300 x 225	300 x 225		41	-	-	-	TRT3024	17 661	2 058
4:3 FORMAT									
250 x 210	240 x 180	118	35	TST2522-V	kr 20 213	€ 2 356	TRT2522-V	kr 19 349	€ 2 255
275 x 230	265 x 199	130	37	TST2822-V	21 608	2 518	TRT2822-V	20 791	2 423
300 x 250	290 x 217,5	143	41	-	-	-	TRT3024-V	21 233	2 475
325 x 270	315 x 236	155	43	-	-	-	TRT3326-V	22 675	2 643
16:10 FORMAT									
250 x 180	240 x 150	111	35	TST2522-D	kr 20 213	€ 2 356	TRT2522-D	kr 19 349	€ 2 255
275 x 195	265 x 165,5	123	37	TST2822-D	21 608	2 518	TRT2822-D	20 791	2 423
300 x 210	290 x 181	135	41	TST3024-D	22 049	2 570	TRT3024-D	21 233	2 475
325 x 230	315 x 197	146	43	TST3326-D	23 448	2 733	TRT3326-D	22 675	2 643
350 x 245	340 x 212,5	158	48	-	-	-	TRT3530-D*	23 116	2 694
375 x 260	365 x 228	170	54	-	-	-	TRT3830-D*	23 557	2 746
16:9 FORMAT									
250 x 165	240 x 135	108	35	TST2522-W	kr 20 213	€ 2 356	TRT2522-W	kr 19 349	€ 2 255
275 x 180	265 x 149	120	37	TST2822-W	21 608	2 518	TRT2822-W	20 791	2 423
300 x 195	290 x 163	131	41	TST3024-W	22 049	2 570	TRT3024-W	21 233	2 475
325 x 210	315 x 177	142	43	TST3326-W	23 448	2 733	TRT3326-W	22 675	2 643
350 x 225	340 x 191	154	48	TST3530-W*	23 889	2 784	TRT3530-W*	23 116	2 694
375 x 235	365 x 205	165	54	TST3830-W*	24 331	2 836	TRT3830-W*	23 557	2 746
400 x 250	390 x 219,5	176	61	-	-	-	TRT4033-W*	24 342	2 837
425 x 265	415 x 233,5	188	65	-	-	-	TRT4333-W*	25 162	2 933
2.35:1 FORMAT									
250 x 135	240 x 102	103	35	TST2522-C	kr 20 213	€ 2 356	-	-	-
275 x 145	265 x 112,5	113	37	TST2822-C	21 608	2 518	-	-	-
300 x 155	290 x 123,5	124	41	TST3024-C	22 049	2 570	-	-	-
325 x 165	315 x 134	135	43	TST3326-C	23 448	2 733	-	-	-
350 x 175	340 x 144,5	145	47	TST3530-C*	23 889	2 784	-	-	-
375 x 185	365 x 155	156	53	TST3830-C*	24 331	2 836	-	-	-
400 x 200	390 x 166	166	60	TST4033-C*	26 071	3 039	-	-	-
425 x 210	415 x 176,5	178	64	TST4333-C*	26 891	3 134	-	-	-
450 x 220	440 x 187	188	71	TST4535-C*	31 189	3 635	-	-	-

*Adjustable inner bracket not available.



SESAME 2.1



The Sesame 2.1 is Euroscreen®'s award winning model with an innovative recessed ceiling case design for installation within a ceiling void. It is very suitable for installation in suspended or plastered ceilings.

It has been upgraded to complete the innovative screen design with adjustable inner brackets which allow for fine-tuning of the bottom dowel for perfect flush closure when retracted up into case. The white aluminium case itself has a stylish appearance, and unique removable integrated external flange profiles for easy and quick service access. The case also features a concealed drop function of the complete screen section, which

enables easy access and the possibility to install case first and screen later. Brackets especially designed for Sesame 2.1 provide a trouble-free installation of the case in a prepared ceiling cut-out up to a 100 cm ceiling void.

SESAME 2.1 TAB TENSION

This model features all of the benefits mentioned above, and an additional selection of tensioned screen surfaces. The tensioning function makes it possible to adjust the flatness of the surface and therefore provide a perfectly flat viewing surface for years to come.



Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

DETAILS: SESAME 2.1 ELECTRIC

- Case size (W x H): 161 x 100 mm
- Case length: screen width + 345 mm
- Cut-out case size (W x H): 140 x 102 mm
- Cut-out length: screen width + 325 mm

DETAILS: SESAME 2.1 TAB TENSION

- Case size (W x H): 161 x 100 mm
- Total case length (incl. flanges): screen width + 525 mm
- Cut-out case size (W x H): 140 x 102 mm
- Cut-out length: screen width + 505 mm
- 4:3, 16:10 and 16:9 with black borders – all have 25-30 cm black drop as standard

SESAME 2.1 ELECTRIC



CEILING

Screen Size	Viewing Area	Diag. /Inch	Wt	XPERT				
				Part No.	SEK	EUR	Part No.	SEK
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor				
							Installation	
1:1 FORMAT								
160 x 160	160 x 160		17	SXZ160	kr 8 194	€ 955	SXIN160	kr 7 196
180 x 180	180 x 180		18	SXZ180	8 344	972	SXIN180	7 346
200 x 200	200 x 200		20	SXZ200	8 841	1 030	SXIN200	7 843
220 x 220	220 x 220		21	SXZ220	9 855	1 149	SXIN220	8 857
240 x 240	240 x 240		23	SXZ240	10 443	1 217	SXIN240	9 445
4:3 FORMAT								
160 x 180	150 x 112,5	74	17	SXZ1617-V	kr 9 535	€ 1 111	SXIN1617-V	kr 8 537
180 x 180	170 x 127,5	84	18	SXZ1817-V	9 672	1 127	SXIN1817-V	8 674
200 x 180	190 x 142,5	94	20	SXZ2017-V	9 973	1 162	SXIN2017-V	8 975
220 x 210	210 x 157,5	103	21	SXZ2217-V	10 680	1 245	SXIN2217-V	9 682
240 x 210	230 x 172,5	113	23	SXZ2420-V	11 338	1 321	SXIN2420-V	10 340
270 x 230	260 x 195	128	24	SXZ2724-V	12 274	1 431	SXIN2724-V	11 276
300 x 235	290 x 217,5	143	27	SXZ3024-V	12 595	1 468	SXIN3024-V	11 597
16:10 FORMAT								
160 x 180	150 x 94	70	17	SXZ1617-D	kr 9 535	€ 1 111	SXIN1617-D	kr 8 537
180 x 180	170 x 106	79	18	SXZ1817-D	9 672	1 127	SXIN1817-D	8 674
200 x 180	190 x 119	88	20	SXZ2017-D	9 973	1 162	SXIN2017-D	8 975
220 x 1870	210 x 131	97	21	SXZ2217-D	10 680	1 245	SXIN2217-D	9 682
240 x 180	230 x 144	107	23	SXZ2417-D	11 338	1 321	SXIN2417-D	10 340
270 x 200	260 x 162,5	121	24	SXZ2724-D	12 274	1 431	SXIN2724-D	11 276
300 x 220	290 x 181	135	27	SXZ3024-D	12 595	1 468	SXIN3024-D	11 597
16:9 FORMAT								
160 x 180	150 x 84,5	68	17	SXZ1617-W	kr 9 535	€ 1 111	SXIN1617-W	kr 8 537
180 x 180	170 x 95,5	77	18	SXZ1817-W	9 672	1 127	SXIN1817-W	8 674
200 x 180	190 x 107	86	20	SXZ2017-W	9 973	1 162	SXIN2017-W	8 975
220 x 180	210 x 118	95	21	SXZ2217-W	10 680	1 245	SXIN2217-W	9 682
240 x 180	230 x 129,5	104	23	SXZ2417-W	11 338	1 321	SXIN2417-W	10 340
270 x 200	260 x 146	117	24	SXZ2724-W	12 274	1 431	SXIN2724-W	11 276
300 x 205	290 x 163	131	27	SXZ3024-W	12 595	1 468	SXIN3024-W	11 597

RECESSED CEILING BRACKETS

Recessed ceiling brackets especially designed for Sesame 2.1 provide a trouble-free installation of the case in a prepared ceiling cut-out up to a 100 cm ceiling void.

- Adjustable height for extra flexibility
- Join two threaded rods to achieve increased length
- Delivered as pair

	Part No.	SEK	EUR
Recessed ceiling bracket, Sesame 2.1	930 200	kr 674	€ 79



Use one or two brackets depending on installation.

SESAME 2.1

ELECTRIC SMART MOTOR



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	ARCTIQ			GREYLIGHT		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor			Smart Motor		
1:1 FORMAT									
160 x 160	160 x 160		17	SEZ160	kr 7 473	€ 871	SEGZ160	kr 8 184	€ 954
180 x 180	180 x 180		18	SEZ180	7 624	889	SEGZ180	8 483	989
200 x 200	200 x 200		20	SEZ200	7 885	919	SEGZ200	8 621	1 005
220 x 220	220 x 220		21	SEZ220	8 907	1 038	SEGZ220	9 359	1 091
240 x 240	240 x 240		23	SEZ240	9 497	1 107	SEGZ240	9 869	1 150
4:3 FORMAT									
160 x 175	150 x 112,5	74	17	SEZ1617-V	kr 8 226	€ 959	SEGZ1617-V	kr 8 978	€ 1 046
180 x 175	170 x 127,5	84	18	SEZ1817-V	8 363	975	SEGZ1817-V	9 242	1 077
200 x 175	190 x 142,5	94	20	SEZ2017-V	8 667	1 010	SEGZ2017-V	9 479	1 105
220 x 170	210 x 157,5	103	21	SEZ2217-V	9 139	1 065	SEGZ2217-V	10 226	1 192
240 x 205	230 x 172,5	113	23	SEZ2420-V	9 802	1 142	SEGZ2420-V	10 823	1 261
270 x 210	260 x 195	128	24	SEZ2724-V	10 746	1 252	-	-	-
300 x 235	290 x 217,5	143	27	SEZ3024-V	11 068	1 290	-	-	-
16:10 FORMAT									
160 x 175	150 x 94	70	17	SEZ1617-D	kr 8 226	€ 959	SEGZ1617-D	kr 8 978	€ 1 046
180 x 175	170 x 106	79	18	SEZ1817-D	8 363	975	SEGZ1817-D	9 242	1 077
200 x 175	190 x 119	88	20	SEZ2017-D	8 667	1 010	SEGZ2017-D	9 479	1 105
220 x 170	210 x 131	97	21	SEZ2217-D	9 139	1 065	SEGZ2217-D	10 226	1 192
240 x 170	230 x 144	107	23	SEZ2417-D	9 802	1 142	SEGZ2417-D	10 823	1 261
270 x 205	260 x 162,5	121	24	SEZ2724-D	10 746	1 252	-	-	-
300 x 205	290 x 181	135	27	SEZ3024-D	11 068	1 290	-	-	-
16:9 FORMAT									
160 x 175	150 x 84,5	68	17	SEZ1617-W	kr 8 226	€ 959	SEGZ1617-W	kr 8 978	€ 1 046
180 x 175	170 x 95,5	77	18	SEZ1817-W	8 363	975	SEGZ1817-W	9 242	1 077
200 x 175	190 x 107	86	20	SEZ2017-W	8 667	1 010	SEGZ2017-W	9 479	1 105
220 x 170	210 x 118	95	21	SEZ2217-W	9 139	1 065	SEGZ2217-W	10 226	1 192
240 x 170	230 x 129,5	104	23	SEZ2417-W	9 802	1 142	SEGZ2417-W	10 823	1 261
270 x 205	260 x 146	117	24	SEZ2724-W	10 746	1 252	-	-	-
300 x 205	290 x 163	131	27	SEZ3024-W	11 068	1 290	-	-	-

SESAME 2.1

ELECTRIC INSTALLATION



CEILING

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	ARCTIQ			GREYLIGHT		
				Part No.	SEK	EUR	Part No.	SEK	EUR
				Installation			Installation		
1:1 FORMAT									
160 x 160	160 x 160		17	SEIN160	kr 6 475	€ 755	SEGIN160	kr 7 186	€ 838
180 x 180	180 x 180		18	SEIN180	6 626	772	SEGIN180	7 485	872
200 x 200	200 x 200		20	SEIN200	6 887	803	SEGIN200	7 623	888
220 x 220	220 x 220		21	SEIN220	7 909	922	SEGIN220	8 361	975
240 x 240	240 x 240		23	SEIN240	8 499	991	SEGIN240	8 871	1 034
4:3 FORMAT									
160 x 175	150 x 112,5	74	17	SEIN1617-V	kr 7 228	€ 842	SEGIN1617-V	kr 7 980	€ 930
180 x 175	170 x 127,5	84	18	SEIN1817-V	7 365	858	SEGIN1817-V	8 244	961
200 x 175	190 x 142,5	94	20	SEIN2017-V	7 669	894	SEGIN2017-V	8 481	988
220 x 170	210 x 157,5	103	21	SEIN2217-V	8 141	949	SEGIN2217-V	9 228	1 076
240 x 205	230 x 172,5	113	23	SEIN2420-V	8 804	1 026	SEGIN2420-V	9 825	1 145
270 x 210	260 x 195	128	24	SEIN2724-V	9 748	1 136	-	-	-
300 x 235	290 x 217,5	143	27	SEIN3024-V	10 070	1 174	-	-	-
16:10 FORMAT									
160 x 175	150 x 94	70	17	SEIN1617-D	kr 7 228	€ 842	SEGIN1617-D	kr 7 980	€ 930
180 x 175	170 x 106	79	18	SEIN1817-D	7 365	858	SEGIN1817-D	8 244	961
200 x 175	190 x 119	88	20	SEIN2017-D	7 669	894	SEGIN2017-D	8 481	988
220 x 170	210 x 131	97	21	SEIN2217-D	8 141	949	SEGIN2217-D	9 228	1 076
240 x 170	230 x 144	107	23	SEIN2417-D	8 804	1 026	SEGIN2417-D	9 825	1 145
270 x 205	260 x 162,5	121	24	SEIN2724-D	9 748	1 136	-	-	-
300 x 205	290 x 181	135	27	SEIN3024-D	10 070	1 174	-	-	-
16:9 FORMAT									
160 x 175	150 x 84,5	68	17	SEIN1617-W	kr 7 228	€ 842	SEGIN1617-W	kr 7 980	€ 930
180 x 175	170 x 95,5	77	18	SEIN1817-W	7 365	858	SEGIN1817-W	8 244	961
200 x 175	190 x 107	86	20	SEIN2017-W	7 669	894	SEGIN2017-W	8 481	988
220 x 170	210 x 118	95	21	SEIN2217-W	8 141	949	SEGIN2217-W	9 228	1 076
240 x 170	230 x 129,5	104	23	SEIN2417-W	8 804	1 026	SEGIN2417-W	9 825	1 145
270 x 205	260 x 146	117	24	SEIN2724-W	9 748	1 136	-	-	-
300 x 205	290 x 163	131	27	SEIN3024-W	10 070	1 174	-	-	-

SESAME 2.1

TAB TENSION SMART MOTOR



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor			Smart Motor		
4:3 NO BLACK BORDERS									
160 x 150	160 x 150		21	SETZ1617	kr 10 112	€ 1 178	SESTZ1617	kr 12 640	€ 1 473
180 x 165	180 x 165		22	SETZ1817	10 277	1 198	SESTZ1817	12 951	1 509
200 x 180	200 x 180		24	SETZ2017	10 563	1 231	SESTZ2017	14 259	1 662
220 x 195	220 x 195		25	SETZ2217	11 677	1 361	SESTZ2217	15 180	1 769
240 x 200	240 x 200		27	SETZ2420	12 322	1 436	SESTZ2420	17 252	2 011
4:3 FORMAT									
160 x 150	150 x 112,5	74	21	SETZ1617-V	kr 11 937	€ 1 391	SESTZ1617-V	kr 15 894	€ 1 852
180 x 165	170 x 127,5	84	22	SETZ1817-V	12 078	1 408	SESTZ1817-V	16 338	1 904
200 x 180	190 x 142,5	94	24	SETZ2017-V	12 399	1 445	SESTZ2017-V	16 753	1 953
220 x 195	210 x 157,5	103	25	SETZ2217-V	12 902	1 504	SESTZ2217-V	17 909	2 087
240 x 200	230 x 172,5	113	27	SETZ2420-V	13 607	1 586	SESTZ2420-V	18 703	2 180
16:10 FORMAT									
160 x 130	150 x 94	70	21	SETZ1617-D	kr 11 937	€ 1 391	SESTZ1617-D	kr 15 894	€ 1 852
180 x 140	170 x 106	79	22	SETZ1817-D	12 078	1 408	SESTZ1817-D	16 338	1 904
200 x 155	190 x 119	88	24	SETZ2017-D	12 399	1 445	SESTZ2017-D	16 753	1 953
220 x 165	210 x 131	97	25	SETZ2217-D	12 902	1 504	SESTZ2217-D	17 909	2 087
240 x 180	230 x 144	107	27	SETZ2417-D	13 607	1 586	SESTZ2417-D	18 703	2 180
16:9 FORMAT									
160 x 120	150 x 84,5	68	21	SETZ1617-W	kr 11 937	€ 1 391	SESTZ1617-W	kr 15 894	€ 1 852
180 x 130	170 x 95,5	77	22	SETZ1817-W	12 078	1 408	SESTZ1817-W	16 338	1 904
200 x 140	190 x 107	86	24	SETZ2017-W	12 399	1 445	SESTZ2017-W	16 753	1 953
220 x 155	210 x 118	95	25	SETZ2217-W	12 902	1 504	SESTZ2217-W	17 909	2 087
240 x 165	230 x 129,5	104	27	SETZ2417-W	13 607	1 586	SESTZ2417-W	18 703	2 180

• FlexRear surface also available upon request

SESAME 2.1

TAB TENSION INSTALLATION



CEILING

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Installation				Installation	
4:3 NO BLACK BORDERS									
160 x 150	160 x 150		21	SETIN1617	kr 9 114	€ 1 062	SESTIN1617	kr 11 642	€ 1 357
180 x 165	180 x 165		22	SETIN1817	9 279	1 082	SESTIN1817	11 953	1 393
200 x 180	200 x 180		24	SETIN2017	9 565	1 115	SESTIN2017	13 261	1 546
220 x 195	220 x 195		25	SETIN2217	10 679	1 245	SESTIN2217	14 182	1 653
240 x 200	240 x 200		27	SETIN2420	11 324	1 320	SESTIN2420	16 254	1 894
4:3 FORMAT									
160 x 150	150 x 112,5	74	21	SETIN1617-V	kr 10 939	€ 1 275	SESTIN1617-V	kr 14 896	€ 1 736
180 x 165	170 x 127,5	84	22	SETIN1817-V	11 080	1 291	SESTIN1817-V	15 340	1 788
200 x 180	190 x 142,5	94	24	SETIN2017-V	11 401	1 329	SESTIN2017-V	15 755	1 836
220 x 195	210 x 157,5	103	25	SETIN2217-V	11 904	1 387	SESTIN2217-V	16 911	1 971
240 x 200	230 x 172,5	113	27	SETIN2420-V	12 609	1 470	SESTIN2420-V	17 705	2 063
16:10 FORMAT									
160 x 130	150 x 94	70	21	SETIN1617-D	kr 10 939	€ 1 275	SESTIN1617-D	kr 14 896	€ 1 736
180 x 140	170 x 106	79	22	SETIN1817-D	11 080	1 291	SESTIN1817-D	15 340	1 788
200 x 155	190 x 119	88	24	SETIN2017-D	11 401	1 329	SESTIN2017-D	15 755	1 836
220 x 165	210 x 131	97	25	SETIN2217-D	11 904	1 387	SESTIN2217-D	16 911	1 971
240 x 180	230 x 144	107	27	SETIN2417-D	12 609	1 470	SESTIN2417-D	17 705	2 063
16:9 FORMAT									
160 x 120	150 x 84,5	68	21	SETIN1617-W	kr 10 939	€ 1 275	SESTIN1617-W	kr 14 896	€ 1 736
180 x 130	170 x 95,5	77	22	SETIN1817-W	11 080	1 291	SESTIN1817-W	15 340	1 788
200 x 140	190 x 107	86	24	SETIN2017-W	11 401	1 329	SESTIN2017-W	15 755	1 836
220 x 155	210 x 118	95	25	SETIN2217-W	11 904	1 387	SESTIN2217-W	16 911	1 971
240 x 165	230 x 129,5	104	27	SETIN2417-W	12 609	1 470	SESTIN2417-W	17 705	2 063

• FlexRear surface also available upon request

LINEA

The Linea model has a uniquely designed case with a classic yet contemporary shape. The gently rounded aluminium case has no exposed mounting fixtures or fasteners, and all attachment points are completely invisible. The case is finished in white and the heavy weight bottom dowel retracts completely inside the case when the screen is not in use.

LINEA TAB TENSION

This model features all of the benefits mentioned above, and an additional selection of tensioned screen surfaces. The tensioning function makes it possible to adjust the flatness of the surface and therefore provide a perfectly flat viewing surface for years to come.

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.



DETAILS: LINEA ELECTRIC


- Uniquely designed, gently rounded aluminium cassette
- Bottom dowel retracts completely into case
- Heavy weight bottom dowel
- Delivered with Euroscreen® Control Box
- Case size (W x H): 121 x 153 mm
- Case length: screen width + 285 mm

DETAILS: LINEA TAB TENSION

- Perfectly flat screen surface
- Easy to adjust surface flatness when required
- Heavy weight bottom dowel
- Case size (W x H): 121 x 153 mm
- Case length: screen width + 409 mm
- 4:3, 16:10, 16:9 and 2.35:1 with black borders – all have 25-30 cm black drop as standard



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	XPERT			
				Part No.	SEK	EUR	
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor			
NO BLACK BORDERS							
220 x 195	220 x 195	116	30	LEX2217	kr 11 342	€ 1 322	
240 x 195	240 x 195	122	32	LEX2417	11 845	1 380	
270 x 195	270 x 195	131	36	LEX2717	13 123	1 529	
4:3 FORMAT							
180 x 165	170 x 127,5	84	24	LEX1817-V	kr 11 547	€ 1 346	
200 x 180	190 x 142,5	94	27	LEX2017-V	12 721	1 483	
220 x 195	210 x 157,5	103	30	LEX2217-V	13 495	1 573	
240 x 210	230 x 172,5	113	32	LEX2420-V	13 997	1 631	
270 x 230	260 x 195	128	36	LEX2724-V	15 277	1 780	
300 x 255	290 x 217,5	143	38	LEX3024-V	19 408	2 262	
16:10 FORMAT							
180 x 140	170 x 106	79	24	LEX1817-D	kr 11 547	€ 1 346	
200 x 155	190 x 119	88	27	LEX2017-D	12 721	1 483	
220 x 165	210 x 131	97	30	LEX2217-D	13 495	1 573	
240 x 180	230 x 143,5	107	32	LEX2417-D	13 997	1 631	
270 x 195	260 x 162,5	121	36	LEX2724-D	15 277	1 780	
300 x 195	290 x 181	135	38	LEX3024-D	19 408	2 262	
16:9 FORMAT							
180 x 130	170 x 95,5	77	24	LEX1817-W	kr 11 547	€ 1 346	
200 x 140	190 x 107	86	27	LEX2017-W	12 721	1 483	
220 x 155	210 x 118	95	30	LEX2217-W	13 495	1 573	
240 x 165	230 x 129,5	104	32	LEX2417-W	13 997	1 631	
270 x 180	260 x 146	117	36	LEX2724-W	15 277	1 780	
300 x 195	290 x 163	131	38	LEX3024-W	19 408	2 262	
2.35:1 FORMAT							
180 x 110	170 x 72,5	73	24	LEX1817-C	kr 11 547	€ 1 346	
200 x 115	190 x 81	81	27	LEX2017-C	12 721	1 483	
220 x 125	210 x 89,5	90	30	LEX2217-C	13 495	1 573	
240 x 135	230 x 98	98	32	LEX2417-C	13 997	1 631	
270 x 145	260 x 110	111	36	LEX2724-C	15 277	1 780	
300 x 160	290 x 123,5	124	38	LEX3024-C	19 408	2 262	



Elegant case design with no exposed fasteners and retracted bottom bar.



Screen Size	Viewing Area	Diag. Wt /Inch	FLEXWHITE			REACT 3.0			FLEXPERF			
			Part No.	SEK	EUR	Part No.	SEK	EUR	Part No.	SEK	EUR	
			W x H (cm)	W x H (cm)	(") (kg)	Smart Motor			Smart Motor			
NO BLACK BORDERS												
220 x 195	220 x 195	116	30	LET2217	kr 14 185	€ 1 653	LETS2217	kr 19 106	€ 2 227	-	-	
240 x 195	240 x 195	122	32	LET2417	14 615	1 703	LETS2417	19 248	2 243	-	-	
270 x 195	270 x 195	131	36	LET2717	15 790	1 840	LETS2717	21 371	2 491	-	-	
4:3 FORMAT												
180 x 165	170 x 127,5	84	24	LET1817-V	kr 14 540	€ 1 695	LETS1817-V	kr 18 601	€ 2 168	-	-	
200 x 180	190 x 142,5	94	27	LET2017-V	15 647	1 824	LETS2017-V	20 145	2 348	-	-	
220 x 195	210 x 157,5	103	30	LET2217-V	16 352	1 906	LETS2217-V	21 274	2 480	-	-	
240 x 210	230 x 172,5	113	32	LET2420-V	16 782	1 956	LETS2417-V	22 106	2 576	-	-	
270 x 230	260 x 195	128	36	LET2724-V	17 959	2 093	LETS2724-V	24 228	2 824	-	-	
300 x 255	290 x 217,5	143	38	LET3024-V	22 008	2 565	-	-	-	-	-	
16:10 FORMAT												
180 x 140	170 x 106	79	24	LET1817-D	kr 14 540	€ 1 695	LETS1817-D	kr 18 601	€ 2 168	-	-	
200 x 155	190 x 119	88	27	LET2017-D	15 647	1 824	LETS2017-D	20 145	2 348	-	-	
220 x 165	210 x 131	97	30	LET2217-D	16 352	1 906	LETS2217-D	21 274	2 480	-	-	
240 x 180	230 x 143,5	107	32	LET2417-D	16 782	1 956	LETS2417-D	22 106	2 576	-	-	
270 x 195	260 x 162,5	121	36	LET2724-D	17 959	2 093	LETS2724-D	24 228	2 824	-	-	
300 x 195	290 x 181	135	38	LET3024-D	22 008	2 565	LETS3024-D	27 394	3 193	-	-	
16:9 FORMAT												
180 x 130	170 x 95,5	77	24	LET1817-W	kr 14 540	€ 1 695	LETS1817-W	kr 18 601	€ 2 168	LET1817-W	kr 18 601	€ 2 168
200 x 140	190 x 107	86	27	LET2017-W	15 647	1 824	LETS2017-W	20 145	2 348	LET2017-W	20 145	2 348
220 x 155	210 x 118	95	30	LET2217-W	16 352	1 906	LETS2217-W	21 274	2 480	LET2217-W	21 274	2 480
240 x 165	230 x 129,5	104	32	LET2417-W	16 782	1 956	LETS2417-W	22 106	2 576	LET2417-W	22 106	2 576
270 x 180	260 x 146	117	36	LET2724-W	17 959	2 093	LETS2724-W	24 228	2 824	LET2724-W	24 228	2 824
300 x 195	290 x 163	131	38	LET3024-W	22 008	2 565	LETS3024-W	27 394	3 193	LET3024-W	27 394	3 193
2.35:1 FORMAT												
180 x 110	170 x 72,5	73	24	LET1817-C	kr 14 540	€ 1 695	LETS1817-C	kr 18 601	€ 2 168	LET1817-C	kr 18 601	€ 2 168
200 x 115	190 x 81	81	27	LET2017-C	15 647	1 824	LETS2017-C	20 145	2 348	LET2017-C	20 145	2 348
220 x 125	210 x 89,5	90	30	LET2217-C	16 352	1 906	LETS2217-C	21 274	2 480	LET2217-C	21 274	2 480
240 x 135	230 x 98	98	32	LET2417-C	16 782	1 956	LETS2417-C	22 106	2 576	LET2417-C	22 106	2 576
270 x 145	260 x 110	111	36	LET2724-C	17 959	2 093	LETS2724-C	24 228	2 824	LET2724-C	24 228	2 824
300 x 160	290 x 123,5	124	38	LET3024-C	22 008	2 565	LETS3024-C	27 394	3 193	LET3024-C	27 394	3 193

FLEXREAR

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Inst. cable		

NO BLACK BORDERS

200 x 180	94	27	LETR2017	kr 16 720	€ 1 949
220 x 195	103	30	LETR2217	17 449	2 034
240 x 210	113	32	LETR2420	17 975	2 095
270 x 210	128	36	LETR2720	20 522	2 392
300 x 225	148	42	LETR3024	22 885	2 667

DIPLOMAT



Diplomat is one of Euroscreen's best-selling projection screens with white contemporary aluminium cassette and channel-fixed installation. The channel-fixed feature makes it one of the market's most flexible and easy screens to install. Thanks to its functional design the Diplomat is suitable for any application; especially popular in conference and education facilities, as well as in home theatres.

DIPLOMAT TAB TENSION

This model features all of the benefits mentioned above, and an additional selection of tensioned screen surfaces. The tensioning function makes it possible to adjust the flatness of the surface and therefore provide a perfectly flat viewing surface for years to come.

DETAILS: DIPLOMAT ELECTRIC

- White cylindrical shaped aluminium cassette
- Channel-fixed and flexible installation
- Case size (W x H): 101 x 105 mm
- Case length: screen width +125 mm
- Bottom dowel from wall: 48 mm

DETAILS: DIPLOMAT TAB TENSION

- Heavy weight bottom dowel
- Case size (W x H): 101 x 105 mm
- Case length: screen width + 285 mm
- 4:3, 16:10 and 16:9 with black borders – all have 25-30 cm black drop as standard



Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	XPERT				
				Part No.	SEK	EUR	Part No.	SEK
				Smart Motor		Installation		
1:1 FORMAT								
180 x 180	180 x 180		9	MDXZ180	kr 6 278	€ 732	MDXIN180	kr 5 280
200 x 200	200 x 200		11	MDXZ200	6 831	796	MDXIN200	5 833
220 x 220	220 x 220		13	MDXZ220	7 514	876	MDXIN220	6 516
240 x 240	240 x 240		14	MDXZ240	7 976	930	MDXIN240	6 978
NO BLACK BORDERS								
270 x 225	270 x 225		16	MDXZ2725	kr 8 999	€ 1 049	MDXIN2725	kr 8 001
300 x 250	300 x 250		17	MDXZ3025	10 195	1 188	MDXIN3025	9 197
4:3 FORMAT								
160 x 180	150 x 112,5	74	8	MDXZ1617-V	kr 7 400	€ 862	MDXIN1617-V	kr 6 402
180 x 180	170 x 127,5	84	10	MDXZ1817-V	7 509	875	MDXIN1817-V	6 511
200 x 180	190 x 142,5	94	11	MDXZ2017-V	7 736	902	MDXIN2017-V	6 738
220 x 210	210 x 157,5	103	13	MDXZ2217-V	8 751	1 020	MDXIN2217-V	7 753
240 x 210	230 x 172,5	113	14	MDXZ2420-V	9 405	1 096	MDXIN2420-V	8 407
270 x 230	260 x 195	128	16	MDXZ2724-V	10 448	1 218	MDXIN2724-V	9 450
300 x 255	290 x 217,5	143	18	MDXZ3024-V	10 557	1 230	MDXIN3024-V	9 559
16:10 FORMAT								
160 x 180	150 x 94	70	8	MDXZ1617-D	kr 7 400	€ 862	MDXIN1617-D	kr 6 402
180 x 180	170 x 106	79	10	MDXZ1817-D	7 509	875	MDXIN1817-D	6 511
200 x 180	190 x 119	88	11	MDXZ2017-D	7 736	902	MDXIN2017-D	6 738
220 x 180	210 x 131	97	13	MDXZ2217-D	8 751	1 020	MDXIN2217-D	7 753
240 x 180	230 x 144	107	13	MDXZ2417-D	9 405	1 096	MDXIN2417-D	8 407
270 x 200	260 x 162,5	121	16	MDXZ2724-D	10 448	1 218	MDXIN2724-D	9 450
300 x 220	290 x 181	135	17	MDXZ3024-D	10 557	1 230	MDXIN3024-D	9 559
16:9 FORMAT								
160 x 180	150 x 84,5	68	8	MDXZ1617-W	kr 7 400	€ 862	MDXIN1617-W	kr 6 402
180 x 180	170 x 95,5	77	10	MDXZ1817-W	7 509	875	MDXIN1817-W	6 511
200 x 180	190 x 107	86	11	MDXZ2017-W	7 736	902	MDXIN2017-W	6 738
220 x 180	210 x 118	95	13	MDXZ2217-W	8 751	1 020	MDXIN2217-W	7 753
240 x 180	230 x 129,5	104	14	MDXZ2417-W	9 405	1 096	MDXIN2417-W	8 407
270 x 200	260 x 146	117	16	MDXZ2724-W	10 448	1 218	MDXIN2724-W	9 450
300 x 205	290 x 163	131	18	MDXZ3024-W	10 557	1 230	MDXIN3024-W	9 559



Tensioning function for flattest surface possible.

DIPLOMAT

ELECTRIC SMART MOTOR



WALL or CEILING

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	ARCTIQ			GREYLIGHT		
				Part No.	SEK	EUR	Part No.	SEK	EUR
				Smart Motor			Smart Motor		
NORDIC									
140 x 200	140 x 200		6	MDZ1420	kr 5 112	€ 596	MGZ1420	kr 5 788	€ 675
150 x 200	150 x 200		7	MDZ1520	5 219	608	MGZ1520	5 889	686
160 x 200	160 x 200		8	MDZ1620	5 276	615	MGZ1620	6 043	704
180 x 200	180 x 200		9	MDZ1820	5 521	643	MGZ1820	6 260	730
NO BLACK BORDERS									
270 x 210	270 x 210		16	MDZ2724	kr 8 411	€ 980	-	-	-
300 x 210	300 x 210		17	MDZ3024	8 520	993	-	-	-
1:1 FORMAT									
125 x 125	125 x 125		5	MDZ125	kr 4 925	€ 574	MGZ125	kr 5 742	€ 669
150 x 150	150 x 150		7	MDZ150	5 100	594	MGZ150	5 889	686
180 x 180	180 x 180		9	MDZ180	5 521	643	MGZ180	6 407	747
200 x 200	200 x 200		11	MDZ200	5 843	681	MGZ200	6 469	754
220 x 220	220 x 220		13	MDZ220	6 526	761	MGZ220	7 105	828
240 x 240	240 x 240		14	MDZ240	6 987	814	MGZ240	7 581	884
4:3 FORMAT									
160 x 175	150 x 112,5	74	8	MDZ1617-V	kr 6 072	€ 708	MGZ1617-V	kr 6 833	€ 796
180 x 175	170 x 127,5	84	10	MDZ1817-V	6 178	720	MGZ1817-V	7 042	821
200 x 175	190 x 142,5	94	11	MDZ2017-V	6 407	747	MGZ2017-V	7 241	844
220 x 170	210 x 157,5	103	13	MDZ2217-V	7 191	838	MGZ2217-V	7 905	921
240 x 205	230 x 172,5	113	14	MDZ2420-V	7 844	914	MGZ2420-V	8 423	982
270 x 210	260 x 195	128	16	MDZ2724-V	8 883	1 035	-	-	-
300 x 235	290 x 217,5	143	18	MDZ3024-V	8 992	1 048	-	-	-
16:10 FORMAT									
160 x 175	150 x 94	70	8	MDZ1617-DZ	kr 6 072	€ 708	MGZ1617-D	kr 6 833	€ 796
180 x 175	170 x 106	79	10	MDZ1817-DZ	6 178	720	MGZ1817-D	7 042	821
200 x 175	190 x 119	88	11	MDZ2017-DZ	6 407	747	MGZ2017-D	7 241	844
220 x 170	210 x 131	97	13	MDZ2217-DZ	7 191	838	MGZ2217-D	7 905	921
240 x 170	230 x 144	107	13	MDZ2417-DZ	7 844	914	MGZ2417-D	8 423	982
270 x 210	260 x 162,5	121	16	MDZ2724-DZ	8 883	1 035	-	-	-
300 x 210	290 x 181	135	17	MDZ3024-DZ	8 992	1 048	-	-	-
16:9 FORMAT									
160 x 175	150 x 84,5	68	8	MDZ1617-W	kr 6 072	€ 708	MGZ1617-W	kr 6 833	€ 796
180 x 175	170 x 95,5	77	10	MDZ1817-W	6 178	720	MGZ1817-W	7 042	821
200 x 175	190 x 107	86	11	MDZ2017-W	6 407	747	MGZ2017-W	7 241	844
220 x 170	210 x 118	95	13	MDZ2217-W	7 191	838	MGZ2217-W	7 905	921
240 x 170	230 x 129,5	104	14	MDZ2417-W	7 844	914	MGZ2417-W	8 423	982
270 x 205	260 x 146	117	16	MDZ2724-W	8 883	1 035	-	-	-
300 x 205	290 x 163	131	18	MDZ3024-W	8 992	1 048	-	-	-

DIPLOMAT

ELECTRIC INSTALLATION



WALL or CEILING

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	ARCTIQ			GREYLIGHT		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Installation				Installation	
NORDIC									
140 x 200	140 x 200		6	MDIN1420	kr 4 114	€ 480	MGIN1420	kr 4 790	€ 558
150 x 200	150 x 200		7	MDIN1520	4 221	492	MGIN1520	4 891	570
160 x 200	160 x 200		8	MDIN1620	4 278	499	MGIN1620	5 045	588
180 x 200	180 x 200		9	MDIN1820	4 523	527	MGIN1820	5 262	613
NO BLACK BORDERS									
270 x 210	270 x 210		16	MDIN2724	kr 7 413	€ 864	-	-	-
300 x 210	300 x 210		17	MDIN3024	7 522	877	-	-	-
1:1 FORMAT									
125 x 125	125 x 125		5	MDIN125	kr 3 927	€ 458	MGIN125	kr 4 744	€ 553
150 x 150	150 x 150		7	MDIN150	4 102	478	MGIN150	4 891	570
180 x 180	180 x 180		9	MDIN180	4 523	527	MGIN180	5 409	630
200 x 200	200 x 200		11	MDIN200	4 845	565	MGIN200	5 471	638
220 x 220	220 x 220		13	MDIN220	5 528	644	MGIN220	6 107	712
240 x 240	240 x 240		14	MDIN240	5 989	698	MGIN240	6 583	767
4:3 FORMAT									
160 x 175	150 x 112,5	74	8	MDIN1617-V	kr 5 074	€ 591	MGIN1617-V	kr 5 835	€ 680
180 x 175	170 x 127,5	84	10	MDIN1817-V	5 180	604	MGIN1817-V	6 044	704
200 x 175	190 x 142,5	94	11	MDIN2017-V	5 409	630	MGIN2017-V	6 243	728
220 x 170	210 x 157,5	103	13	MDIN2217-V	6 193	722	MGIN2217-V	6 907	805
240 x 205	230 x 172,5	113	14	MDIN2420-V	6 846	798	MGIN2420-V	7 425	865
270 x 210	260 x 195	128	16	MDIN2724-V	7 885	919	-	-	-
300 x 235	290 x 217,5	143	18	MDIN3024-V	7 994	932	-	-	-
16:10 FORMAT									
160 x 175	150 x 94	70	8	MDIN1617-D	kr 5 074	€ 591	MGIN1617-D	kr 5 835	€ 680
180 x 175	170 x 106	79	10	MDIN1817-D	5 180	604	MGIN1817-D	6 044	704
200 x 175	190 x 119	88	11	MDIN2017-D	5 409	630	MGIN2017-D	6 243	728
220 x 170	210 x 131	97	13	MDIN2217-D	6 193	722	MGIN2217-D	6 907	805
240 x 170	230 x 144	107	13	MDIN2417-D	6 846	798	MGIN2417-D	7 425	865
270 x 210	260 x 162,5	121	16	MDIN2724-D	7 885	919	-	-	-
300 x 210	290 x 181	135	17	MDIN3024-D	7 994	932	-	-	-
16:9 FORMAT									
160 x 175	150 x 84,5	68	8	MDIN1617-W	kr 5 074	€ 591	MGIN1617-W	kr 5 835	€ 680
180 x 175	170 x 95,5	77	10	MDIN1817-W	5 180	604	MGIN1817-W	6 044	704
200 x 175	190 x 107	86	11	MDIN2017-W	5 409	630	MGIN2017-W	6 243	728
220 x 170	210 x 118	95	13	MDIN2217-W	6 193	722	MGIN2217-W	6 907	805
240 x 170	230 x 129,5	104	14	MDIN2417-W	6 846	798	MGIN2417-W	7 425	865
270 x 205	260 x 146	117	16	MDIN2724-W	7 885	919	-	-	-
300 x 205	290 x 163	131	18	MDIN3024-W	7 994	932	-	-	-

DIPLOMAT

TAB TENSION SMART MOTOR



WALL or CEILING

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor				Smart Motor	
4:3 NO BLACK BORDERS									
160 x 150	160 x 150		11	MDTZ1617	kr 7 866	€ 917	MSTZ1617	kr 10 171	€ 1 185
180 x 165	180 x 165		13	MDTZ1817	8 144	949	MSTZ1817	10 370	1 209
200 x 180	200 x 180		15	MDTZ2017	8 321	970	MSTZ2017	11 132	1 297
220 x 195	220 x 195		17	MDTZ2217	8 940	1 042	MSTZ2217	11 751	1 370
240 x 200	240 x 200		19	MDTZ2420	10 292	1 200	MSTZ2420	14 614	1 703
4:3 FORMAT									
160 x 150	150 x 112,5	74	11	MDTZ1617-V	kr 10 035	€ 1 170	MSTZ1617-V	kr 13 920	€ 1 622
180 x 165	170 x 127,5	84	13	MDTZ1817-V	10 144	1 182	MSTZ1817-V	14 359	1 674
200 x 180	190 x 142,5	94	15	MDTZ2017-V	10 416	1 214	MSTZ2017-V	14 767	1 721
220 x 195	210 x 157,5	103	17	MDTZ2217-V	11 302	1 317	MSTZ2217-V	15 908	1 854
240 x 200	230 x 172,5	113	19	MDTZ2420-V	12 046	1 404	MSTZ2420-V	16 692	1 945
16:10 FORMAT									
160 x 130	150 x 94	70	11	MDTZ1617-D	kr 10 035	€ 1 170	MSTZ1617-D	kr 13 920	€ 1 622
180 x 140	170 x 106	79	13	MDTZ1817-D	10 144	1 182	MSTZ1817-D	14 359	1 674
200 x 155	190 x 119	88	15	MDTZ2017-D	10 416	1 214	MSTZ2017-D	14 767	1 721
220 x 165	210 x 131	97	17	MDTZ2217-D	11 302	1 317	MSTZ2217-D	15 908	1 854
240 x 180	230 x 144	107	19	MDTZ2417-D	12 046	1 404	MSTZ2417-D	16 692	1 945
16:9 FORMAT									
160 x 120	150 x 84,5	68	11	MDTZ1617-W	kr 10 035	€ 1 170	MSTZ1617-W	kr 13 920	€ 1 622
180 x 130	170 x 95,5	77	13	MDTZ1817-W	10 144	1 182	MSTZ1817-W	14 359	1 674
200 x 140	190 x 107	86	15	MDTZ2017-W	10 416	1 214	MSTZ2017-W	14 767	1 721
220 x 155	210 x 118	95	17	MDTZ2217-W	11 302	1 317	MSTZ2217-W	15 908	1 854
240 x 165	230 x 129,5	104	19	MDTZ2417-W	12 046	1 404	MSTZ2417-W	16 692	1 945

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	FLEXPERF			
				Part No.	SEK	EUR	
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor			
16:9 FORMAT							
160 x 120	150 x 84,5	68	11	MPTZ1617-W	kr 13 920	€ 1 622	
180 x 130	170 x 95,5	77	13	MPTZ1817-W	14 359	1 674	
200 x 140	190 x 107	86	15	MPTZ2017-W	14 767	1 721	
220 x 155	210 x 118	95	17	MPTZ2217-W	15 908	1 854	
240 x 165	230 x 129,5	104	19	MPTZ2417-W	16 692	1 945	

DIPLOMAT

TAB TENSION INSTALLATION



Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Installation				Installation	
4:3 NO BLACK BORDERS									
160 x 150	160 x 150		11	MDTIN1617	kr 6 868	€ 800	MSTIN1617	kr 9 173	€ 1 069
180 x 165	180 x 165		13	MDTIN1817	7 146	833	MSTIN1817	9 372	1 092
200 x 180	200 x 180		15	MDTIN2017	7 323	854	MSTIN2017	10 134	1 181
220 x 195	220 x 195		17	MDTIN2217	7 942	926	MSTIN2217	10 753	1 253
240 x 200	240 x 200		19	MDTIN2420	9 294	1 083	MSTIN2420	13 616	1 587
4:3 FORMAT									
160 x 150	150 x 112,5	74	11	MDTIN1617-V	kr 9 037	€ 1 053	MSTIN1617-V	kr 12 922	€ 1 506
180 x 165	170 x 127,5	84	13	MDTIN1817-V	9 146	1 066	MSTIN1817-V	13 361	1 557
200 x 180	190 x 142,5	94	15	MDTIN2017-V	9 418	1 098	MSTIN2017-V	13 769	1 605
220 x 195	210 x 157,5	103	17	MDTIN2217-V	10 304	1 201	MSTIN2217-V	14 910	1 738
240 x 200	230 x 172,5	113	19	MDTIN2420-V	11 048	1 288	MSTIN2420-V	15 694	1 829
16:10 FORMAT									
160 x 130	150 x 94	70	11	MDTIN1617-D	kr 9 037	€ 1 053	MSTIN1617-D	kr 12 922	€ 1 506
180 x 140	170 x 106	79	13	MDTIN1817-D	9 146	1 066	MSTIN1817-D	13 361	1 557
200 x 155	190 x 119	88	15	MDTIN2017-D	9 418	1 098	MSTIN2017-D	13 769	1 605
220 x 165	210 x 131	97	17	MDTIN2217-D	10 304	1 201	MSTIN2217-D	14 910	1 738
240 x 180	230 x 144	107	19	MDTIN2417-D	11 048	1 288	MSTIN2417-D	15 694	1 829
16:9 FORMAT									
160 x 120	150 x 84,5	68	11	MDTIN1617-W	kr 9 037	€ 1 053	MSTIN1617-W	kr 12 922	€ 1 506
180 x 130	170 x 95,5	77	13	MDTIN1817-W	9 146	1 066	MSTIN1817-W	13 361	1 557
200 x 140	190 x 107	86	15	MDTIN2017-W	9 418	1 098	MSTIN2017-W	13 769	1 605
220 x 155	210 x 118	95	17	MDTIN2217-W	10 304	1 201	MSTIN2217-W	14 910	1 738
240 x 165	230 x 129,5	104	19	MDTIN2417-W	11 048	1 288	MSTIN2417-W	15 694	1 829

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	FLEXPERF			
				Part No.	SEK	EUR	
W x H (cm)	W x H (cm)	(")	(kg)	Installation			
16:9 FORMAT							
160 x 120	150 x 84,5	68	11	MPTIN1617-W	12 922	€ 1 506	
180 x 130	170 x 95,5	77	13	MPTIN1817-W	13 361	1 557	
200 x 140	190 x 107	86	15	MPTIN2017-W	13 769	1 605	
220 x 155	210 x 118	95	17	MPTIN2217-W	14 910	1 738	
240 x 165	230 x 129,5	104	19	MPTIN2417-W	15 694	1 829	

DIPLOMAT XL

Diplomat XL is a large electric projection screen available in several projection formats. The model has a white cylindrically shaped aluminium case, equipped with sturdy brackets for a rigid installation. Surface areas are seamed together with a fine lined seam to match desired screen size. The bottom dowel has extra weight to obtain the flattest viewing surface possible.

DETAILS: DIPLOMAT XL ELECTRIC

- White cylindrically shaped aluminium case
- Heavy weight bottom dowel for flat surface
- Delivered with 3 m hard wire cable
- Case size (W x H): 165 x 170 mm
- Case length: screen width +121 mm
- Bottom dowel from wall: 30 mm
- Recommended control options: Control Box, AutoLink RF or RF remote control



Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

White aluminium case with
sturdy brackets.

Screen Size	Viewing Area	Diag. /Inch	Wt	FLEXWHITE			ARCTIQ		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor			Smart Motor		
1:1 FORMAT									
350 x 350	350 x 350		55	MF350	kr 16 391	€ 1 910	-	-	-
400 x 400	400 x 400		65	MF400	18 351	2 139	-	-	-
NO BLACK BORDERS									
450 x 410	450 x 410		75	MF450	kr 22 021	€ 2 567	-	-	-
500 x 460	500 x 460		135	MDF500*	51 272	5 976	-	-	-
550 x 510	550 x 510		150	MDF550*	56 203	6 550	-	-	-
4:3 NO BLACK BORDERS									
350 x 265	350 x 265		54	MF3530	kr 15 436	€ 1 799	MD3530	kr 15 436	€ 1 799
400 x 300	400 x 300		62	MF4030	16 427	1 915	-	-	-
450 x 350	450 x 350		67	MF4535	20 049	2 337	-	-	-
500 x 375	500 x 375		130	MDF5040*	41 808	4 873	-	-	-
550 x 415	550 x 415		148	MDF5545*	45 921	5 352	-	-	-
600 x 450	600 x 450		162	MDF6050*	50 797	5 920	-	-	-
4:3 FORMAT									
350 x 265	340 x 255	167	55	MF3530-V	kr 16 682	€ 1 944	MD3530-V	kr 16 682	€ 1 944
400 x 310	390 x 292,5	192	65	MF4030-V	17 651	2 057	-	-	-
450 x 360	440 x 330	217	67	MF4535-V	21 182	2 469	-	-	-
16:10 FORMAT									
350 x 235	340 x 212,5	158	55	MF3530-D	kr 16 682	€ 1 944	MD3530-D	kr 16 682	€ 1 944
400 x 265	390 x 244	181	65	MF4030-D	17 651	2 057	MD4030-D	17 651	2 057
450 x 295	440 x 275	204	67	MF4535-D	21 182	2 469	MD4535-D	21 182	2 469
16:9 FORMAT									
350 x 210	340 x 191	154	55	MF3530-W	kr 16 682	€ 1 944	MD3530-W	kr 16 682	€ 1 944
400 x 240	390 x 219,5	176	62	MF4030-W	17 651	2 057	MD4030-W	17 651	2 057
450 x 265	440 x 247,5	199	67	MF4535-W	21 182	2 469	MD4535-W	21 182	2 469

* Wooden case

CONNECT

The Connect electric projection screen is the longest established model within the Euroscreen® range. The case has a square design with soft edges, and the white steel case is equipped with matching end caps, which can be used for an easy mounting directly onto the wall or the ceiling.

DETAILS: CONNECT ELECTRIC

- White square shaped steel case
- Matching white end caps for easy mounting directly onto wall or ceiling
- Case size (W x H): 74 x 74 mm
- Case length: screen width + 91 mm
- Bottom dowel very close wall
- Optional wall brackets allow keystone correction



Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.

CONNECT

ELECTRIC INSTALLATION



WALL or CEILING

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	ARCTIQ		
				Part No.	SEK	EUR
NORDIC						
140 x 200	140 x 200		7	CELIN1420	kr 2 914	€ 340
150 x 200	150 x 200		7	CELIN1520	3 002	350
160 x 200	160 x 200		8	CELIN1620	3 047	355
180 x 200	180 x 200		8	CELIN1820	3 243	378
1:1 FORMAT						
125 x 125	125 x 125		6	CELIN125	kr 2 639	€ 308
150 x 150	150 x 150		7	CELIN150	2 801	326
180 x 180	180 x 180		8	CELIN180	3 042	355
200 x 200	200 x 200		10	CELIN200	3 281	382
220 x 220	220 x 220		11	CELIN220	3 744	436
240 x 240	240 x 240		12	CELIN240	4 006	467
4:3 NO BLACK BORDERS						
180 x 135	180 x 135		9	CELIN1814	kr 2 847	€ 332
200 x 150	200 x 150		10	CELIN2015	3 035	354
220 x 165	220 x 165		11	CELIN2217	3 476	405
240 x 180	240 x 180		11	CELIN2418	3 722	434
4:3 FORMAT						
160 x 165	150 x 112,5	74	8	CELIN1617-V	kr 3 059	€ 357
180 x 165	170 x 127,5	84	9	CELIN1817-V	3 169	369
200 x 165	190 x 142,5	94	10	CELIN2017-V	3 377	394
220 x 165	210 x 157,5	103	11	CELIN2217-V	3 744	436
240 x 180	230 x 172,5	113	11	CELIN2417-V	4 124	481
16:10 FORMAT						
160 x 165	150 x 94	70	8	CELIN1617-D	kr 3 059	€ 357
180 x 165	170 x 106	79	9	CELIN1817-D	3 169	369
200 x 165	190 x 119	88	10	CELIN2017-D	3 377	394
220 x 165	210 x 131	97	11	CELIN2217-D	3 744	436
240 x 180	230 x 144	107	11	CELIN2417-D	4 124	481
16:9 FORMAT						
160 x 165	150 x 84,5	68	8	CELIN1617-W	kr 3 059	€ 357
180 x 165	170 x 95,5	77	9	CELIN1817-W	3 169	369
200 x 165	190 x 107	86	10	CELIN2017-W	3 377	394
220 x 165	210 x 118	95	11	CELIN2217-W	3 744	436
240 x 165	230 x 129,5	104	11	CELIN2417-W	4 124	481

ROYAL

Royal electric by Euroscreen® is an alternative for large venue installations. It is delivered with the Euroscreen® Astranova screen surface which has a white front projection surface and black backing. Royal is available in sizes up to 600 cm in width. A cylindrically shaped aluminium case in white finish characterizes the Royal projection screens up to 450 cm wide, while larger sizes are delivered with a square shaped wooden case finished in white. Sturdy brackets for wall or ceiling installation are included. The bottom dowel has extra weight to obtain the flattest viewing surface possible.

DETAILS: ROYAL ELECTRIC

- Available in sizes up to 600 cm width
- Astranova surface (one piece fabric, no seams)
- Heavy weight bottom dowel
- White aluminium case for width up to 450 cm
- White wooden case for sizes over 450 cm (*)
- Delivered with 3 m hard wire cable
- Case size (W x H): 165 x 170 mm (\leq 450 cm)
- Case size (W x H): 220 x 220 mm ($>$ 500 cm)
- Recommended control options: Control Box, AutoLink RF or RF remote control



Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.



WALL or CEILING

ASTRANOVA

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Smart Motor		
1:1 FORMAT						
300 x 300	300 x 300	36	MD300U	kr 23 397	€ 2 727	
350 x 350	350 x 350	42	MD350U	25 918	3 021	
400 x 400	400 x 400	48	MD400U	29 005	3 380	
4:3 NO BLACK BORDERS						
300 x 225	300 x 225	33	MD3025U	kr 21 833	€ 2 545	
350 x 265	350 x 265	38	MD3530U	24 389	2 843	
400 x 300	400 x 300	42	MD4030U	25 956	3 025	
450 x 350	450 x 350	65	MD4535U	31 673	3 691	
16:10 NO BLACK BORDERS						
500 x 350	500 x 350	125	MD5040U *	kr 43 998	€ 5 128	
16:9 NO BLACK BORDERS						
600 x 350	600 x 350	145	MD6040U *	kr 44 828	€ 5 225	

1



2*



White aluminium case up to 450 cm width (1) and white wooden case in sizes above 450 cm (2).

ELECTRIC PROJECTION SCREENS

LODO

For the absolute largest electric screen option LODO is offered, available in sizes up to 700 cm in width. LODO is a large sized professional electric screen with a strong square shaped aluminium case in matt white finish. The screen is supplied with safety chains which provide an upper-grade of safety. The screen surface is a white flexible front projection surface with a gain of 1.1.

DETAILS: LODO ELECTRIC

- Available in sizes up to 700 cm width
- Square shaped white aluminium case
- Supplied with extra safety chains
- Case size (W x H): 210 x 204 mm
- White flexible screen surface



WHITE SURFACE

Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Installation		
1:1 FORMAT						
450x450	450x450	100	LODO450	kr 44 611	€ 5 199	
500x500	500x500	111	LODO500	50 579	5 895	
550x550	550x550	115	LODO550	54 971	6 407	
4:3 NO BLACK BORDERS						
500x375	500x375	111	LODO5040	kr 42 143	€ 4 912	
550x412	550x412	115	LODO5545	45 810	5 339	
600x450	600x450	119	LODO6050	50 155	5 846	
650x487	650x487	123	LODO6550	56 545	6 590	
700x400	700x400	127	LODO7040	61 096	7 121	

DIPLOMAT

Diplomat is a popular projection screen with a white aluminium case and channel-fixed installation. This makes it one of the market's most flexible and easy screens to install. Thanks to its functional and contemporary design, Diplomat is suitable for any environment; conference rooms, education facilities and home theatres.

SOFT&QUIET

Get the best functionality out of the manual projection screen and at the same time preserve the mechanism and function for years and years to come by upgrading to the Soft&Quiet feature.


The Soft&Quiet feature is a reliable and strong roller mechanism that slowly and smoothly retracts the screen surface into the case, slowing even more as it approaches the upper limit. Just a simple tug on the handle or the pull cord is all that is needed. The Soft&Quiet feature prolongs the life of a manual screen since it prevents potential damage to the case, its mechanism, and screen surface.

DETAILS: DIPLOMAT MANUAL

- White cylindrically shaped aluminium cassette
- Channel-fixed and flexible installation
- Case size (W x H): 89 x 105 mm
- Case length: screen width + 86 mm (\leq 200 cm width)
- Case length: screen width + 94 mm ($>$ 200 cm width)
- Bottom dowel from wall: 48 mm

DETAILS: DIPLOMAT SOFT&QUIET

- Reliable and strong roller mechanism
- Slowly retracts the screen surface into the case
- Slowing down as it approaches the upper limit
- Prolongs the life of the screen



DIPLOMAT MANUAL



WALL or CEILING

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	ARCTIQ			GREYLIGHT		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)						
NORDIC									
140 x 200	140 x 200		6	DD1420	kr 1 053	€ 123	DG1420	kr 2 229	€ 260
150 x 200	150 x 200		7	DD1520	1 091	127	DG1520	2 303	268
160 x 200	160 x 200		7	DD1620	1 146	134	DG1620	2 492	290
180 x 200	180 x 200		8	DD1820	1 253	146	DG1820	2 600	303
NO BLACK BORDERS									
270 x 210	270 x 210		15	DD2724	kr 3 372	€ 393	-	-	-
300 x 210	300 x 210		17	DD3024	3 474	405	-	-	-
1:1 FORMAT									
125 x 125	125 x 125		6	DD125	kr 938	€ 109	DG125	kr 2 190	€ 255
150 x 150	150 x 150		7	DD150	981	114	DG150	2 303	268
180 x 180	180 x 180		8	DD180	1 116	130	DG180	2 595	302
200 x 200	200 x 200		9	DD200	1 616	188	DG200	3 028	353
220 x 220	220 x 220		12	DD220	2 067	241	DG220	3 826	446
240 x 240	240 x 240		13	DD240	2 553	298	DG240	4 607	537
4:3 FORMAT									
160 x 175	150 x 112,5	74	7	DD1617-V	kr 1 671	€ 195	DG1617-V	kr 3 005	€ 350
180 x 175	170 x 127,5	84	8	DD1817-V	1 749	204	DG1817-V	3 083	359
200 x 175	190 x 142,5	94	10	DD2017-V	2 011	234	DG2017-V	3 150	367
220 x 170	210 x 157,5	103	12	DD2217-V	2 364	275	DG2217-V	3 944	460
240 x 205	230 x 172,5	113	13	DD2420-V	2 708	316	DG2420-V	4 538	529
270 x 210	260 x 195	128	15	DD2724-V	3 691	430	-	-	-
300 x 235	290 x 217,5	143	17	DD3024-V	3 832	447	-	-	-
16:10 FORMAT									
160 x 175	150 x 94	70	7	DD1617-D	kr 1 671	€ 195	DG1617-D	kr 3 005	€ 350
180 x 175	170 x 106	79	8	DD1817-D	1 749	204	DG1817-D	3 083	359
200 x 175	190 x 119	88	10	DD2017-D	2 011	234	DG2017-D	3 150	367
220 x 170	210 x 131	97	12	DD2217-D	2 364	275	DG2217-D	3 944	460
240 x 170	230 x 144	107	13	DD2417-D	2 708	316	DG2417-D	4 538	529
270 x 205	260 x 162,5	121	15	DD2724-D	3 691	430	-	-	-
300 x 205	290 x 181	135	17	DD3024-D	3 832	447	-	-	-
16:9 FORMAT									
160 x 175	150 x 84,5	68	7	DD1617-W	kr 1 671	€ 195	DG1617-W	kr 3 005	€ 350
180 x 175	170 x 95,5	77	8	DD1817-W	1 749	204	DG1817-W	3 083	359
200 x 175	190 x 107	86	10	DD2017-W	2 011	234	DG2017-W	3 150	367
220 x 170	210 x 118	95	12	DD2217-W	2 364	275	DG2217-W	3 944	460
240 x 170	230 x 129,5	104	13	DD2417-W	2 708	316	DG2417-W	4 538	529
270 x 205	260 x 146	117	15	DD2724-W	3 691	430	-	-	-
300 x 205	290 x 163	131	17	DD3024-W	3 832	447	-	-	-

DIPLOMAT

MANUAL SOFT & QUIET



Screen Size	Viewing Area	Diag. /Inch	Wt	ARCTIQ			GREYLIGHT		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)						
NORDIC									
140 x 200	140 x 200		6	DDQ1420	kr 2 092	€ 244	DGQ1420	kr 2 914	€ 340
150 x 200	150 x 200		7	DDQ1520	2 144	250	DGQ1520	2 989	348
160 x 200	160 x 200		7	DDQ1620	2 218	258	DGQ1620	3 176	370
180 x 200	180 x 200		8	DDQ1820	2 360	275	DGQ1820	3 284	383
1:1 FORMAT									
125 x 125	125 x 125		6	DDQ125	kr 1 939	€ 226	DGQ125	kr 2 873	€ 335
150 x 150	150 x 150		7	DDQ150	1 996	233	DGQ150	2 989	348
180 x 180	180 x 180		8	DDQ180	2 177	254	DGQ180	3 279	382
200 x 200	200 x 200		9	DDQ200	2 845	332	DGQ200	3 712	433
220 x 220	220 x 220		13	DDQ220	3 449	402	DGQ220	4 510	526
240 x 240	240 x 240		14	DDQ240	4 099	478	DGQ240	5 291	617
4:3 FORMAT									
160 x 175	150 x 112,5	74	7	DDQ1617-V	kr 2 788	€ 325	DGQ1617-V	kr 3 747	€ 437
180 x 175	170 x 127,5	84	8	DDQ1817-V	2 885	336	DGQ1817-V	3 826	446
200 x 175	190 x 142,5	94	10	DDQ2017-V	3 216	375	DGQ2017-V	3 895	454
220 x 170	210 x 157,5	103	13	DDQ2217-V	3 661	427	DGQ2217-V	4 704	548
240 x 205	230 x 172,5	113	14	DDQ2420-V	4 094	477	DGQ2420-V	5 308	619
270 x 210	260 x 195	128	16	DDQ2724-V	5 330	621	-	-	-
300 x 235	290 x 217,5	143	18	DDQ3024-V	5 507	642	-	-	-
16:10 FORMAT									
160 x 175	150 x 94	70	7	DDQ1617-D	kr 2 788	€ 325	DGQ1617-D	kr 3 747	€ 437
180 x 175	170 x 106	79	8	DDQ1817-D	2 885	336	DGQ1817-D	3 826	446
200 x 175	190 x 119	88	10	DDQ2017-D	3 216	375	DGQ2017-D	3 895	454
220 x 170	210 x 131	97	13	DDQ2217-D	3 661	427	DGQ2217-D	4 704	548
240 x 170	230 x 144	107	14	DDQ2417-D	4 094	477	DGQ2417-D	5 308	619
270 x 205	260 x 162,5	121	16	DDQ2724-D	5 330	621	-	-	-
300 x 205	290 x 181	135	18	DDQ3024-D	5 507	642	-	-	-
16:9 FORMAT									
160 x 175	150 x 84,5	68	7	DDQ1617-W	kr 2 788	€ 325	DGQ1617-W	kr 3 747	€ 437
180 x 175	170 x 95,5	77	8	DDQ1817-W	2 885	336	DGQ1817-W	3 826	446
200 x 175	190 x 107	86	10	DDQ2017-W	3 216	375	DGQ2017-W	3 895	454
220 x 170	210 x 118	95	13	DDQ2217-W	3 661	427	DGQ2217-W	4 704	548
240 x 170	230 x 129,5	104	14	DDQ2417-W	4 094	477	DGQ2417-W	5 308	619
270 x 205	260 x 146	117	16	DDQ2724-W	5 330	621	-	-	-
300 x 205	290 x 163	131	18	DDQ3024-W	5 507	642	-	-	-

CONNECT

The Connect projection screen is the longest established model within the Euroscreen® range. The case has a square design with soft edges, and the white steel case is equipped with matching end caps which are used for an easy installation directly onto the wall or the ceiling. This affordable screen is available in a large selection of projection formats. The Connect is often used for educational applications and is therefore recommended together with optional mounting brackets, which allow keystone correction if required.

DETAILS: CONNECT MANUAL

- White square shaped steel case
- Matching white end caps
- Use end caps for easy installation directly onto wall or ceiling
- Case size (W x H): 74 x 74 mm
- Case length: screen width + 91 mm
- Bottom dowel very close to wall
- Optional wall brackets allow keystone correction



Use end caps for fast installation directly onto wall.

ARCTIQ						
Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)	Inst. cable		
NORDIC						
140 x 200	140 x 200		5	C1420	kr 1 001	€ 117
150 x 200	150 x 200		6	C1520	1 046	122
160 x 200	160 x 200		6	C1620	1 083	126
180 x 200	180 x 200		7	C1820	1 169	136
1:1 FORMAT						
125 x 125	125 x 125		4	C125	kr 824	€ 96
150 x 150	150 x 150		5	C150	865	101
180 x 180	180 x 180		7	C180	956	111
200 x 200	200 x 200		8	C200	1 386	162
220 x 220	220 x 220		10	C220	1 775	207
240 x 240	240 x 240		11	C240	2 201	257
4:3 NO BLACK BORDERS						
180 x 135	180 x 135		7	C1814	kr 911	€ 106
200 x 150	200 x 150		7	C2015	1 146	134
220 x 165	220 x 165		10	C2217	1 635	191
240 x 180	240 x 180		10	C2418	1 948	227
4:3 FORMAT						
160 x 165	150 x 112,5	74	6	C1617-V	kr 1 241	€ 145
180 x 165	170 x 127,5	84	7	C1817-V	1 327	155
200 x 165	190 x 142,5	94	8	C2017-V	1 594	186
220 x 165	210 x 157,5	103	10	C2217-V	1 921	224
240 x 180	230 x 172,5	113	10	C2417-V	2 224	259
16:10 FORMAT						
160 x 165	150 x 94	70	6	C1617-D	kr 1 241	€ 145
180 x 165	170 x 106	79	7	C1817-D	1 327	155
200 x 165	190 x 119	88	8	C2017-D	1 594	186
220 x 165	210 x 131	97	10	C2217-D	1 921	224
240 x 180	230 x 144	107	10	C2417-D	2 224	259
16:9 FORMAT						
160 x 165	150 x 84,5	68	6	C1617-W	kr 1 241	€ 145
180 x 165	170 x 95,5	77	7	C1817-W	1 327	155
200 x 165	190 x 107	86	8	C2017-W	1 594	186
220 x 165	210 x 118	95	10	C2217-W	1 921	224
240 x 165	230 x 129,5	104	10	C2417-W	2 224	259

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.



EXCELLO 2000

Euroscreen® Excello 2000 is a rail system designed to use wall space most efficiently. The projection screen and other visual resources such as maps and posters are integrated with the rail system for the most mobile and flexible use. Compatible Euroscreen® projection screens are offered up to 240 cm width within the Excello 2000 system.

DETAILS: EXCELLO 2000 MANUAL

- Efficient rail system
- Easy to install
- Use of projection screens, maps and posters in a very flexible way

Please note! The screen is sensitive to heat. Do not install close to heat sources like radiators, amplifiers or turned on TV-sets. The projection screen is not suitable as black-out, or sun protection, contact sales office for more information about window shades.



Map carriers and case carriers, sold as pair.



Wt (kg)	Part No.	SEK	EUR
------------	----------	-----	-----

NO BLACK BORDERS

180 x 190	180 x 190	4	SDF1820	kr 1 551	€ 181
200 x 190	200 x 190	5	SDF2020	1 716	200
200 x 230	200 x 230	5	SDF2024	2 040	238

ACCESSORIES EXCELLO 2000

Magnetic strip 60 cm	340 000	kr 206	€ 24
Drawstick 100 cm	400 100	227	26
Drawstick 140 cm	400 140	251	29
Adjustable fixing with carriers	420 250	1 750	204
Carriers, for Excello 2000 rail system	421 020	148	17
Map carriers, pair	421 102	206	24
Joining piece, for rail system	450 001	46	5
Rail 300 cm	450 300	331	39
Rail 400 cm	450 400	410	48
Rail 500 cm	450 500	508	59
Rail 600 cm	450 600	587	68
Ceiling mounting bracket, 5 cm for 1 rail	460 005	63	7
Ceiling mounting bracket, 45 cm for 5 rails	460 050	114	13
Map holder with carriers for rail system	K100	1 049	122





PORTABLE PROJECTION SCREENS

CONNECT FLOOR

The portable Connect Floor is one of our best-selling products, and is a favourite with many customers. Compared to other portable screens the Connect Floor is sturdier, often more practical, and contains fewer parts than a tripod screen.

The steel case rests steadily on the floor supported by a “foot” and provides an available viewing area from the case to the top of the raised viewing surface. The model is very easy to set up, and the light weight and the integrated handle makes it easy to carry along. Connect Floor is also perfect for displaying custom printed messages to a large audience.

DETAILS: CONNECT FLOOR

- Mobile projection screen suitable for presentations on the road
- Perfect screen model for displaying custom printed messages
- Light-weight steel case in white finish
- Easy to set up
- Very slim when not in use
- Case size (W x H): 110 x 130 mm
- Case length: screen width + 72 mm
- Padded protective carrying case available



ARCTIQ						
Screen Size	Viewing Area	Diag. /Inch	Wt	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)			
1:1 FORMAT						
125 x 180	125 x 180	86	7	CFW125	kr 1 818	€ 212
150 x 210	150 x 210	102	7	CFW150	1 973	230
160 x 210	160 x 210	104	8	CFW160	2 029	237
180 x 210	180 x 210	109	10	CFW180	2 161	252
200 x 210	200 x 210	114	11	CFW200	2 400	280
4:3 FORMAT						
125 x 180	115 x 86	57	7	CFW125-V	kr 2 172	€ 253
150 x 210	140 x 105	59	7	CFW150-V	2 326	271
160 x 210	150 x 112,5	74	8	CFW160-V	2 384	278
180 x 210	170 x 127,5	84	10	CFW180-V	2 514	293
200 x 210	190 x 142,5	94	11	CFW200-V	2 754	321
16:10 FORMAT						
125 x 180	115 x 72	53	7	CFW125-D	kr 2 172	€ 253
150 x 210	140 x 87,5	65	7	CFW150-D	2 326	271
160 x 210	150 x 94	70	8	CFW160-D	2 384	278
180 x 210	170 x 106	79	10	CFW180-D	2 514	293
200 x 210	190 x 119	88	11	CFW200-D	2 754	321



PORTABLE

CARRYING CASE

- Protective padded black carrying case
- Supplied with zipper and handle
- Suitable for Euroscreen® Connect Floor



CARRYING CASE FOR SCREEN MODEL:	PART NO.	SEK	EUR
CFW125	540 000	kr 420	€ 49
CFW150	540 001	466	54
CFW160/CFW180	540 002	507	59
CFW200	540 003	547	64

FRAME VISION LIGHT

Frame Vision Light is a permanently tensioned projection screen that achieves an optimal flat viewing surface. The Frame Vision Light has a clever construction that makes it easy to assemble the 5 cm wide frame profiles and attach the screen surface.

Easy-mounted wall brackets to hang the complete screen onto are included. The frame design puts equal tension on each part of the viewing surface, making it perfectly smooth. The light-weight black aluminium border frames the projected image nicely. For an even more fantastic viewing experience, the Vel-Tex® option is highly recommended.

VEL-TEX®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Not only does the Vel-Tex® give the screen a more luxurious impression and conceals all trace of joints in the frame. It is also more forgiving to any incorrect adjustment of the projected image since every small edge of the images beyond the inner frames are visually absorbed by the Vel-Tex®. At the same time it helps reducing reflection from surroundings lights.

DETAILS: FRAME VISION LIGHT

- 5 cm wide black aluminium frame
- Perfectly flat viewing surface
- Easy to assemble frame parts
- Screen surface attaches to the frame without snaps or tools
- Easily mounted wall brackets included

DETAILS: VEL-TEX®

- Black, velvety textile covering
- Provides a luxurious impression
- Conceals all trace of joints in the frame
- Incorrect adjustment visually absorbed
- Reduces reflection from surroundings lights



FRAME VISION LIGHT



Screen Size	Viewing Area	Diag. /Inch	Wt	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)						
4:3 FORMAT									
170 x 130	160 x 120	79	7	VL160-V	kr 4 003	€ 467	VLS160-V	kr 7 625	€ 889
180 x 137,5	170 x 127,5	84	8	VL170-V	4 054	472	VLS170-V	7 861	916
190 x 145	180 x 135	89	9	VL180-V	4 086	476	VLS180-V	8 075	941
200 x 152,5	190 x 142,5	94	10	VL190-V	4 131	482	VLS190-V	8 301	967
210 x 160	200 x 150	98	11	VL200-V	4 162	485	VLS200-V	5 814	678
220 x 167,5	210 x 157,5	103	12	VL210-V	4 194	489	VLS210-V	8 728	1 017
230 x 175	220 x 165	108	13	VL220-V	4 240	494	VLS220-V	8 953	1 043
240 x 182,5	230 x 172,5	113	14	VL230-V	4 280	499	VLS230-V	9 187	1 071
16:10 FORMAT									
170 x 110	160 x 100	74	7	VL160-D	kr 4 003	€ 467	VLS160-D	kr 7 625	€ 889
180 x 116	170 x 106	79	8	VL170-D	4 054	472	VLS170-D	7 861	916
190 x 122,5	180 x 112,5	84	9	VL180-D	4 086	476	VLS180-D	8 075	941
200 x 129	190 x 119	88	10	VL190-D	4 131	482	VLS190-D	8 301	967
210 x 135	200 x 125	93	11	VL200-D	4 162	485	VLS200-D	5 814	678
220 x 141	210 x 131	97	12	VL210-D	4 194	489	VLS210-D	8 728	1 017
230 x 147,5	220 x 137,5	102	13	VL220-D	4 240	494	VLS220-D	8 953	1 043
240 x 154	230 x 144	107	14	VL230-D	4 280	499	VLS230-D	9 187	1 071
16:9 FORMAT									
170 x 100	160 x 90	72	7	VL160-W	kr 4 003	€ 467	VLS160-W	kr 7 625	€ 889
180 x 105,5	170 x 95,5	77	8	VL170-W	4 054	472	VLS170-W	7 861	916
190 x 111	180 x 101	81	9	VL180-W	4 086	476	VLS180-W	8 075	941
200 x 117	190 x 107	86	10	VL190-W	4 131	482	VLS190-W	8 301	967
210 x 122,5	200 x 112,5	90	11	VL200-W	4 162	485	VLS200-W	5 814	678
220 x 128	210 x 118	95	12	VL210-W	4 194	489	VLS210-W	8 728	1 017
230 x 133,5	220 x 123,5	99	13	VL220-W	4 240	494	VLS220-W	8 953	1 043
240 x 139,5	230 x 129,5	104	14	VL230-W	4 280	499	VLS230-W	9 187	1 071
2.35:1 FORMAT									
170 x 78	160 x 68	68	7	VL160-C	kr 4 003	€ 467	VLS160-C	kr 7 625	€ 889
180 x 82,5	170 x 72,5	73	8	VL170-C	4 054	472	VLS170-C	7 861	916
190 x 86,5	180 x 76,5	77	9	VL180-C	4 086	476	VLS180-C	8 075	941
200 x 91	190 x 81	81	10	VL190-C	4 131	482	VLS190-C	8 301	967
210 x 95	200 x 85	85	11	VL200-C	4 162	485	VLS200-C	5 814	678
220 x 99,5	210 x 89,5	90	12	VL210-C	4 194	489	VLS210-C	8 728	1 017
230 x 103,5	220 x 93,5	94	13	VL220-C	4 240	494	VLS220-C	8 953	1 043
240 x 108	230 x 98	98	14	VL230-C	4 280	499	VLS230-C	9 187	1 071

FRAME VISION LIGHT



Screen Size	Viewing Area	Diag. /Inch	Wt	FLEXREAR			FLEXPERF		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)						
4:3 FORMAT									
170 x 130	160 x 120	79	7	VLR160-V	kr 6 144	€ 716	-	-	-
180 x 137,5	170 x 127,5	84	8	VLR170-V	6 221	725	-	-	-
190 x 145	180 x 135	89	9	VLR180-V	6 280	732	-	-	-
200 x 152,5	190 x 142,5	94	10	VLR190-V	6 359	741	-	-	-
210 x 160	200 x 150	98	11	VLR200-V	6 425	749	-	-	-
220 x 167,5	210 x 157,5	103	12	VLR210-V	6 478	755	-	-	-
230 x 175	220 x 165	108	13	VLR220-V	6 556	764	-	-	-
240 x 182,5	230 x 172,5	113	14	VLR230-V	6 622	772	-	-	-
16:10 FORMAT									
170 x 110	160 x 100	74	7	VLR160-D	kr 6 144	€ 716	-	-	-
180 x 116	170 x 106	79	8	VLR170-D	6 221	725	-	-	-
190 x 122,5	180 x 112,5	84	9	VLR180-D	6 280	732	-	-	-
200 x 129	190 x 119	88	10	VLR190-D	6 359	741	-	-	-
210 x 135	200 x 125	93	11	VLR200-D	6 425	749	-	-	-
220 x 141	210 x 131	97	12	VLR210-D	6 478	755	-	-	-
230 x 147,5	220 x 137,5	102	13	VLR220-D	6 556	764	-	-	-
240 x 154	230 x 144	107	14	VLR230-D	6 622	772	-	-	-
16:9 FORMAT									
170 x 100	160 x 90	72	7	VLR160-W	kr 6 144	€ 716	VLP160-W	kr 7 625	€ 889
180 x 105,5	170 x 95,5	77	8	VLR170-W	6 221	725	VLP170-W	7 861	916
190 x 111	180 x 101	81	9	VLR180-W	6 280	732	VLP180-W	8 075	941
200 x 117	190 x 107	86	10	VLR190-W	6 359	741	VLP190-W	8 301	967
210 x 122,5	200 x 112,5	90	11	VLR200-W	6 425	749	VLP200-W	8 514	992
220 x 128	210 x 118	95	12	VLR210-W	6 478	755	VLP210-W	8 728	1 017
230 x 133,5	220 x 123,5	99	13	VLR220-W	6 556	764	VLP220-W	8 953	1 043
240 x 139,5	230 x 129,5	104	14	VLR230-W	6 622	772	VLP230-W	9 178	1 070
2.35:1 FORMAT									
170 x 78	160 x 68	68	7	-	-	-	VLP160-C	kr 7 625	€ 889
180 x 82,5	170 x 72,5	73	8	-	-	-	VLP170-C	7 861	916
190 x 86,5	180 x 76,5	77	9	-	-	-	VLP180-C	8 075	941
200 x 91	190 x 81	81	10	-	-	-	VLP190-C	8 301	967
210 x 95	200 x 85	85	11	-	-	-	VLP200-C	8 514	992
220 x 99,5	210 x 89,5	90	12	-	-	-	VLP210-C	8 728	1 017
230 x 103,5	220 x 93,5	94	13	-	-	-	VLP220-C	8 953	1 043
240 x 108	230 x 98	98	14	-	-	-	VLP230-C	9 178	1 070

FRAME VISION LIGHT

VEL-TEX®



The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Vel-Tex® gives the screen a luxurious impression and reduces reflection from surrounding light. Incorrect adjustment is visually absorbed.

Screen Size	Viewing Area	Diag. /Inch	Wt	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)						
4:3 FORMAT									
170 x 130	160 x 120	79	7	VLD160-V	kr 4 864	€ 567	VLSD160-V	kr 8 706	€ 1 015
180 x 137,5	170 x 127,5	84	8	VLD170-V	4 923	574	VLSD170-V	8 942	1 042
190 x 145	180 x 135	89	9	VLD180-V	4 950	577	VLSD180-V	9 151	1 067
200 x 152,5	190 x 142,5	94	10	VLD190-V	4 992	582	VLSD190-V	9 375	1 093
210 x 160	200 x 150	98	11	VLD200-V	5 023	585	VLSD200-V	9 590	1 118
220 x 167,5	210 x 157,5	103	12	VLD210-V	5 064	590	VLSD210-V	9 804	1 143
230 x 175	220 x 165	108	13	VLD220-V	5 105	595	VLSD220-V	10 033	1 169
240 x 182,5	230 x 172,5	113	14	VLD230-V	5 140	599	VLSD230-V	10 254	1 195
16:10 FORMAT									
170 x 110	160 x 100	74	7	VLD160-D	kr 4 864	€ 567	VLSD160-D	kr 8 706	€ 1 015
180 x 116	170 x 106	79	8	VLD170-D	4 923	574	VLSD170-D	8 942	1 042
190 x 122,5	180 x 112,5	84	9	VLD180-D	4 950	577	VLSD180-D	9 151	1 067
200 x 129	190 x 119	88	10	VLD190-D	4 992	582	VLSD190-D	9 375	1 093
210 x 135	200 x 125	93	11	VLD200-D	5 023	585	VLSD200-D	9 590	1 118
220 x 141	210 x 131	97	12	VLD210-D	5 064	590	VLSD210-D	9 804	1 143
230 x 147,5	220 x 137,5	102	13	VLD220-D	5 105	595	VLSD220-D	10 033	1 169
240 x 154	230 x 144	107	14	VLD230-D	5 140	599	VLSD230-D	10 254	1 195
16:9 FORMAT									
170 x 100	160 x 90	72	7	VLD160-W	kr 4 864	€ 567	VLSD160-W	kr 8 706	€ 1 015
180 x 105,5	170 x 95,5	77	8	VLD170-W	4 923	574	VLSD170-W	8 942	1 042
190 x 111	180 x 101	81	9	VLD180-W	4 950	577	VLSD180-W	9 151	1 067
200 x 117	190 x 107	86	10	VLD190-W	4 992	582	VLSD190-W	9 375	1 093
210 x 122,5	200 x 112,5	90	11	VLD200-W	5 023	585	VLSD200-W	9 590	1 118
220 x 128	210 x 118	95	12	VLD210-W	5 064	590	VLSD210-W	9 804	1 143
230 x 133,5	220 x 123,5	99	13	VLD220-W	5 105	595	VLSD220-W	10 033	1 169
240 x 139,5	230 x 129,5	104	14	VLD230-W	5 140	599	VLSD230-W	10 254	1 195
2.35:1 FORMAT									
170 x 78	160 x 68	68	7	VLD160-C	kr 4 864	€ 567	VLSD160-C	kr 8 706	€ 1 015
180 x 82,5	170 x 72,5	73	8	VLD170-C	4 923	574	VLSD170-C	8 942	1 042
190 x 86,5	180 x 76,5	77	9	VLD180-C	4 950	577	VLSD180-C	9 151	1 067
200 x 91	190 x 81	81	10	VLD190-C	4 992	582	VLSD190-C	9 375	1 093
210 x 95	200 x 85	85	11	VLD200-C	5 023	585	VLSD200-C	9 590	1 118
220 x 99,5	210 x 89,5	90	12	VLD210-C	5 064	590	VLSD210-C	9 804	1 143
230 x 103,5	220 x 93,5	94	13	VLD220-C	5 105	595	VLSD220-C	10 033	1 169
240 x 108	230 x 98	98	14	VLD230-C	5 140	599	VLSD230-C	10 254	1 195

FRAME VISION LIGHT

VEL-TEX®



The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Vel-Tex® gives the screen a luxurious impression and reduces reflection from surrounding light. Incorrect adjustment is visually absorbed.

Screen Size	Viewing Area	Diag. /Inch	Wt	FLEXREAR			FLEXPERF		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)						
4:3 FORMAT									
170 x 130	160 x 120	79	7	VLRD160-V	kr 7 198	€ 839	-	-	-
180 x 137,5	170 x 127,5	84	8	VLRD170-V	7 290	850	-	-	-
190 x 145	180 x 135	89	9	VLRD180-V	7 351	857	-	-	-
200 x 152,5	190 x 142,5	94	10	VLRD190-V	7 422	865	-	-	-
210 x 160	200 x 150	98	11	VLRD200-V	7 493	873	-	-	-
220 x 167,5	210 x 157,5	103	12	VLRD210-V	7 543	879	-	-	-
230 x 175	220 x 165	108	13	VLRD220-V	7 630	889	-	-	-
240 x 182,5	230 x 172,5	113	14	VLRD230-V	7 691	896	-	-	-
16:10 FORMAT									
170 x 110	160 x 100	74	7	VLRD160-D	kr 7 198	€ 839	-	-	-
180 x 116	170 x 106	79	8	VLRD170-D	7 290	850	-	-	-
190 x 122,5	180 x 112,5	84	9	VLRD180-D	7 351	857	-	-	-
200 x 129	190 x 119	88	10	VLRD190-D	7 422	865	-	-	-
210 x 135	200 x 125	93	11	VLRD200-D	7 493	873	-	-	-
220 x 141	210 x 131	97	12	VLRD210-D	7 543	879	-	-	-
230 x 147,5	220 x 137,5	102	13	VLRD220-D	7 630	889	-	-	-
240 x 154	230 x 144	107	14	VLRD230-D	7 691	896	-	-	-
16:9 FORMAT									
170 x 100	160 x 90	72	7	VLRD160-W	kr 7 198	€ 839	VLPD160-W	kr 8 706	€ 1 015
180 x 105,5	170 x 95,5	77	8	VLRD170-W	7 290	850	VLPD170-W	8 942	1 042
190 x 111	180 x 101	81	9	VLRD180-W	7 351	857	VLPD180-W	9 151	1 067
200 x 117	190 x 107	86	10	VLRD190-W	7 422	865	VLPD190-W	9 375	1 093
210 x 122,5	200 x 112,5	90	11	VLRD200-W	7 493	873	VLPD200-W	9 590	1 118
220 x 128	210 x 118	95	12	VLRD210-W	7 543	879	VLPD210-W	9 804	1 143
230 x 133,5	220 x 123,5	99	13	VLRD220-W	7 630	889	VLPD220-W	10 033	1 169
240 x 139,5	230 x 129,5	104	14	VLRD230-W	7 691	896	VLPD230-W	10 254	1 195
2.35:1 FORMAT									
170 x 78	160 x 68	68	7	-	-	-	VLPD160-C	kr 8 706	€ 1 015
180 x 82,5	170 x 72,5	73	8	-	-	-	VLPD170-C	8 942	1 042
190 x 86,5	180 x 76,5	77	9	-	-	-	VLPD180-C	9 151	1 067
200 x 91	190 x 81	81	10	-	-	-	VLPD190-C	9 375	1 093
210 x 95	200 x 85	85	11	-	-	-	VLPD200-C	9 590	1 118
220 x 99,5	210 x 89,5	90	12	-	-	-	VLPD210-C	9 804	1 143
230 x 103,5	220 x 93,5	94	13	-	-	-	VLPD220-C	10 033	1 169
240 x 108	230 x 98	98	14	-	-	-	VLPD230-C	10 254	1 195

FRAME VISION

Frame Vision is Euroscreen®'s largest permanently tensioned projection screen, available up to 420 cm width. The surface is stretched on the back of the 10 cm wide black aluminium frame, which provides an attractive and powerful black framework to the projected image.

The Vel-Tex® option is highly recommended to obtain an even greater viewing experience. The frame puts equal tension on each part of the viewing surface and the flexible screen surface can be adjusted into three different channels to ensure optimal flatness. The frame profiles are easily assembled and easy-mounted wall brackets are included for a trouble-free installation onto the wall.

VEL-TEX®

The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Not only does the Vel-Tex® give the screen a more luxurious impression and conceals all trace of joints in the frame. It is also more forgiving to any incorrect adjustment of the projected image since every small edge of the images beyond the inner frames are visually absorbed by the Vel-Tex®. At the same time it helps reducing reflection from surroundings lights.

DETAILS: FRAME VISION

- 10 cm wide black aluminium frame
- Perfectly flat viewing surface
- Easy to assemble frame parts
- Screen surface attaches to the frame without snaps or tools
- Easily mounted wall brackets included

DETAILS: VEL-TEX®

- Black, velvety textile covering
- Provides a luxurious impression
- Conceals all trace of joints in the frame
- Incorrect adjustment visually absorbed
- Reduces reflection from surroundings lights



FRAME VISION



Screen Size	Viewing Area	Diag. /Inch	Wt	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
W x H (cm)	W x H (cm)	(")	(kg)						
4:3 FORMAT									
180 x 140	160 x 120	79	15	V160-V	kr 4 549	€ 530	VS160-V	kr 8 883	€ 1 035
200 x 155	180 x 135	89	17	V180-V	4 821	562	VS180-V	9 595	1 118
220 x 170	200 x 150	98	19	V200-V	5 077	592	VS200-V	10 303	1 201
240 x 185	220 x 165	108	20	V220-V	5 866	684	VS220-V	11 712	1 365
270 x 210	250 x 190	123	24	V250-V	6 663	777	VS250-V	13 296	1 550
295 x 226	275 x 206	135	25	V275-V	7 959	928	VS275-V	15 371	1 792
320 x 245	300 x 225	148	28	V300-V	8 658	1 009	-	-	-
370 x 282,5	350 x 262,5	172	32	V350-V	9 779	1 140	-	-	-
405 x 309	385 x 289	190	36	V400-V	10 909	1 271	-	-	-
16:10 FORMAT									
180 x 120	160 x 100	74	13	V160-D	kr 4 549	€ 530	VS160-D	kr 8 883	€ 1 035
200 x 132,5	180 x 112,5	84	15	V180-D	4 821	562	VS180-D	9 595	1 118
220 x 145	200 x 125	93	16	V200-D	5 077	592	VS200-D	10 303	1 201
240 x 157,5	220 x 137,5	102	18	V220-D	5 866	684	VS220-D	11 712	1 365
270 x 176	250 x 156	116	21	V250-D	6 663	777	VS250-D	13 296	1 550
295 x 192	275 x 172	128	23	V275-D	7 959	928	VS275-D	15 371	1 792
320 x 207,5	300 x 187,5	139	25	V300-D	8 658	1 009	VS300-D	16 825	1 961
370 x 239	350 x 219	163	30	V350-D	9 779	1 140	-	-	-
420 x 270	400 x 250	179	34	V400-D	10 909	1 271	-	-	-
16:9 FORMAT									
180 x 110	160 x 90	72	13	V160-W	kr 4 549	€ 530	VS160-W	kr 8 883	€ 1 035
200 x 121	180 x 101	81	15	V180-W	4 821	562	VS180-W	9 595	1 118
220 x 132,5	200 x 112,5	90	16	V200-W	5 077	592	VS200-W	10 303	1 201
240 x 143,5	220 x 123,5	99	18	V220-W	5 866	684	VS220-W	11 712	1 365
270 x 160,5	250 x 140,5	113	21	V250-W	6 663	777	VS250-W	13 296	1 550
295 x 174,5	275 x 154,5	124	23	V275-W	7 959	928	VS275-W	15 371	1 792
320 x 189	300 x 169	135	25	V300-W	8 658	1 009	VS300-W	16 825	1 961
370 x 217	350 x 197	158	30	V350-W	9 779	1 140	VS350-W	18 286	2 131
420 x 245	400 x 225	181	34	V400-W	10 909	1 271	-	-	-
2.35:1 FORMAT									
180 x 88	160 x 68	68	13	V160-C	kr 4 549	€ 530	VS160-C	kr 8 883	€ 1 035
200 x 96,5	180 x 76,5	77	15	V180-C	4 821	562	VS180-C	9 595	1 118
220 x 105	200 x 85	85	16	V200-C	5 077	592	VS200-C	10 303	1 201
240 x 113,5	220 x 93,5	94	18	V220-C	5 866	684	VS220-C	11 712	1 365
270 x 126,5	250 x 106,5	107	21	V250-C	6 663	777	VS250-C	13 296	1 550
295 x 137	275 x 117	117	23	V275-C	7 959	928	VS275-C	15 371	1 792
320 x 147,5	300 x 127,5	128	25	V300-C	8 658	1 009	VS300-C	16 825	1 961
370 x 169	350 x 149	149	30	V350-C	9 779	1 140	VS350-C	18 286	2 131
420 x 190	400 x 170	170	34	V400-C	10 909	1 271	VS400-C	21 592	2 517

FRAME VISION



Screen Size W x H (cm)	Viewing Area W x H (cm)	Diag. /Inch (")	Wt (kg)	FLEXREAL			FLEXPERF		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 FORMAT									
180 x 140	160 x 120	79	15	VR160-V	kr 7 679	€ 895	-	-	-
200 x 155	180 x 135	89	17	VR180-V	8 308	968	-	-	-
220 x 170	200 x 150	98	19	VR200-V	8 951	1 043	-	-	-
240 x 185	220 x 165	108	20	VR220-V	10 485	1 222	-	-	-
270 x 210	250 x 190	123	24	VR250-V	12 018	1 401	-	-	-
295 x 226	275 x 206	135	25	VR275-V	12 639	1 473	-	-	-
320 x 245	300 x 225	148	28	VR300-V	13 244	1 544	-	-	-
16:10 FORMAT									
180 x 120	160 x 100	74	13	VR160-D	kr 7 679	€ 895	-	-	-
200 x 132,5	180 x 112,5	84	15	VR180-D	8 308	968	-	-	-
220 x 145	200 x 125	93	16	VR200-D	8 951	1 043	-	-	-
240 x 157,5	220 x 137,5	102	18	VR220-D	10 485	1 222	-	-	-
270 x 176	250 x 156	116	21	VR250-D	12 018	1 401	-	-	-
295 x 196	275 x 172	128	23	VR275-D	12 639	1 473	-	-	-
320 x 207,5	300 x 187,5	139	25	VR300-D	13 244	1 544	-	-	-
370 x 239	350 x 219	163	30	VR350-D	14 346	1 672	-	-	-
16:9 FORMAT									
180 x 110	160 x 90	72	13	VR160-W	kr 7 679	€ 895	VP160-W	kr 8 883	€ 1 035
200 x 121	180 x 101	81	15	VR180-W	8 308	968	VP180-W	9 595	1 118
220 x 132,5	200 x 112,5	90	16	VR200-W	8 951	1 043	VP200-W	10 303	1 201
240 x 143,5	220 x 123,5	99	18	VR220-W	10 485	1 222	VP220-W	11 712	1 365
270 x 160,5	250 x 140,5	113	21	VR250-W	12 018	1 401	VP250-W	13 296	1 550
295 x 174,5	275 x 154,5	124	23	VR275-W	12 639	1 473	VP275-W	15 371	1 792
320 x 189	300 x 169	135	25	VR300-W	13 244	1 544	VP300-W	16 825	1 961
370 x 217	350 x 197	158	30	VR350-W	14 346	1 672	VP350-W	18 286	2 131
420 x 245	400 x 225	181	34	VR400-W	18 719	2 182	-	-	-
2.35:1 FORMAT									
180 x 88	160 x 68	68	13	VR160-C	kr 7 679	€ 895	VP160-C	kr 8 883	€ 1 035
200 x 96,5	180 x 76,5	77	15	VR180-C	8 308	968	VP180-C	9 595	1 118
220 x 105	200 x 85	85	16	VR200-C	8 951	1 043	VP200-C	10 303	1 201
240 x 113,5	220 x 93,5	94	18	VR220-C	10 485	1 222	VP220-C	11 712	1 365
270 x 126,5	250 x 106,5	107	21	VR250-C	12 018	1 401	VP250-C	13 296	1 550
295 x 137	275 x 117	117	23	VR275-C	12 639	1 473	VP275-C	15 371	1 792
320 x 147,5	300 x 127,5	128	25	VR300-C	13 244	1 544	VP300-C	16 825	1 961
370 x 169	350 x 149	149	30	VR350-C	14 346	1 672	VP350-C	18 286	2 131
420 x 190	400 x 170	170	34	VR400-C	18 719	2 182	VP400-C	21 592	2 517

FRAME VISION

VEL-TEX®



The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Vel-Tex® gives the screen a luxurious impression and reduces reflection from surrounding light. Incorrect adjustment is visually absorbed.

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	FLEXWHITE			REACT 3.0		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 FORMAT									
180 x 140	160 x 120	79	15	VD160-V	kr 5 712	€ 666	VSD160-V	kr 10 000	€ 1 166
200 x 155	180 x 135	89	17	VD180-V	6 006	700	VSD180-V	10 719	1 249
220 x 170	200 x 150	98	19	VD200-V	6 273	731	VSD200-V	11 420	1 331
240 x 185	220 x 165	108	20	VD220-V	7 121	830	VSD220-V	12 829	1 495
270 x 210	250 x 190	123	24	VD250-V	7 958	927	VSD250-V	14 420	1 681
295 x 226	275 x 206	135	25	VD275-V	9 339	1 088	VSD275-V	16 495	1 922
320 x 245	300 x 225	148	28	VD300-V	10 078	1 175	-	-	-
370 x 282,5	350 x 262,5	172	32	VD350-V	11 264	1 313	-	-	-
405 X 309	385 x 289	190	36	VD400-V	12 469	1 453	-	-	-
16:10 FORMAT									
180 x 120	160 x 100	74	13	VD160-D	kr 5 712	€ 666	VSD160-D	kr 10 000	€ 1 166
200 x 132,5	180 x 112,5	84	15	VD180-D	6 006	700	VSD180-D	10 719	1 249
220 x 145	200 x 125	93	16	VD200-D	6 273	731	VSD200-D	11 420	1 331
240 x 157,5	220 x 137,5	102	18	VD220-D	7 121	830	VSD220-D	12 829	1 495
270 x 176	250 x 156	116	21	VD250-D	7 958	927	VSD250-D	14 420	1 681
295 x 192	275 x 172	128	23	VD275-D	9 339	1 088	VSD275-D	16 495	1 922
320 x 207,5	300 x 187,5	139	25	VD300-D	10 078	1 175	VSD300-D	17 949	2 092
370 x 239	350 x 219	163	30	VD350-D	11 264	1 313	-	-	-
420 x 270	400 x 250	179	34	VD400-D	12 469	1 453	-	-	-
16:9 FORMAT									
180 x 110	160 x 90	72	13	VD160-W	kr 5 712	€ 666	VSD160-W	kr 10 000	€ 1 166
200 x 121	180 x 101	81	15	VD180-W	6 006	700	VSD180-W	10 719	1 249
220 x 132,5	200 x 112,5	90	16	VD200-W	6 273	731	VSD200-W	11 420	1 331
240 x 143,5	220 x 123,5	99	18	VD220-W	7 121	830	VSD220-W	12 829	1 495
270 x 160,5	250 x 140,5	113	21	VD250-W	7 958	927	VSD250-W	14 420	1 681
295 x 174,5	275 x 154,5	124	23	VD275-W	9 339	1 088	VSD275-W	16 495	1 922
320 x 189	300 x 169	135	25	VD300-W	10 078	1 175	VSD300-W	17 949	2 092
370 x 217	350 x 197	158	30	VD350-W	11 264	1 313	VSD350-W	19 408	2 262
420 x 245	400 x 225	181	34	VD400-W	12 469	1 453	-	-	-
2.35:1 FORMAT									
180 x 88	160 x 68	68	13	VD160-C	kr 5 712	€ 666	VSD160-C	kr 10 000	€ 1 166
200 x 96,5	180 x 76,5	77	15	VD180-C	6 006	700	VSD180-C	10 719	1 249
220 x 105	200 x 85	85	16	VD200-C	6 273	731	VSD200-C	11 420	1 331
240 x 113,5	220 x 93,5	94	18	VD220-C	7 121	830	VSD220-C	12 829	1 495
270 x 126,5	250 x 106,5	107	21	VD250-C	7 958	927	VSD250-C	14 420	1 681
295 x 137	275 x 117	117	23	VD275-C	9 339	1 088	VSD275-C	16 495	1 922
320 x 147,5	300 x 127,5	128	25	VD300-C	10 078	1 175	VSD300-C	17 949	2 092
370 x 169	350 x 149	149	30	VD350-C	11 264	1 313	VSD350-C	19 408	2 262
420 x 190	400 x 170	170	34	VD400-C	12 469	1 453	VSD400-C	22 721	2 648

FRAME VISION

VEL-TEX®



The Vel-Tex® option is a true black, velvety textile covering on all of the frame parts. Vel-Tex® gives the screen a luxurious impression and reduces reflection from surrounding light. Incorrect adjustment is visually absorbed.

Screen Size	Viewing Area	Diag. /Inch	Wt (kg)	FLEXREAR			FLEXPERF		
				Part No.	SEK	EUR	Part No.	SEK	EUR
4:3 FORMAT									
180 x 140	160 x 120	79	15	VRD160-V	kr 8 786	€ 1 024	-	-	-
200 x 155	180 x 135	89	17	VRD180-V	9 185	1 071	-	-	-
220 x 170	200 x 150	98	19	VRD200-V	10 052	1 172	-	-	-
240 x 185	220 x 165	108	20	VRD220-V	11 591	1 351	-	-	-
270 x 210	250 x 190	123	24	VRD250-V	13 120	1 529	-	-	-
295 x 226	275 x 206	135	25	VRD275-V	13 741	1 602	-	-	-
320 x 245	300 x 225	148	28	VRD300-V	14 346	1 672	-	-	-
16:10 FORMAT									
180 x 120	160 x 100	74	13	VRD160-D	kr 8 786	€ 1 024	-	-	-
200 x 132,5	180 x 112,5	84	15	VRD180-D	9 185	1 071	-	-	-
220 x 145	200 x 125	93	16	VRD200-D	10 052	1 172	-	-	-
240 x 157,5	220 x 137,5	102	18	VRD220-D	11 591	1 351	-	-	-
270 x 176	250 x 156	116	21	VRD250-D	13 120	1 529	-	-	-
295 x 196	275 x 172	128	23	VRD275-D	13 741	1 602	-	-	-
320 x 207,5	300 x 187,5	139	25	VRD300-D	14 346	1 672	-	-	-
16:9 FORMAT									
180 x 110	160 x 90	72	13	VRD160-W	kr 8 786	€ 1 024	VPD160-W	kr 10 000	€ 1 166
200 x 121	180 x 101	81	15	VRD180-W	9 185	1 071	VPD180-W	10 719	1 249
220 x 132,5	200 x 112,5	90	16	VRD200-W	10 052	1 172	VPD200-W	11 420	1 331
240 x 143,5	220 x 123,5	99	18	VRD220-W	11 591	1 351	VPD220-W	12 829	1 495
270 x 160,5	250 x 140,5	113	21	VRD250-W	13 120	1 529	VPD250-W	14 420	1 681
295 x 174,5	275 x 154,5	124	23	VRD275-W	13 741	1 602	VPD275-W	16 495	1 922
320 x 189	300 x 169	135	25	VRD300-W	14 346	1 672	VPD300-W	17 949	2 092
370 x 217	350 x 197	158	30	VRD350-W	19 380	2 259	VPD350-W	19 408	2 262
420 x 245	400 x 225	181	34	VRD400-W	19 825	2 311	-	-	-
2.35:1 FORMAT									
180 x 88	160 x 68	68	13	VRD160-C	kr 8 786	€ 1 024	VPD160-C	kr 10 000	€ 1 166
200 x 96,5	180 x 76,5	77	15	VRD180-C	9 185	1 071	VPD180-C	10 719	1 249
220 x 105	200 x 85	85	16	VRD200-C	10 052	1 172	VPD200-C	11 420	1 331
240 x 113,5	220 x 93,5	94	18	VRD220-C	11 591	1 351	VPD220-C	12 829	1 495
270 x 126,5	250 x 106,5	107	21	VRD250-C	13 120	1 529	VPD250-C	14 420	1 681
295 x 137	275 x 117	117	23	VRD275-C	13 741	1 602	VPD275-C	16 495	1 922
320 x 147,5	300 x 127,5	128	25	VRD300-C	14 346	1 672	VPD300-C	17 949	2 092
370 x 169	350 x 149	149	30	VRD350-C	19 380	2 259	VPD350-C	19 408	2 262
420 x 190	400 x 170	170	34	VRD400-C	19 825	2 311	VPD400-C	22 721	2 648

CONTROL BOX

AND OTHER CONTROL OPTIONS

The Control Box is a multifunctional unit for easy and trouble free operation of electrical projection screens. The device features the most usual versions of operations such as RF, IR, Dry Contact/Contact Closure, 12V trigger and RS232. Euroscreen® offers optional transmitters for communication with the box; RF AutoLink trigger, RF or IR remote control, and RF wall switch transmitter. The Control Box is equipped with a 300 cm cord to power outlet, a 150 cm screen cord, and a 30 cm Dry Contact/RS232 cable is included.



	Part No.	SEK	EUR
EUROSCREEN® CONTROL BOX KITS			
RF remote control kit (incl. 210 730 + 210 787)	210 760-1	kr 1 528	€ 178
RF AutoLink kit (incl. 210 730 + 210 722-2)	210 750-2	1 660	193
IR remote control kit (incl. 210 730 + 210 788)	210 740-1	1 519	177
CONTROL OPTIONS FOR ELECTRIC SCREENS			
Control Box (RF, IR, Contact Closure, RS232, trigger)	210 730	kr 1 020	€ 119
RF remote control, 3-positions (up - stop - down)	210 787	508	59
AutoLink trigger (RF)	210 722-2	639	75
RF wall switch transmitter	210 724	508	59
IR remote control, 3-positions (up - stop - down)	210 788	500	58
External Switch, 2-positions (up - down)	210 603	450	52
Key switch, 3-positions (up - stop - down)	210 604	1 192	139
CABLES			
IR Eye, 1m	210 734	kr 555	€ 65
12 V trigger, 15m	210 733	437	51
Dry Contact/RS232, 15 m	210 930	387	45
Dry Contact/RS232, 30cm	210 933	325	38
Serial Adaptor (DB9 to RJ11)	DRC103.042	275	32



Part No. 210 787



Part No. 210 788



Part No. 210 603



Part No. 210 724

MOTOR OPTIONS

SMART MOTOR

As an alternative to our installation motor, we have also developed a new, quiet, smart motor, with built in radio receiver and Dry Contact function. This means that the motor can be controlled directly from most control systems, and/or with our remote controls/wall transmitters via radio. The new smart motor operates comfortably quietly, just like our previous Quiet Motor, thanks to its innovative design.



Part No. 210 961



Part No. 210 963

	Part No.	SEK	EUR
SMART MOTOR			
RF-remote control, 3-positions (Up - stop - down)	210 961	kr 490	€ 57
RF Wall switch transmitter	210 963	490	57
Dry contact transmitter	210 965	490	57

ACCESSORIES

	Part No.	SEK	EUR
WALL / CEILING BRACKETS			
15 cm wall brackets, pair	485 015	kr 371	€ 43
30 cm wall brackets, pair	485 030	410	48
50 cm wall brackets, pair	485 050	457	53
75 cm wall brackets, pair	485 075	542	63
Recessed ceiling bracket for Sesame 2.1, pair	930 200	674	79



Wall brackets: 75, 50, 30 and 15 cm



Part No. 930 200

SCREEN ACCESSORIES

MANUAL

WALL BRACKETS

Euroscreen® wall brackets in white finish are available in four lengths; 15 cm, 30 cm, 50 cm and 75 cm. The brackets are easily adjusted and delivered as pair.

MAGNETS

The magnet strip is permanently attached on the back of the bottom bar to attach to a white board for example.

DRAW STICK


Draw sticks for manual projection screens in two lengths; 100 cm and 140 cm.

PULLING CORD

Black pulling cord for manual projection screens, 75 cm. Often a suitable complement to draw sticks.



Wall brackets: 75, 50, 30 and 15 cm



Draw stick, 2 lengths.

	Part No.	SEK	EUR
WALL / CEILING BRACKETS			
15 cm wall brackets, pair	485 015	kr 371	€ 43
30 cm wall brackets, pair	485 030	410	48
50 cm wall brackets, pair	485 050	457	53
75 cm wall brackets, pair	485 075	542	63
ACCESSORIES MANUAL SCREENS			
Magnetic strip 60 cm	340 000	kr 206	€ 24
Draw stick 100 cm	400 100	227	26
Draw stick 140 cm	400 140	251	29
Pulling cord 75 cm	410 285	74	9



AV CABINET

Store all valuable AV equipment safely in this high quality Euroscreen® AV Cabinet in stylish Scandinavian design. The AV cabinet has three shelves; the two bottom ones have adjustable heights. The cabinet is equipped with two solid lockable doors, both front and back for easy installation access. Other features are integrated cable management for easy installation and a clean appearance, two sturdy cable-tidies to wrap cables around, and large ventilation grills to keep the inside of the cabinet cool. We have recently upgraded the AV Cabinet with new sets of wheels, to make it even sturdier and more easy to manoeuvre.

DETAILS: AV CABINET

- Store all your AV equipment in one place
- Designed with usability in mind, blends in well in most modern environments
- 3 shelves: the two bottom ones have adjustable heights
- Top shelf slides out up to 26 cm
- Two solid lockable doors front and back
- Integrated cable management throughout cabinet for easy installation
- Two sturdy cable-tidies to wrap cables around
- Ventilation grills assist airflow to cool equipment inside
- Other finishes available upon request
- Overall size (W x L x H): 55 x 60 x 91 cm
- Optional 19" rack available



	Wt (kg)	Part No.	SEK	EUR	New wheels!	Optional 19" rack for a secure storage of all electrical equipment.
AV Cabinet, Beech	42	962 100	kr 6 656	€ 776		
AV Cabinet, Grey	42	962 101	6 656	776		
AV Cabinet, White	42	962 103	6 656	776		
19" rack, pair	1,5	930 210	kr 331	€ 39		

LECTERN TOP

Transform the AV cabinet in just a few seconds to a professional lectern with the clever solution of a Lectern Top. The light weight top is easy to place onto the cabinet and no mounting is required.

To ensure an easy installation, the Lectern Top has an integrated cable management throughout the unit which provides the opportunity to place a computer either on the very top or out of sight in the void below. As an extra professional detail and appreciated feature, a "mini screen" can be ordered to complete the AV unit. The mini screen is a perfect choice for company logos or message exposure in 4-colour print, and at the same time hide ventilation grills and cable-tidies from the audience.

DETAILS: LECTERN TOP

- Mobile lectern top for a flexible use of the AV Cabinet
- Robust and stable top
- No mounting is needed - just lift top on/off the AV Cabinet
- Integrated cable management for ability to place
- laptop on top area
- Fold down top board for support of notes or hiding of objects
- Total size (W x H x D): 57 x 66 x 17 cm

DETAILS: MINI SCREEN

- Perfect for logo or message exposure
- Hides ventilation grills and cable-tidies
- 4-colour print
- Printing area (W x H): 51 x 80 cm



Fold down top board for support of notes or hiding of objects.

	Wt (kg)	Part No.	SEK	EUR
Lectern top for AV Cabinet, Beech	10	962 110	kr 1 668	€ 194
Lectern top for AV Cabinet, Grey	10	962 111	1 668	194
Lectern top for AV Cabinet, White	10	962 113	1 668	194
Mini Screen (incl. layout + print)		962 200	kr 1 135	€ 132



ABOUT



Euroscreen® stands for high quality and customised AV products manufactured in Sweden. Within the brand you find a large choice of products with the heart set on complete solutions of projection screens in public environments, business areas and home installations. We fine-tune our products to fit your needs, while maintaining short lead times, high quality and competitive prices.

Euroscreen® products are developed and manufactured by Draper Europe AB. Our aim is to serve you in the best way possible. If you have any questions or just want to share your views with us, please feel free to contact us. Euroscreen® offices with sales representatives are located in:

HALMSTAD, SWEDEN

STOCKHOLM, SWEDEN

HAARLEM, THE NETHERLANDS

CORBY, UNITED KINGDOM

SPICELAND, IL, USA



CONTACT

PRODUCTS WITHIN THE TRADEMARK EUROSCREEN® ARE MANUFACTURED AND/OR DISTRIBUTED BY DRAPER EUROPE AB. FEEL FREE TO CONTACT US SHOULD YOU HAVE ANY ENQUIRIES!

DRAPER EUROPE AB
VÄSTERVALLVÄGEN 6
SE-302 41 HALMSTAD
SWEDEN

TEL: +46 35 14 42 90
FAX: +46 35 14 42 91
INFO@DRAPEREUROPE.SE
WWW.DRAPEREUROPE.SE

Terms of sale

ORDERING AND DELIVERY

Orders in writing, by fax or by e-mail are accepted and deliveries are made Ex Works, Draper Europe AB, Halmstad, Sweden, in accordance with Incoterms® 2010.

PRICE

All invoices are based on the current price list of Draper Europe AB in SEK, EUR or GBP currency. The prices are Ex Works, Draper Europe AB, Halmstad, Sweden, in accordance with Incoterms® 2010, and does not include export packaging. The prices are excluding VAT.

PAYMENT

Prepayment or confirmed irrevocable letter of credit as indicated by Draper Europe AB unless otherwise agreed. All payments are to be made without deduction and with all charges paid.

BIC: ESSESESS Skandinaviska Enskilda Banken

SEK: SE9550000000051011053659

Account 5101-10 536 59

EURO: Iban SE94 5000 0000 0542 3826 8121

Account 5423-8268121

VAT number: SE556630280701

Should payment not be effected in accordance with terms of the payment, interest according to the Swedish Law of Interest shall be charged for delays.

DELIVERY

Delivery will be made within approximately 14 days after receipt of order and payment or approved L/C.

FREIGHT DAMAGE

All deliveries should be inspected immediately upon receipt. It is always the recipient's responsibility to file a freight claim within 7 days upon receiving goods.

WARRANTY

All products are warranted for two years against defects in material and workmanship in accordance with Draper Europe AB's special warranty conditions.

RETURNS

In case of any returns, the customer must contact Draper Europe AB before returning any products. Note that we do not accept returns from third party dealers or the end user. Products may be returned only by the original dealer after contacting Draper Europe AB.

Index

ELECTRIC PROJECTION SCREENS

- Connect Electric 42
- Diplomat Electric 32
 - Diplomat XL 31
 - Freya 12
 - Linea 29
 - LODO 45
 - Royal 44
- Sesame 2.1 23
- Thor 18

MANUAL PROJECTION SCREENS

- Connect Manual 51
- Diplomat Manual 46
- Excello 2000 52

FIXED FRAME SCREENS

- Frame Vision 58
- Frame Vision Light 59

PORTABLE PROJECTION SCREENS

- 53 Carrying Case
- 53 Connect Floor

ACCESSORIES

- 67 AV Cabinet
- 64 Control Box
- 68 Lectern Top for AV Cabinet
- 64 Screen Accessories – Electric
- 66 Screen Accessories – Manual
- 64 Smart Motor

SCREEN SURFACES

- 8 Arcticq
 - 8 Astranova
 - 9 FlexPerf
 - 9 FlexRear
 - 9 FlexWhite
 - 9 Grey Light
 - 9 ReAct 3.0
 - 8 Xpert
- 6 Custom Graphic Prints

euroscreen®

DRAPER EUROPE AB, VÄSTERVALLVÄGEN 6, 302 50 HALMSTAD, SWEDEN, +46 35 14 42 90, INFO@DRAPEREUROPE.SE

